

**SERIOUS SKINCARE SERIOUS C3 PLASMA BIO TECHNOLOGY C VITAMIN C
ESTER PROTECTIVE DAYTIME BROAD SPECTRUM MOISTURIZER SPF 30-
avobenzone, octocrylene, octinoxate, octisalate, oxybenzone cream
Flageoli Limited**

**SERIOUS SKINCARE SERIOUS-C3 PLASMA BIO TECHNOLOGY C CREAM
VITAMIN C ESTER PROTECTIVE DAYTIME BROAD SPECTRUM MOISTURIZER
SPF 30**

Drug Facts

Active ingredients

Avobenzone 3% Octocrylene 2.7% Octinoxate 7.5% Octisalate 5% Oxybenzone 5%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (), decreases the risk of skin cancer and early skin aging caused by the sun ***See Directions***

Warnings

For external use only

Do not use on

damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: **Sun Protection**

Measures:

- Limit time in the sun, especially from 10 a.m. – 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months of age: Ask a doctor


Other information

Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

Water (aqua), C12-15 alkyl benzoate, caprylic/capric triglyceride, glycerin, dimethicone, potassium cetyl phosphate, cetearyl alcohol, glyceryl stearate, PEG-100 stearate, tocopherol, anogeissus leiocarpus bark extract, mandarin orange (citrus nobilis) peel extract, lemon (citrus medica limonum) fruit extract, acerola (malpighia glabra) fruit extract, hydrolyzed collagen, maltodextrin, urea, alpha-glucan oligosaccharide, creatine, lime (citrus aurantifolia) fruit extract, lactic acid, ascorbic acid, hydroxyapatite, glutathione, cysteine, hydrolyzed vegetable protein, passiflora incarnata extract, hydroxyethylcellulose, magnesium aluminum silicate, sodium ascorbyl phosphate, caprylyl glycol, sodium citrate, sodium polyacrylate, disodium edta, propanediol, pentylene glycol, butylene glycol, lecithin, hydroxyphenyl propamidobenzoic acid, ascorbyl palmitate, tetrahexyldecyl ascorbate, 3-o-ethyl ascorbic acid, magnesium ascorbyl phosphate, potassium ascorbyl tocopheryl phosphate, magnesium aspartate, zinc gluconate, ethoxydiglycol, zeolite, silica, sodium chloride, tetrasodium glutamate diacetate, calcium gluconate, copper gluconate, acetyl tetrapeptide-17 (and) colloidal platinum, ethylhexylglycerin, citric acid, fragrance (parfum), phenoxyethanol, sodium hydroxymethylglycinate, sodium benzoate, potassium sorbate.

Package Labeling:



Drug Facts

Active ingredients	Purpose
Avobenzone 3%	}.....Sunscreen
Octocrylene 2.7%	
Octinoxate 7.5%	
Octisalate 5%	
Oxybenzone 5%	

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (See **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. – 2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months of age: Ask a doctor

Other information

- Protect the product in this container from excessive heat and direct sun.

Distributed by: FLAGEOLI LTD.
7310 Smoke Ranch Road
Las Vegas, NV 89128

Made in Italy

To report a serious adverse event or obtain product information, contact: 1-800-540-8662
www.seriousskincare.com

Drug facts (continued)

Inactive ingredients

Water (aqua), C12-15 alkyl benzoate, caprylic/capric triglyceride, glycerin, dimethicone, potassium cetyl phosphate, cetearyl alcohol, glyceryl stearate, PEG-100 stearate, tocopherol, anogeissus leiocarpus bark extract, mandarin orange (citrus nobilis) peel extract, lemon (citrus medica limonum) fruit extract, acerola (malpighia glabra) fruit extract, hydrolyzed collagen, maltodextrin, urea, alpha-glucan oligosaccharide, creatine, lime (citrus aurantifolia) fruit extract, lactic acid, ascorbic acid, hydroxyapatite, glutathione, cysteine, hydrolyzed vegetable protein, passiflora incarnata extract, hydroxyethylcellulose, magnesium aluminum silicate, sodium ascorbyl phosphate, caprylyl glycol, sodium citrate, sodium polyacrylate, disodium edta, propanediol, pentylene glycol, butylene glycol, lecithin, hydroxyphenyl propamidobenzoic acid, ascorbyl palmitate, tetrahexyldecyl ascorbate, 3-o-ethyl ascorbic acid, magnesium ascorbyl phosphate, potassium ascorbyl tocopheryl phosphate, magnesium aspartate, zinc gluconate, ethoxydiglycol, zeolite, silica, sodium chloride, tetrasodium glutamate diacetate, calcium gluconate, copper gluconate, acetyl tetrapeptide-17 (and) colloidal platinum, ethylhexylglycerin, citric acid, fragrance (parfum), phenoxyethanol, sodium hydroxymethylglycinate, sodium benzoate, potassium sorbate.

AS07060

SERIOUS SKINCARE®



SERIOUS-C₃
PLASMA™
BIO TECHNOLOGY

C CREAM

Vitamin C Ester
Protective Daytime
Broad Spectrum
Moisturizer
SPF 30

120 ml e 4.0 fl.oz.

SISC00014



Drug Facts

Active ingredients	Purpose
Avobenzone 3%	}.....Sunscreen
Octocrylene 2.7%	
Octinoxate 7.5%	
Octisalate 5%	
Oxybenzone 5%	

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (See **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only
Do not use on damaged or broken skin
When using this product keep out of eyes. Rinse with water to remove.
Stop use and ask a doctor if rash occurs
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10a.m. – 2p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses
 - Children under 6 months of age: Ask a doctor

Other information

- Protect the product in this container from excessive heat and direct sun.

This unit not labeled for retail sale

SISC00014SL

Distributed by: FLAGEOLI LTD.

7310 Smoke Ranch Road

Las Vegas, NV 89128

Made in Italy

To report a serious adverse event or obtain product information, contact: 1-800-540-8662

www.seriousskincare.com



SERIOUS SKINCARE[®]



SERIOUS-C₃
PLASMA[™]
BIO TECHNOLOGY

C CREAM

Vitamin C Ester
Protective Daytime
Broad Spectrum
Moisturizer
SPF 30

120 ml e 4.0 fl.oz.

SERIOUS SKINCARE SERIOUS C3 PLASMA BIO TECHNOLOGY C VITAMIN C ESTER PROTECTIVE DAYTIME BROAD SPECTRUM MOISTURIZER SPF 30

avobenzone, octocrylene, octinoxate, octisalate, oxybenzone cream

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:53755-101

Route of Administration

TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	27 mg in 1 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	75 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	50 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
LIME (CITRUS) (UNII: 8CZS546954)	
LACTIC ACID (UNII: 33X04XA5AT)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
TRIBASIC CALCIUM PHOSPHATE (UNII: 91D9GV0Z28)	
GLUTATHIONE (UNII: GAN16C9B8O)	
CYSTEINE (UNII: K848JZ4886)	
MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)	
SODIUM ASCORBYL PHOSPHATE (UNII: 836SJG51DR)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
PROPANEDIOL (UNII: 5965N8W85T)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
HYDROXYPHENYL PROPAMIDOBENZOIC ACID (UNII: 25KRT26H77)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
3-O-ETHYL ASCORBIC ACID (UNII: 6MW60CB71P)	
MAGNESIUM ASCORBYL PHOSPHATE (UNII: 0R822556M5)	
POTASSIUM ASCORBYL TOCOPHERYL PHOSPHATE (UNII: 61R4GJ48ER)	
MAGNESIUM ASPARTATE (UNII: R17X820ROL)	
ZINC GLUCONATE (UNII: U6WSN5SQ1Z)	
DIETHYLENE GLYCOL MONOETHYL ETHER (UNII: A1A18X02B)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
TETRASODIUM GLUTAMATE DIACETATE (UNII: 5EHL50I4MY)	
CALCIUM GLUCONATE (UNII: SQE6VB453K)	
COPPER GLUCONATE (UNII: RV823G6G67)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM HYDROXYMETHYLGLYCINATE (UNII: DIG6BWZ9XT)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
WATER (UNII: 059QF0KO0R)	

ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)
GLYCERIN (UNII: PDC6A3C0OX)
DIMETHICONE (UNII: 92RU3N3Y1O)
POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT)
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)
PEG-100 STEARATE (UNII: YD01N1999R)
TOCOPHEROL (UNII: R0ZB2556P8)
ANOGEISSUS LEOCARPUS BARK (UNII: U5TP1X38RH)
CITRUS NOBILIS (UNII: 8MFF77J91V)
MALTODEXTRIN (UNII: 7CVR7L4A2D)
UREA (UNII: 8W8T17847W)
CREATINE (UNII: MU72812GK0)
.ALPHA.-GLUCAN OLIGOSACCHARIDE (UNII: S95658MI3W)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53755-101-04	1 in 1 BOX	07/01/2021	
1		120 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/01/2021	

Labeler - Flageoli Limited (036999498)