WOMENS ROGAINE UNSCENTED- minoxidil aerosol, foam Johnson & Johnson Consumer Inc.

WOMEN's Rogaine ® UNSCENTED

Drug Facts

Active ingredient

Minoxidil 5% w/w (without propellant)

Purpose

Hair regrowth treatment for women

Use

to regrow hair on the top of the scalp (see pictures on side of this carton)

Warnings

For external use only.

Extremely Flammable

Avoid fire, flame, or smoking during and immediately following application.

Do not use if

- your degree of hair loss is different than that shown on side of this carton because this product may not work for you
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- your hair loss is associated with childbirth
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

Ask a doctor before use if you have heart disease

When using this product

- do not use more than directed
- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 3 months with once daily use. For

some women, you may need to use this product **once a day** for at least 6 months before you see results.

• the amount of hair regrowth is different for each person. This product will not work for all women.

Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 6 months

May be harmful if used when pregnant or breast-feeding.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- see enclosed booklet for complete directions on how to use
- apply half a capful once daily directly to the scalp in the hair loss area
- massage into scalp with fingers, then wash hands well
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

Other information

- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed booklet
- keep the carton. It contains important information.
- store at controlled room temperature 20° to 25° C (68° to 77° F)
- contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F (49°C).

Inactive ingredients

butane, butylated hydroxytoluene, cetyl alcohol, citric acid, glycerin, isobutane, lactic acid, polysorbate 60, propane, purified water, SD alcohol 40-B, stearyl alcohol

Questions?

call toll-free **800-764-2463** or **215-273-8755** (collect) visit www.rogaine.com

Distributed by:

JOHNSON & JOHNSON CONSUMER INC. Skillman, NJ 08558

PRINCIPAL DISPLAY PANEL - 60 g Can Carton

#1 DERMATOLOGIST RECOMMENDED BRAND

WOMEN'S Rogaine ®

5% Minoxidil Topical Aerosol

Hair Regrowth Treatment

REACTIVATES HAIR FOLLICLES TO STIMULATE REGROWTH

CLINICALLY PROVEN TO REGROW HAIR

Once-a-Day Foam For Women

UNSCENTED

TWO MONTH SUPPLY ONE 60 g (2.11 OZ) CAN



Rogaine

5% Minoxidil Topical Aerosol

Hair Regrowth Treatment

REACTIVATES
HAIR FOLLICLES
TO STIMULATE
REGROWTH

CLINICALLY PROVEN TO REGROW HAIR

Once-a-Day



Drug Facts

Active ingredient

Purpose

Use to regrow hair on the top of the scalp (see pictures on side of this carton)

For external use only.

Extremely Flammable: Avoid fire, flame, or smoking during and immediately following application.

- your degree of hair loss is different than that shown on side of this carton because this product may not work for you
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- your hair loss is associated with childbirth
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalo

Ask a doctor before use if you have heart disease

When using this product

- do not use more than directed
- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 3 months with once-daily use. For some women, you may need to use this product once a day for at least 6 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for all women.

Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 6 months

May be harmful if used when pregnant or breast-feeding. Keep out of reach of children, if swallowed, get medical help or contact a Poison Control Center right away.

- see enclosed booklet for complete directions on how to use
- apply half a capful once daily directly to the scalp in the hair loss area
- massage into scalp with fingers, then wash hands well
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth,

DIRECTIONS FOR USE

See information booklet with complete directions on how to use and obtain best results.



1: PREP HANDS WITH COLD WATER

Rinse your fingers in **cold** water and dry them. **Note**: foam will melt on contact with warm surfaces.



2: OPEN CHILD RESISTANT CAP

Be sure to align arrow on the cap with arrow on blue ring. Tilt cap back and pull off.



3: DISPENSE VERTICALLY ONTO A COLD SURFACE

Hold the can straight upside down. If you hold the can at an angle, foam may not dispense properly. Press nozzle to dispense half a capful of foam onto cold surface (e.g. dish, or cold hands).



4: APPLY TO SCALP, NOT HAIR

Part your hair to expose hair loss area. Massage foam into scap, not hair. Repeat until all hair loss areas have been covered.



5: CLOSE CAP AND WASH HANDS

Snap cap back into place. Be sure arrows do not line up, so cap remains child resistant.

or hair loss will begin again

Other information

- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed booklet
- keep the carton, it contains important information,
- store at controlled room temperature 20° to 25°C (68° to 77°F)
- contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F (49°C).

Inactive ingredients

butane, butylated hydroxytoluene, cetyl alcohol, citric acid, glycerin, isobutane, lactic acid, polysorbate 60, propane, purified water, SD alcohol 40-B, stearyl alcohol

Questions?

call toll-free 800-764-2463 or 215-273-8755 (collect) visit www.rogaine.com

thoroughly after use.

WOMEN'S ROGAINE® Foam is for women who have a general thinning of hair on the top of the scalp (as shown below) and has been shown to regrow hair in women with the following degrees of thinning hair or hair loss.









If women have more hair loss than shown above WOMEN'S ROGAINE® Foam may not work.

THIS PACKAGE CONTAINS:
One 60 g (2.11 oz) can of WOMEN'S ROGAINE®
Foam (two month supply)

The overal look and design of this packaging is subject to trademark protection.



56557005



• J&JCI 2019
U.S. Patent No. 6,946,120
Product incorporates
technology licensed from
Stiefel Laboratories.

Distributed by:

OHNSON & JOHNSON
Skillman, NJ 08558
Active Made in Italy

WOMENS ROGAINE UNSCENTED

minoxidil aerosol, foam

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:69968-0030

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name

Basis of Strength

MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)

MINOXIDIL (UNII: 5965120SH1) MINOXIDIL 50 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
BUTANE (UNII: 6LV4FOR43R)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISOBUTANE (UNII: BXR49TP611)	
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
PROPANE (UNII: T75W9911L6)	
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:69968- 0030-1	1 in 1 CARTON	04/01/2011			
1		60 g in 1 CAN; Type 0: Not a Combination Product				
2	NDC:69968- 0030-2	2 in 1 CARTON	04/01/2011			
2		60 g in 1 CAN; Type 0: Not a Combination Product				
3	NDC:69968- 0030-3	3 in 1 CARTON	04/01/2011			
3		60 g in 1 CAN; Type 0: Not a Combination Product				

Marketing I	larketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
NDA	NDA021812	04/01/2011			

Labeler - Johnson & Johnson Consumer Inc. (118772437)

Revised: 1/2023 Johnson & Johnson Consumer Inc.