

**PREMIER TINTED MINERAL SUNSCREEN- broad spectrum spf30 cream**  
**Premier Plastic Surgery**

-----  
**Premier Tinted Mineral Sunscreen**  
**Broad Spectrum SPF 30**

**Drug Facts**

**Active Ingredients**

Zinc Oxide 7.5%

Titanium Dioxide 3.2%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- apply liberally 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats and sunglasses
- children under 6 months: Ask a doctor

## Inactive Ingredients

Water, Caprylic Capric Triglyceride, Cyclopentasiloxane, C30-45 Alkylcetearyl, Dimethicone Crosspolymer, C13-15 Alkane, Stearic Acid, Aluminum Hydroxide, Polyhydroxystearic Acid, Octyldodecyl Neopentanoate, Glycerin, Buddleja Davidii (Summer Lilac) Extract, Thymus Vulgaris (Thyme) Extract, Sodium Chloride, Sorbitan Oleate, Tetrasodium Edta, Phenoxyethanol, Caprylyl Glycol, Sorbic Acid, Perfluorodecalin, Mica, Titanium Dioxide (CI77891), Iron Oxides (CI77491).

## Other Information

- protect this product from excessive heat and direct sun

## Principal Display Panel - 47 gm



## PREMIER TINTED MINERAL SUNSCREEN

broad spectrum spf30 cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:81393-0652
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	7.5 g in 100 g
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.2 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>BUDDLEJA DAVIDII LEAF</b> (UNII: X380815D32)	
<b>THYMUS VULGARIS LEAF</b> (UNII: GRX3499643)	
<b>CAPRYLIC/CAPRIC TRIGLYCERIDE</b> (UNII: C9H2L21V7U)	
<b>DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE)</b> (UNII: UF7620L1W6)	
<b>C13-15 ALKANE</b> (UNII: 114P5I43UJ)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>OCTYLDODECYL NEOPENTANOATE</b> (UNII: X8725R883T)	
<b>PERFLUOROMETHYLDECALIN</b> (UNII: VWJ68OB6TM)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>SORBIC ACID</b> (UNII: X045WJ989B)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>SORBITAN MONOOLEATE</b> (UNII: 06XEA2VD56)	
<b>TETRASODIUM EDTA</b> (UNII: MP1J8420LU)	
<b>CYCLOPENTASILOXANE</b> (UNII: 0THT5PCI0R)	
<b>C30-45 ALKYL CETEARYL DIMETHICONE CROSSPOLYMER</b> (UNII: 4ZK9VP326R)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81393-0652-6	47 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	09/08/2025	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	09/08/2025	

**Labeler** - Premier Plastic Surgery (844300314)