

REDNECK SPF 50 SUNSCREEN- avobenzone, homosalate, octisalate, octocrylene spray
Redneck Sunscreen LLC

Redneck SPF 50 Sunscreen CS

Active Ingredients

Avobenzone 3%, Homosalate 15%, Octisalate 5%, Octocrylene 10%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- if used as directed with other sun protection measures (see Directions) decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only. Flammable: do not use while smoking or near heat or flame.

Do not use on damaged or broken skin. **When using this product** keep out of eyes. Rinse eyes with water to remove. Contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120 degrees F.

Stop use and ask a doctor if rash occurs.

Keep Out of Reach of Children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Apply liberally 15 minutes before sun exposure. Reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours

Sun protection measures: spending time in the sun increases your risk of skin cancer and early skin aging. To decrease risk, regularly use a sunscreen with broad spectrum SPF of 15 or higher and other sun protection measure including:

- limit time in the sun, especially from 10 am to 2 pm
- wear long-sleeved shirts, pants, hats, and sunglasses.

- Children under 6 months: ask a doctor.

Hold container 4 to 6 inches from the skin to apply. Do not spray directly into face. Spray on hands then apply to face. Do not apply in windy conditions. Use in a well-ventilated area.

Inactive Ingredients

Acrylates/Octylacrylamide Copolymer, Alcohol Denat., Caprylic/Capric Triglyceride, Diethylhexyl Syringylidenemalonate, Glycerin, Tocopherol.

Label

FOLD

FRONT CENT

FOLD

BACK CENT



BROAD SPECTRUM SPF 50

SUNSCREEN SPRAY
 WATER RESISTANT
 (80 MINUTES)
 UVA/UVB
 PROTECTION

Net Wt. 6 oz (170 g)

Drug Facts

Purpose

Active ingredients

Avobenzone 3% Sunscreen
 Homosalate 15% Sunscreen
 Octisalate 5% Sunscreen
 Octocrylene 10% Sunscreen

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only.

Flammable: Do not use while smoking or near heat or flame.

Do not use on damaged or broken skin.

When using this product ■ keep out of eyes. Rinse eyes with water to remove ■ contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F

Stop use and ask doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ apply liberally 15 minutes before sun exposure. Reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours

Sun protection measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease risk, regularly use a sunscreen with broad spectrum SPF of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10am to 2pm ■ wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: ask a doctor ■ hold container 4 to 6 inches from the skin to apply ■ do not spray directly into face. Spray on hands then apply to face ■ do not apply in windy conditions ■ use in well-ventilated area

Other information ■ protect this product from excessive heat and direct sun ■ may stain fabrics

Inactive ingredients acrylates/octylacrylamide copolymer, alcohol denat., caprylic/capric triglyceride, diethylhexyl syringylidenemalonatetocopherol, glycerin, tocopherol

Questions or comments? 1-800-530-1842

Distributed by:
 Redneck Sunscreen LLC
 Medford, OR 97504
 1.800.530.1842



REDNECK SPF 50 SUNSCREEN

avobenzone, homosalate, octisalate, octocrylene spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:87511-151
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	15 g in 100 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	10 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
GLYCERIN (UNII: PDC6A3C0OX)	
ACRYLATES/OCTYLACRYLAMIDE COPOLYMER (40000 MW) (UNII: 7LL6SY9YFV)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
DIETHYLHEXYL SYRINGYLIDENEMALONATE (UNII: 3V5U97P248)	
TOCOPHEROL (UNII: R0ZB2556P8)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87511-151-06	170 g in 1 CAN; Type 0: Not a Combination Product	03/17/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/17/2026	

Labeler - Redneck Sunscreen LLC (039444256)

Registrant - Derma Care Research Labs, LLC (116817470)

Revised: 3/2026

Redneck Sunscreen LLC