

REDNECK SPF 50 SUNSCREEN- avobenzone, homosalate, octisalate, octocrylene lotion
Redneck Sunscreen LLC

Redneck SPF 50 Sunscreen Lotion

Active Ingredients

Avobenzone 3%, Homosalate 15%, Octisalate 5%, Octocrylene 10%

Purpose

Sunscreen

Uses

Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin. **When using this product** keep out of eyes. Rinse eyes with water to remove.

Stop use and ask a doctor if rash occurs.

Keep Out of Reach of Children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Apply liberally 15 minutes before sun exposure. Reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours

Sun protection measures: spending time in the sun increases your risk of skin cancer and early skin aging. To decrease risk, regularly use a sunscreen with broad spectrum SPF of 15 or higher and other sun protection measure including:

- limit time in the sun, especially from 10 am to 2 pm
- wear long-sleeved shirts, pants, hats, and sunglasses.
- Children under 6 months: ask a doctor.

Inactive Ingredients

Aluminum Starch Octenylsuccinate, Benzyl Alcohol, Carbomer, Dimethicone, Disodium EDTA, Ethylhexylglycerin, Fragrance, Phenoxyethanol, Polyglyceryl-3 Distearate, Sorbitan Isostearate, Sorbitol, Stearic Acid, Tocopherol, Triethanolamine, VP/Eicosene Copolymer, Water

Label



REDNECK™

SUNSCREEN

SPORT

50

BROAD SPECTRUM SPF 50

SUNSCREEN LOTION

WATER RESISTANT
(80 MINUTES)

UVA/UVB
PROTECTION

6 FL OZ (177mL)

Drug Facts

Active ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 15%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 10%	Sunscreen

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse eyes with water to remove.

Stop use and ask doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ apply liberally 15 minutes before sun exposure. Reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours. **Sun protection measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease risk, regularly use a sunscreen with broad spectrum SPF of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10am to 2pm ■ wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: ask a doctor

Other information ■ protect this product from excessive heat and direct sun ■ may stain fabrics

Inactive ingredients aluminum starch octenylsuccinate, benzyl alcohol, carbomer, dimethicone, disodium EDTA, ethylhexylglycerin, fragrance, phenoxyethanol, polyglyceryl-3 distearate, sorbitan isostearate, sorbitol, stearic acid, tocopherol, triethanolamine, VP/eicosene copolymer, water

Questions or comments? 1-800-530-1842

Distributed by:
Redneck Sunscreen LLC
Medford, OR 97504
1.800.530.1842



REDNECK SPF 50 SUNSCREEN

avobenzone, homosalate, octisalate, octocrylene lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:87511-183
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 mL
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	10 g in 100 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	15 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
TROLAMINE (UNII: 9O3K93S3TK)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
EICOSYL POVIDONE (UNII: XQQ9MKE2BJ)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294)	
TOCOPHEROL (UNII: R0ZB2556P8)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POLYGLYCERYL-3 DISTEARATE (UNII: ZI1LK470XV)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
SORBITOL (UNII: 506T60A25R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87511-183-06	177 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/17/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/17/2026	

Labeler - Redneck Sunscreen LLC (039444256)**Registrant** - Derma Care Research Labs, LLC (116817470)**Establishment**

Name	Address	ID/FEI	Business Operations
Derma Care Research Labs		116817470	manufacture(87511-183)

