

BENCOCAINE TOPICAL ANESTHETIC- benzocaine spray, metered
Benco Dental

Benzocaine 20%

Oral Anesthetic

For the temporary relief of occasional minor irritation and pain associated with canker sores and minor dental procedures. For Professional Use Only.

Methemoglobinemia warning: Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in the blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops:

- pale, gray or blue colored skin (cyanosis)
- headache
- rapid heart rate
- shortness of breath
- dizziness or lightheadedness
- fatigue or lack of energy

Allergy Alert: Do not use on patients with a history of allergies to local anesthetics such as procaine, butacaine, benzocaine or other "caine" anesthetics.

Flammable. Do not use near fire or flame. Avoid smoking during use.

Do not use:

- for teething
- in children under 2 years of age

In case of overdose, get medical help or contact a Poison Control Center right away. Avoid spraying in eyes

Apply only amount needed to the oral mucosa to prevent or relieve pain.

- Children under 2 years of age: do not use

Store at room temperature. Do not store above 120°F (49°C). Dispose of in a manner consistent with local regulations.

Ethyl Alcohol, Flavor, Polyethelyn Glycol, Sodium Saccharin, Hydrocarbon Propellant (HFC-134a).

Drug Facts

Active ingredient **Purpose**
Benzocaine 20% Oral Anesthetic

Uses

- For the temporary relief of occasional minor irritation and pain associated with canker sores and minor dental procedures.
- For Professional Use Only.

Warnings

Methemoglobinemia warning: Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in the blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops:

- Pale, gray or blue-colored skin (cyanosis)
- Headache
- Rapid heart rate
- Shortness of breath
- Dizziness or lightheadedness
- Fatigue or lack of energy

Allergy Alert: Do not use if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine, or other "caine" anesthetics.

Flammable. Do not use near fire or flame. Avoid smoking during use.

Drug Facts (continued)

Do not use:

- For teething
- In children under 2 years of age

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Avoid spraying in eyes.

Directions

Apply only amount needed to the oral mucosa to prevent or relieve pain.

- Children under 2 years of age: Do not use.

Other information

Store at room temperature. Do not store above 120°F (49°C). Dispose of in a manner consistent with local regulations.

Inactive ingredients

Ethyl alcohol, flavor, polyethylene glycol, sodium saccharin, hydrocarbon propellant (HFC-134a).

Questions or comments

1-800-462-3626

99081797 Rev 01/2/2021

Distributed by

BencoDental

800.GO.BENCO • BENCO.COM
295 CenterPoint Blvd, Pittston, PA 18640

MADE IN USA

BencoDental

BencoCaine™
topical anesthetic
metered spray

20% benzocaine

Dosage:


50 mg

Important:

Read directions for proper use.

2 oz.

mint



BENCOCAINE TOPICAL ANESTHETIC

benzocaine spray, metered

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66975-360
Route of Administration	DENTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	11.4 g in 57 g

Inactive Ingredients

Ingredient Name	Strength
POLYETHYLENE GLYCOL 400 (UNII: B6978945GQ)	
ALCOHOL (UNII: 3K9958V90M)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	

Product Characteristics

Color	white (Clear)	Score	
Shape		Size	
Flavor	MINT	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66975-360-35	57 g in 1 BOTTLE, SPRAY; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)	12/01/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	12/01/2021	

Labeler - Benco Dental (015108087)

Revised: 3/2026

Benco Dental