

**SOME BY MI TRUCICA AQUA CALMING SUNSCREEN- avobenzone,  
homosalate, octisalate, octocrylene cream  
PERENNEBELL Co., Ltd.**

-----  
**SOME BY MI TRUCICA AQUA CALMING SUNSCREEN**

**Active ingredients**

Avobenzone 2.8 %, Homosalate 7.3 %, Octisalate 4.8 %, Octocrylene 8.7 %

**Purpose**

sunscreen

**Uses**

■ Helps prevent sun burn. ■ If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only

**Do not use**

on damaged or broken skin.

**When using this product**

keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor**

if rash occurs

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor
- Reapply at least every 2 hours.

■ Use a water-resistant sunscreen if swimming or sweating.

■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses.

### **Other information**

■ Protect the product in this container from excessive heat and direct sun. ■ Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

### **Inactive ingredients**

Water, Butylene Glycol, Polyglyceryl-6 Stearate, Dibutyl Adipate, Isohexadecane, Niacinamide, Pentylene Glycol, Glyceryl Stearate SE, Arginine, Cetearyl Oliviate, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Polyglyceryl-6 Behenate, Sorbitan Oliviate, Carbomer, 1,2-Hexanediol, Vinyl Dimethicone/Methicone Silsesquioxane Crosspolymer, Ammonium Acryloyldimethyltaurate/VP Copolymer, Methylpropanediol, Adenosine, Ethylhexylglycerin, Caprylyl Glycol, Rosmarinus Officinalis (Rosemary) Leaf Oil, Mentha Arvensis Extract, Ethyl Hexanediol, Tocopherol, Trehalose, Melaleuca Alternifolia (Tea Tree) Leaf Water, Centella Asiatica Extract, Hydrolyzed Hyaluronic Acid, Panthenol, Cymbopogon Nardus (Citronella) Oil, Dipropylene Glycol, Lavandula Angustifolia (Lavender) Oil, Aloe Barbadensis Leaf Extract, Ocimum Basilicum (Basil) Oil, Litsea Cubeba Fruit Oil, Propanediol, Sodium Palmitoyl Proline, Steareth-30, Artemisia Capillaris Extract, Glycerin, Saussurea Involucrata Extract, Portulaca Oleracea Extract, Madecassoside, Asiaticoside, Thymus Vulgaris (Thyme) Extract, Madecassic Acid, Asiatic Acid, Nymphaea Alba Flower Extract

### **Questions?**

[www.somebymi.co.kr](http://www.somebymi.co.kr)

### **artwork**

### Drug Facts

Active ingredients	Purpose
Avobenzone 2.8 %, Homosalate 7.3 %, Octisalate 4.8 %, Octocrylene 8.7 %	..... sunscreen

### Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures [see *Directions*], decreases the risk of skin cancer and early skin aging caused by the sun.

### Warnings

**For external use only**

Do not use on damaged or broken skin.

When using this product keep out of eyes.

Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- Apply liberally 15 minutes before sun exposure.
- Children under 6 months of age : Ask a doctor.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including :
  - Limit time in the sun, especially from 10 a.m. - 2 p.m.
  - Wear long-sleeved shirts, pants, hats, and sunglasses.

### Other information

- Protect the product in this container from excessive heat and direct sun.
- Sun alert : Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

### Inactive ingredients

Water, Butylene Glycol, Polyglyceryl-6 Stearate, Dibutyl Adipate, Isohexadecane, Niacinamide, Pentylene Glycol, Glyceryl Stearate SE, Arginine, Cetearyl Oliviate, Acrylates /C10-30 Alkyl Acrylate Crosspolymer, Polyglyceryl-6 Behenate, Sorbitan Oliviate, Carbomer, 1,2-Hexanediol, Vinyl Dimethicone/Methicone Silsesquioxane Crosspolymer, Ammonium Acryloyldimethyltaurate/VP Copolymer, Methylpropanediol, Adenosine, Ethylhexylglycerin, Caprylyl Glycol, Rosmarinus Officinalis (Rosemary) Leaf Oil, Mentha Arvensis Extract, Ethyl Hexanediol, Tocopherol, Trehalose, Melaleuca Alternifolia (Tea Tree) Leaf Water, Centella Asiatica Extract, Hydrolyzed Hyaluronic Acid, Panthenol, Cymbopogon Nardus (Citronella) Oil, Dipropylene Glycol, Lavandula Angustifolia (Lavender) Oil, Aloe Barbardensis Leaf Extract, Ocimum Basilicum (Basil) Oil, Litsea Cubeba Fruit Oil, Propanediol, Sodium Palmityl Proline, Steareth-30, Artemisia Capillaris Extract, Glycerin, Saussurea Involucrata Extract, Portulaca Oleracea Extract, Madecassoside, Asiaticoside, Thymus Vulgaris (Thyme) Extract, Madecassic Acid, Asiatic Acid, Nymphaea Alba Flower Extract

Questions? [www.somebymi.co.kr](http://www.somebymi.co.kr)

**SOME BY MI**

## TRUECICA

AQUA CALMING  
SUNSCREEN

BROAD SPECTRUM SPF50

TRUECICA™  
NIACINAMIDE

CLINICAL SOLUTION

Clinically Tested

A daily sunscreen that moisturizes and comforts the skin, and is lightweight to apply.

**SOME BY MI**

50 mL / 1.69 FL. OZ.

DISTRIBUTED BY  
PERENNEBELL Co., Ltd.  
18F, 410 Teheran-ro,  
Gangnam-gu, Seoul,  
Republic of Korea 06192

MADE IN KOREA



## SOME BY MI TRUECICA AQUA CALMING SUNSCREEN

avobenzone, homosalate, octisalate, octocrylene cream

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:74472-501
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	2.4 g in 50 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	3.65 g in 50 mL
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.5 g in 50 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	4.35 g in 50 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>PENTYLENE GLYCOL</b> (UNII: 50C1307PZG)	
<b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)	
<b>ADENOSINE</b> (UNII: K72T3FS567)	
<b>CENTELLA ASIATICA WHOLE</b> (UNII: 7M867G6T1U)	
<b>NYMPHAEA ALBA FLOWER</b> (UNII: 40KQ7Q535O)	
<b>CYMBOPOGON NARDUS (CITRONELLA) OIL</b> (UNII: QYO8Q067D0)	
<b>ALOE BARBADENSIS LEAF</b> (UNII: ZY81Z83H0X)	
<b>ASIATICOSIDE</b> (UNII: PKO39VY215)	
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)	
<b>CETEARYL OLIVATE</b> (UNII: 58B69Q84JO)	
<b>POLYGLYCERYL-6 STEARATE</b> (UNII: ETY9Q81E2T)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>STEARETH-30</b> (UNII: 5776GCL1DG)	
<b>METHYLPROPANEDIOL</b> (UNII: N8F53B3R4R)	
<b>MELALEUCA ALTERNIFOLIA (TEA TREE) LEAF</b> (UNII: G43C57162K)	
<b>SODIUM PALMITOYL PROLINE</b> (UNII: 64L053FRFO)	
<b>ASIATIC ACID</b> (UNII: 9PA5A687X5)	
<b>ARGININE</b> (UNII: 94ZLA3W45F)	
<b>TREHALOSE</b> (UNII: B8WCK70T7I)	
<b>LITSEA CUBEBA FRUIT OIL</b> (UNII: 2XIW34BN6O)	
<b>POLYGLYCERYL-6 BEHENATE</b> (UNII: 4T2L7QI313)	
<b>SORBITAN OLIVATE</b> (UNII: MDL271E3GR)	
<b>PORTULACA OLERACEA WHOLE</b> (UNII: D5J3623SV2)	
<b>GLYCERYL STEARATE SE</b> (UNII: FCZ5MH785I)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>ETHYL HEXANEDIOL</b> (UNII: M9JGK7U88V)	
<b>TOCOPHEROL</b> (UNII: ROZB2556P8)	
<b>HYDROLYZED HYALURONIC ACID 10</b> (UNII: U2585P4K7Y)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>MADECASSIC ACID</b> (UNII: M7O1N24J82)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>ROSMARINUS OFFICINALIS (ROSEMARY) LEAF OIL</b> (UNII: 8LGU7VM393)	
<b>MENTHA ARVENSIS WHOLE</b> (UNII: 46477RRB3O)	

<b>SAUSSUREA INVOLUCRATA WHOLE</b> (UNII: C7X2ALW7JZ)
<b>MADECASSOSIDE</b> (UNII: CQ2F5O6YIY)
<b>THYMUS VULGARIS WHOLE</b> (UNII: 8L72OKJ7II)
<b>CARBOMER</b> (UNII: 0A5MM307FC)
<b>VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER</b> (UNII: 9NH1UDD2RR)
<b>OCIMUM BASILICUM (BASIL) OIL</b> (UNII: Z129UMU8LE)
<b>AMMONIUM ACRYLOYLDIMETHYLTAURATE/VP COPOLYMER</b> (UNII: W59H9296ZG)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)
<b>DIBUTYL ADIPATE</b> (UNII: F4K100DXP3)
<b>ARTEMISIA CAPILLARIS WHOLE</b> (UNII: 852FKP35KV)
<b>WATER</b> (UNII: 059QF0K00R)
<b>ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER (60000 MPA.S)</b> (UNII: 8Z5ZAL5H3V)
<b>LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL</b> (UNII: ZBP1YXW0H8)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:74472-501-02	1 in 1 BOX	04/01/2026	
1	NDC:74472-501-01	50 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/01/2026	

**Labeler** - PERENNEBELL Co., Ltd. (694788814)

### Establishment

Name	Address	ID/FEI	Business Operations
reBom Co., Ltd.		695951708	manufacture(74472-501)

Revised: 3/2026

PERENNEBELL Co., Ltd.