

**SOJO SUNSCREEN- zinc oxide lotion**  
**Guangdong Aimu Biological Technology Co., Ltd**

-----  
**SOjO sunscreen lotion**

**Active Ingredients**

Zinc Oxide 7%

**Purpose**

Sunscreen

**Uses**

helps prevent sunburn.

**Warnings**

For external use only

**Stop Use**

and ask a doctor if rash occurs.

**Do Not Use**

on damaged or broken skin.

**When Using**

keep out of eyes. Rinse with water to remove.

**Keep Out Of Reach Of Children**

If swallowed, get medical help or contact a poison control center right away.

**Inactive ingredients**

Water □ Propylene Glycol □ Glycerin □ C12-15 Alkyl Benzoate □ Phenyl  
Trimethicone □ Trimethylsiloxysilicate □ Cetearyl Glucoside □ Cetearyl Alcohol □ Glyceryl  
Stearate □ PEG-100 Stearate □ OLEA EUROPAEA (OLIVE) FRUIT OIL □ Cocos Nucifera  
(Coconut) Oil □ Tocopheryl Acetate □ Dipotassium Glycyrrhizate □ Sodium  
Hyaluronate □ Carbomer □ Triethanolamin □ Xanthan Gum □ Oryza Sativa (Rice)  
Extract □ Phragmites Communis Extract □ Zea Mays (Corn) Silk Extract □ Va Sylvestris

(Mallow) Flower/Leaf/Stem Extract □Disodium EDTA□Phenoxyethanol□Ethylhexylglycerin  
 □StephaniaTetrandra Extract□Taraxacum Officinale LeafExtract□Saururus Chinensis  
 Leaf/Root Extract

**Dosage & administration**

Apply liberally 15 minutes before sun exposure.

**PRINCIPAL DISPLAY PANEL**

# sunscreen lotion

## SPF 30




37ml

03/31/29 CHINA

 reef safe
 vegan
 paraben free

 dye free
 cruelty free

DRUG FACTS	
<b>ACTIVE INGREDIENTS</b>	<b>PURPOSE</b>
Zinc Oxide7%.....	Sunscreen
<b>USES:</b> helps prevent sunburn	
<b>DIRECTIONS:</b> Apply liberally 15 minutes before sun exposure Reapply: · After 80 minutes of swimming or sweating · Immediately after towel drying · At least every 2 hours	
<b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease the risk regularly use a sunscreen with broad spectrum SPF of 15 or higher and other sun protection measures including: · Limit time in the sun, especially from 10am to 2pm · wear long-sleeve shirts, pants, hats, and sunglasses · children under 6 months: Ask a doctor.	
<b>INACTIVE INGREDIENTS</b> Water;Propylene Glycol; Glycerin;C12-15 AlkylBenzoate; Phenyl Trimethicone;Trimethylsiloxysilicate;Cetearyl Glucoside;Cetearyl Alcohol;Glyceryl Stearate;PEG-100 Stearate;OLEA EUROPAEA (OLIVE) FRUIT OIL; CocosNucifera (Coconut) Oil;Tocopheryl Acetate; Dipotassium Glycyrrhizate%;Sodium Hyaluronate; Carbomer; Triethanolamine;Xanthan Gum;Oryza Sativa (Rice) Extract;Phragmites Communis Extract;Zea Mays (Corn)Silk Extract;Va Sylvestris (Mallow) Flower/Leaf/ Stem Extract;Disodium EDTA;Phenoxyethanol; Ethylhexylglycerin;StephaniaTetrandra Extract; Taraxacum Officinale LeafExtract;Saururus Chinensis Leaf/Root Extract;	
<b>Warnings</b> * For external use only. * Do not use on damaged or broken skin. * When using this product keep out of eyes. Rinse with water to remove. * Stop use and ask a doctor if rash occurs. * Keep out of reach of Children: If swallowed, get medical help or contact a poison control center right away.	
<b>Other information:</b> Protect the product in this container from excessive heat and direct sun.	
<b>Product shelf life:</b> 3 years	<b>Made in</b> PRC
<b>Date of manufacture:</b> please check on the print code.	



## SOJO SUNSCREEN

zinc oxide lotion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:83566-603
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	7 g in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>PHENYL TRIMETHICONE</b> (UNII: DROK5NOJ4R)	
<b>MALVA SYLVESTRIS (MALLOW) LEAF POWDER</b> (UNII: 17H39B00T5)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>SAURURUS CHINENSIS WHOLE</b> (UNII: 6DRV3D37XS)	
<b>C12-15 ALKYL BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>OLEA EUROPAEA (OLIVE) FRUIT OIL</b> (UNII: 6UYK2W1W1E)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>TRIETHANOLAMINE</b> (UNII: 9O3K93S3TK)	
<b>TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0)</b> (UNII: 25LXE464L2)	

<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)
<b>STEPHANIA TETRANDRA WHOLE</b> (UNII: 7S7TV2F4XC)
<b>ORYZA SATIVA (RICE) GERM POWDER</b> (UNII: 7N2B70SFEZ)
<b>SODIUM HYALURONATE</b> (UNII: YSE9PPT4TH)
<b>CETEARYL GLUCOSIDE</b> (UNII: 09FUA47KNA)
<b>GLYCERYL STEARATE</b> (UNII: 230OU9XXE4)
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)
<b>COCOS NUCIFERA (COCONUT) OIL</b> (UNII: Q9L0O73W7L)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>DIPOTASSIUM GLYCYRRHIZATE</b> (UNII: CA2Y0FE3FX)
<b>PHRAGMITES KARKA WHOLE</b> (UNII: 10086A360Y)
<b>CORN SILK</b> (UNII: 7D3VB244UX)
<b>TARAXACUM OFFICINALE LEAF</b> (UNII: 0022LFJ74Y)
<b>CARBOMER</b> (UNII: 0A5MM307FC)
<b>CETEARYL ALCOHOL</b> (UNII: 2DMT128M1S)

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83566-603-01	37 mL in 1 TUBE; Type 0: Not a Combination Product	03/19/2026	

<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M020	03/19/2026		

**Labeler** - Guangdong Aimu Biological Technology Co., Ltd (712647107)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
Guangdong Aimu Biological Technology Co., Ltd		712647107	manufacture(83566-603)

Revised: 3/2026

Guangdong Aimu Biological Technology Co., Ltd