

**POLYETHYLENE GLYCOL 3350- polyethylene glycol 3350 powder, for solution**  
**Cardinal Health 107, LLC**

-----  
***Drug Facts***

**Polyethylene Glycol 3350, Powder for Oral Solution**

**Active Ingredient (in each sachet)**

Polyethylene Glycol 3350, NF 17g

**Purpose**

Laxative

**Uses**

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 1 to 3 days

**Warnings**

**Allergy alert:** Do not use if you are allergic to polyethylene glycol.

**Do not use** if you have kidney disease, except under the advice and supervision of a doctor

**Ask a doctor before use if you have**

- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome

**Ask a doctor of pharmacist**

**before use** if you are taking a prescription drug

**When using this product**

you may have loose, watery, more frequent stools

**Stop use and ask a doctor if**

- you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.
- you get diarrhea
- you need to use a laxative for longer than 1 week

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of the reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- **do not take more than directed unless advised by your doctor**
- adults and children 17 years of age and older:
- stir and dissolve one sachet of powder (17 g) in any 4 to 8 ounces of beverage (cold, hot or room temperature)
- drink the solution.
- use once a day
- use no more than 7 days
- children 16 years of age or under: ask a doctor

**Other Information**

- store at 20° - 25°C (68° - 77°F)
- do not use if foil is open or broken.

**Inactive Ingredients**

none

**Questions or comments?**

1-800-707-4621 or [www.americanhealthpackaging.com](http://www.americanhealthpackaging.com)

© 2019 & Distributed by  
American Health Packaging  
Columbus, Ohio 43217 USA

All rights reserved.

1037831/1037832

**Distributed By:****Cardinal Health**

Dublin, OH 43017

L5568654-10124

L5568654-20124

**Principal Display Panel**

Healthylax®

Polyethylene Glycol 3350 NF  
 Powder for Oral Laxative Solution  
 7 Sachets 0.6 Oz (17 g) Each



F106

NDC 55154-8184-5

**HEALTHYLAX®**  
**POLYETHYLENE GLYCOL 3350 NF**  
**Powder For Oral Laxative Solution**  
**7 SACHETS 0.6 OZ (17g) EACH**

- Relieves Occasional Constipation/Irregularity
- Softens Stool
- 7 Daily Doses

**Drug Facts**

**Active Ingredient (in each sachet)**  
 Polyethylene Glycol 3350 NF, 17g

**Purpose**  
 Laxative

**Inactive Ingredients** none

**Use**

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 1 to 3 days

**STORAGE:** Store at 20° - 25° C (68° - 77° F)  
 do not use if foil is open or broken.

**WARNING:** This Unit Dose package is not child resistant and is Intended for Institutional Use Only. If pregnant or breast-feeding, ask a health professional before use. Keep this and all medications out of the reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Code No.:KR/DRUGS/KTK/25/415/98

© 2019 & Distributed by American Health

Packaging,  
 Columbus, Ohio 43217 USA. All rights reserved.

Distributed by Cardinal Health  
 Dublin, OH 43017

L5568654-10124

Lot:            Exp:

Distributed by Cardinal Health  
 Dublin, OH 43017  
 L5568654-20124

**Warnings**

**Allergy alert:** Do not use if you are allergic to polyethylene glycol. Do not use if you have kidney disease, except under the advice and supervision of a doctor

**Ask a doctor before use if you have**

- nausea, vomiting, abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome.

**Ask a doctor or pharmacist before use if you are taking a prescription drug**

**When using this product you may have loose, watery, more frequent stools**

**Stop use and ask a doctor if**

- you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.

- you get diarrhea

- you need to use a laxative for longer than 1 week

**Directions**

- Do not take more than directed unless advised by your doctor
- Adults and children 17 years of age and older:  
 - Stir and dissolve one sachet of powder (17g) in any 4 to 8 ounces of beverage (cold, hot or room temperature)
- Drink the solution
- Use once a day
- Use no more than 7 days
- Children 16 years of age or under: ask a doctor

**Questions or comments?**

1-800-707-4621 or  
[www.americanhealthpackaging.com](http://www.americanhealthpackaging.com)

**POLYETHYLENE GLYCOL 3350**

polyethylene glycol 3350 powder, for solution

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55154-8184(NDC:60687-431)
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>POLYETHYLENE GLYCOL 3350</b> (UNII: G2M7P15E5P) (POLYETHYLENE GLYCOL 3350 - UNII:G2M7P15E5P)	POLYETHYLENE GLYCOL 3350	17 g in 17 g

**Inactive Ingredients**

Ingredient Name	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

**Product Characteristics**

<b>Color</b>	white (Colorless upon dissolution)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55154-8184-5	7 in 1 BAG	04/15/2019	
1		17 g in 1 POUCH; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA203928	04/15/2019	

**Labeler** - Cardinal Health 107, LLC (118546603)

Revised: 1/2024

Cardinal Health 107, LLC