

PROSTAT COLD SPRAY- refrigerant, topical (vapocoolant)

ProStat First Aid

ProStat Topical Skin Refrigerant Cold Spray

Active Ingredients

Isobutane
N-Butane
Propane

Purpose

Topical Coolant
Topical Coolant
Topical Coolant

Uses

□ First aid to help

minor pain and swelling from sprains, bruising, and contusion
minor sports injuries

Warnings

□ For external use only

□ Flammable

keep away from fire or flame
contents under pressure
do not puncture or incinerate container
do not expose to temperatures above 120° F

Do not use

in or near eyes or other mucous membranes
in case of serious burns
in deep puncture wounds
for a prolonged period of time
on a large portion of the body

Stop use and ask a doctor if

redness, swelling or irritation occurs
infection occurs
condition worsens
symptoms persist for more than 7 days

Keep out of reach of children. □ If swallowed, get medical help or contact a Poison Control Center right away.

Directions

hold can 4-6 inches away from treatment area, using a sweeping motion
 spray area until skin just turns white
 do not spray after skin turns white

Other information

avoid inhaling
 use only as directed
 intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal

Principal Display

PROSTAT FIRST AID

Topical Skin Refrigerant
Cold Spray

Use like ice:

- Relieves minor pain and swelling from sprains, bruising and contusions
- For minor sports injuries

Aerosol

WARNING: FLAMMABLE
 CONTENTS UNDER PRESSURE, READ BACK PANEL CAREFULLY

NET WEIGHT 4 OZ (113G)

Manufactured for
 ProStat First Aid LLC
 Valencia, CA, 91355
 prostatfa.com

14889 01271 5

Topical Skin Refrigerant	
Active Ingredients	Purpose
Isobutane	Topical Coolant
N-Butane	Topical Coolant
Propane	Topical Coolant
Uses First Aid to help	
■ Minor pain and swelling from sprains, bruising, and contusions	
■ Minor sports injuries	
Warnings	
For external use only	
Flammable	
■ Keep away from fire or flame	
■ Do not puncture or incinerate container	
■ Contents under pressure	
■ Do not expose to temperatures above 120° F	
Do not use	
■ in or near eyes or other mucous membranes	
■ in case of serious burn ■ in deep puncture wounds	
■ for prolonged period of time ■ on large portions of the body	
Stop use and ask a doctor if	
■ redness, swelling, or irritation occurs ■ infection occurs	
■ conditions worsens ■ symptoms persist for more than 7 days	
Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center right away.	
Directions	
■ hold can 4 to 6 inches away from treatment area, using a sweeping motion spray area until the skin just turns white	
■ do not spray after skin turns white	
Other Information	
■ avoid inhaling ■ use only as directed	
■ intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal	

PROSTAT COLD SPRAY

refrigerant, topical (vapocoolant)

Product Information

Product Type	OTC MEDICAL DEVICE	Item Code (Source)	NHRIC:58228-0101
---------------------	--------------------	---------------------------	------------------

Other Ingredients

Ingredient Kind	Ingredient Name	Quantity
INGR	ISOBUTANE (UNII: BXR49TP611)	
INGR	BUTANE (UNII: 6LV4FOR43R)	
INGR	PROPANE (UNII: T75W9911L6)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NHRIC:58228-0101-4	113 g in 1 BOTTLE, SPRAY		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
premarket notification	K033720	02/18/2014	

Labeler - ProStat First Aid (061263699)

Revised: 2/2014

ProStat First Aid