

**ADVANCED BED SORE WOUND HEALING- allantoin gel**  
**Yantai Aien Biotechnology Co., Ltd.**

-----  
**87512-001 Advanced Bed Sore Wound Healing**

Active ingredient Allantoin (0.5%).....

Purpose Skin protectant

Uses

Temporarily protect, and relieve chapped or cracked skin

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Warnings

For external use only

Apply a thin layer to the affected area 2 to 3 times daily or as directed by a physician

Directions

Clean the affected area

Apply a thin layer to the affected area 2 to 3 times daily or as directed by a physician

May be covered with a sterile bandage or left uncovered

Inactive ingredients

Polihexanide, Riboflavin, Ferrous Lactate, Hyaluronic Acid, Sodium Alginate, Carbomer Homopolymer, Trolamine, Water

**87512-001-01 Advanced Bed Sore Wound Healing 15g**

Eisen Life



EisenLife

**ADVANCED  
BED SORE  
WOUND  
HEALING GEL**

- FAST-ACTING RELIEF FOR BED SORES
- PRESSURE ULCERS FOOT BLISTERS
- OPEN WOUNDS DIABETIC SKIN



HERBAL  
EXTRACTS

Antimicrobial  
Hypoallergenic  
Promotes moist healing  
environment  
Optimal moist barrier  
Fragrance and steroid free



MADE IN CHINA

NET WT 0.53 OZ(15 g)

**Drug Facts**

Active ingredient	Purpose
Allantoin (0.5%).....	Skin protectant

**Uses**

- Temporarily protect, and relieve chapped or cracked skin

**Warnings**

For external use only

**Do not use**

- In the eyes and over large areas of the body

**Ask a doctor before if you have**

- Deep or puncture wounds
- Animal bites
- Serious burns

**When using this product**

- Avoid contact with eyes. If contact occurs, rinse thoroughly with water

**Stop use and ask a doctor if**

- Condition worsens
- Symptoms last more than 7 days or clear up and occur again within a few days

**Keep out of reach of children**

- If swallowed, get medical help or contact a Poison Control Center right away

**Directions**

- Clean the affected area
- Apply a thin layer to the affected area 2 to 3 times daily or as directed by a physician
- May be covered with a sterile bandage or left uncovered

**Other Information**

- Store at room temperature 68°F to 77°F (20°C to 25°C)
- Do not expose to excessive

**Inactive ingredients**

Polihexanide, Riboflavin, Ferrous Lactate, Hyaluronic Acid, Sodium Alginate, Carbomer Homopolymer, Triethylamine, Water

**87512-001-02 Advanced Bed Sore Wound Healing 30g**

Eisen Life



EisenLife

**ADVANCED  
BED SORE  
WOUND  
HEALING GEL**

- FAST-ACTING RELIEF FOR BED SORES
- PRESSURE ULCERS FOOT BLISTERS
- OPEN WOUNDS DIABETIC SKIN



HERBAL  
EXTRACTS

Antimicrobial  
Hypoallergenic  
Promotes moist healing  
environment  
Optimal moist barrier  
Fragrance and steroid free



MADE IN CHINA

NET WT 1.06 OZ(30 g)

**Drug Facts**

Active ingredient	Purpose
Allantoin (0.5%)	Skin protectant

**Uses**

- Temporarily protect, and relieve chapped or cracked skin

**Warnings**

For external use only

**Do not use**

- In the eyes and over large areas of the body

**Ask a doctor before if you have**

- Deep or puncture wounds
- Animal bites
- Serious burns

**When using this product**

- Avoid contact with eyes. If contact occurs, rinse thoroughly with water

**Stop use and ask a doctor if**

- Condition worsens
- Symptoms last more than 7 days or clear up and occur again within a few days

**Keep out of reach of children**

- If swallowed, get medical help or contact a Poison Control Center right away

**Directions**

- Clean the affected area
- Apply a thin layer to the affected area 2 to 3 times daily or as directed by a physician
- May be covered with a sterile bandage or left uncovered

**Other Information**

- Store at room temperature 68°F to 77°F (20°C to 25°C)
- Do not expose to excessive

**Inactive ingredients**

Polihexanide, Riboflavin, Ferrous Lactate, Hyaluronic Acid, Sodium Alginate, Carbomer Homopolymer, Triethylamine, Water

**87512-001-03 Advanced Bed Sore Wound Healing 50g**

Eisen Life



EisenLife

**ADVANCED  
BED SORE  
WOUND  
HEALING GEL**

- FAST-ACTING RELIEF FOR BED SORES
- PRESSURE ULCERS FOOT BLISTERS
- OPEN WOUNDS DIABETIC SKIN



HERBAL  
EXTRACTS

Antimicrobial  
Hypoallergenic  
Promotes moist healing  
environment  
Optimal moist barrier  
Fragrance and steroid free



MADE IN CHINA

NET WT 1.76 OZ(50 g)

**Drug Facts**

Active ingredient	Purpose
Allantoin (0.5%).....	Skin protectant

**Uses**

- Temporarily protect, and relieve chapped or cracked skin

**Warnings**

For external use only

**Do not use**

- In the eyes and over large areas of the body

**Ask a doctor before if you have**

- Deep or puncture wounds
- Animal bites
- Serious burns

**When using this product**

- Avoid contact with eyes. If contact occurs, rinse thoroughly with water

**Stop use and ask a doctor if**

- Condition worsens
- Symptoms last more than 7 days or clear up and occur again within a few days

**Keep out of reach of children**

- If swallowed, get medical help or contact a Poison Control Center right away

**Directions**

- Clean the affected area
- Apply a thin layer to the affected area 2 to 3 times daily or as directed by a physician
- May be covered with a sterile bandage or left uncovered

**Other Information**

- Store at room temperature 68°F to 77°F (20°C to 25°C)
- Do not expose to excessive

**Inactive ingredients**

Polihexanide, Riboflavin, Ferrous Lactate, Hyaluronic Acid, Sodium Alginate, Carbomer Homopolymer, Triethylamine, Water

# ADVANCED BED SORE WOUND HEALING

allantoin gel

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:87512-001
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>ALLANTOIN</b> (UNII: 344S277G0Z) (ALLANTOIN - UNII:344S277G0Z)	ALLANTOIN	0.5 g in 100 g

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)	
<b>CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE</b> (UNII: 0A5MM307FC)	
<b>RIBOFLAVIN</b> (UNII: TLM2976OFR)	
<b>SODIUM ALGINATE</b> (UNII: C269C4G2ZQ)	
<b>FERROUS LACTATE</b> (UNII: 5JU4C2L5A0)	
<b>POLIHEXANIDE</b> (UNII: 322U039GMF)	
<b>WATER</b> (UNII: 059QF0K00R)	
<b>TROLAMINE</b> (UNII: 9O3K93S3TK)	

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:87512-001-01	15 g in 1 BOTTLE; Type 0: Not a Combination Product	03/19/2026	
2	NDC:87512-001-02	30 g in 1 BOTTLE; Type 0: Not a Combination Product	03/19/2026	
3	NDC:87512-001-03	50 g in 1 BOTTLE; Type 0: Not a Combination Product	03/19/2026	

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M016	03/19/2026	

**Labeler** - Yantai Aien Biotechnology Co., Ltd. (977916686)