ALLIES OF SKIN SUNLESS TAN SPF 50 DAILY SELF TANNER- avobenzone, homosalate, octocrylene, octisalate liquid ALLIES GROUP PTE. LTD.

Allies of Skin Sunless Tan SPF-50 Daily Self-Tanner

Drug Facts

Active Ingredients

Avobenzone 3.00%

Homosalate 7.30%

Octocrylene 7.50%

Octisalate 5.00%

Purpose

Sunscreen

Uses:

- Helps prevent sunburn.
- Higher SPF gives more sunburn protection.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings:

For external use only

Do not use

• on damaged or broken skin.

When using this product

• keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

• rash or irritation develops and lasts.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

If pregnant or breast-feeding,

ask a health professional before use.

Directions:

- Apply liberally 15 minutes before sun exposure and as needed.
- Children under 6 months of age: ask a doctor.
- Reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease the risk, regularly use a sunscreen with broad spectrum SPF of 15 or higher and other sun protection measures including:
- Limit time in the sun, especially from 10 a.m. 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.

Other Information:

- Protect the product in this container from excessive heat and direct sun.
- May stain or damage some fabrics or surfaces.

Inactive Ingredients:

Aloe Barbadensis Leaf Juice, Ascorbic Acid, Bisabolol, Butyloctyl Salicylate, C12-15 Alkyl Benzoate, C9-12 Alkane, Camellia Sinensis Leaf Extract, Caprylic/Capric Triglyceride, Capryloyl Glycerin/Sebacic Acid Copolymer, Centella Asiatica Extract, Chamomilla Recutita (Matricaria) Flower Extract, Citric Acid, Daucus Carota Sativa (Carrot) Seed Extract, Dihydroxyacetone, Dimethicone/Bis-Isobutyl PPG-20 Crosspolymer, Dodecane, Ethyl Vanillin, Ethylhexylglycerin, Glycerin, Glyceryl Stearate Citrate, Glyceryl Stearate SE, Glycyrrhiza Glabra (Licorice) Root Extract, Helianthus Annuus (Sunflower) Seed Oil, Isododecane, Lactobacillus Ferment, Lycium Barbarum Fruit Extract, Magnesium Aluminum Silicate, Octyldodecyl Neopentanoate, Phenoxyethanol, Polysorbate 20, Potassium Cetyl Phosphate, Propanediol, Punica Granatum Fruit Extract, Sodium Hyaluronate, Sodium Metabisulfite, Sodium Stearoyl Glutamate, Tocopheryl Acetate, Vaccinium Angustifolium (Blueberry) Fruit Extract, Vitis Vinifera (Grape) Seed Oil, Water (Aqua), Xanthan Gum

Package Labeling:



Stearate SE, Glycyrrhiza Glabra (Licorice) Root Extract, Helianthus Annuus (Sunflower) Seed Oil, Isododecane, Lactobacillus Ferment, Lycium Barbarum Fruit Extract, Magnesium Aluminum Silicate, Octyldodecyl Neopentanoate, Phenoxyethanol, Polysorbate 20, Potassium Cetyl Phosphate, Propanediol, Punica Granatum Fruit Extract, Sodium Hyaluronate, Sodium Metabisulfite, Sodium Stearoyl Glutamate, Tocopheryl Acetate, Vaccinium Angustifolium (Blueberry) Fruit Extract, Vitis Vinifera (Grape) Seed Oil, Water (Aqua), Xanthan Gum



SUNLESS TAN SPF 50 DAILY **SELF-TANNER**

The ultimate daily, water-resistant (80 minutes), gradual self-tanner sunscreen with broad-spectrum SPF 50 UVA/UVB protection that is supercharged with DHA, Vitamin C, Green Tea, Chamomile, Liquorice, Goji, and Centella Asiatica Extracts

BROAD SPECTRUM SPF 50 PΔ++++

WATER RESISTANT (80 minutes)

ALLIES OF SKIN

50ml — 1.7 fl. oz ⊖

Drug Facts

Active Ingredients Purpose

Avobenzone 3.00% Homosalate 7.30% Octocrylene 7.50% Octisalate 5.00%

Sunscreen Sunscreen Sunscreen

Uses:

- · Helps prevent sunburn.
- Higher SPF gives more sunburn protection.
- · If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings: For external use only.

Do not use . on damaged or broken skin.

When using this product . keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if . rash or irritation develops and lasts.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

If pregnant or breast-feeding, ask a health professional before use.

Directions:

- Apply liberally 15 minutes before sun exposure and as needed.
- Children under 6 months of age: ask a doctor.
- Reapply:
- after 80 minutes of swimming

Drug Facts (Continued)

- or sweating
 immediately after towel drying
- · at least every 2 hours
- Sun Protection Measures:

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease the risk, regularly use a sunscreen with broad spectrum SPF of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. - 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.

Other Information:


- Protect the product in this container from excessive heat and direct sun.
- May stain or damage some fabrics or surfaces

Inactive Ingredients:

Aloe Barbadensis Leaf Juice, Ascorbic Acid, Bisabolol, Butyloctyl Salicylate, C12-15 Alkyl Benzoate, C9-12 Alkane, Camellia Sinensis Leaf Extract, Caprylic/Capric Triglyceride, Capryloyl Glycerin/Sebacic Acid Copolymer, Centella Asiatica Extract, Chamomilla Recutita (Matricaria) Flower Extract, Citric Acid, Daucus Carota Sativa (Carrot) Seed Extract, Dihydroxyacetone, Dimethicone/Bis-Isobutyl PPG-20

Crosspolymer, Dodecane, Ethyl Vanillin, Ethylhexylglycerin, Glycerin, Glyceryl Stearate Citrate, Glyceryl

2VA001







ACTIVE INGREDIENTS:

Avobenzone 3.00%, Homosalate 7.30%, Octocrylene 7.50%, Octosalate 5.00% (Sunscreens)

DIRECTIONS: For sunscreen use. As the last step of your AM routine and/or 15 minutes before sun exposure, apply liberally and evenly to the face and neck. Reapply frequently (at least every 2 hours) to maintain protection, after 80 minutes of swimming, or sweating, and immediately after towal drying. Wash your hands after each application. How to build a sun-kissed glow. Gradual color will start to appear 3-6 hours after the first application but may take up to 24 hours to develop. Product can be reapplied to achieve optimal color. Wash your hands after each application. Once your desired color is achieved, switch to a regular sunscreen for continued sun protection.

WARNINGS: For external use only. Do not use on damaged or broken skin. When using this product, keep out of eyes. Rinse with water to remove. Stop use and ask doctor if rash occurs. Keep out of reach of children. Children under 6 months of age: ask a doctor if rounder of months of age: ask a doctor if rounder of months of age: ask a doctor if rounder of months of age: ask a doctor if rounder of months of age: ask a doctor if rounder of months of age: ask a doctor if swallowed, get medical help, or contact a Poison Control Center right away. Other information: Protect the product in this container from excessive heat and direct sun. May stain or damage some fabrics or surfaces.

Made in U.S.A. | Distributed by Alles Group Pte Ltd, Singapore 068914 IVAOOI

FRONT PANEL

BACK PANEL

ALLIES OF SKIN SUNLESS TAN SPF 50 DAILY SELF TANNER

avobenzone, homosalate, octocrylene, octisalate liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83852-543
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZ ONE	30 mg in 1 mL		
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	73 mg in 1 mL		
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	75 mg in 1 mL		
OCTISALATE (UNII: 4X49Y0596W) (ETHYLHEXYL SALICYLATE -	OCTIS AL ATE	50 mg in 1 ml		

Inactive Ingredients	
Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
LEVOMENOL (UNII: 24WE03BX2T)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
C9-12 ALKANE (UNII: 7J5R5W72QM)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CENTELLA ASIATICA TRITERPENOIDS (UNII: 4YS74Q4G4J)	
CHAMOMILE (UNII: FGL3685T2X)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
DAUCUS CAROTA SUBSP. SATIVUS SEED (UNII: 9M6AAX381U)	
DIHYDROXYACETONE (UNII: O10DDW6JOO)	
DIMETHICONE/BIS-ISOBUTYL PPG-20 CROSSPOLYMER (UNII: O4I3UFO6ZF)	
DODECANE (UNII: 11A386X1QH)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL STEARATE CITRATE (UNII: WH8T92A065)	
GLYCERYL STEARATE SE (UNII: FCZ5MH785I)	
GLYCYRRHIZA GLABRA (UNII: 2788Z9758H)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
ISODODECANE (UNII: A8289P68Y2)	
LYCIUM BARBARUM FRUIT (UNII: 930626MWDL)	
MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT)	
PROPANEDIOL (UNII: 5965N8W85T)	
POMEGRANATE (UNII: 56687D1Z4D)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
SODIUM STEAROYL GLUTAMATE (UNII: 65A9F4P024)	
.ALPHATOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
LOWBUSH BLUEBERRY (UNII: G90PX41VP0)	
GRAPE SEED OIL (UNII: 930MLC8XGG)	
WATER (UNII: 059QF0KO0R)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83852-543- 00	1 in 1 BOX	10/14/2024	

	50 mL in 1 BOTTLE; Type 0: Not a Combination Product			
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Dru	m M020	10/14/2024		
Orc Monograph Dru	9 1.1020			

Labeler - ALLIES GROUP PTE. LTD. (595420087)

Revised: 1/2025 ALLIES GROUP PTE. LTD.