# COLD AND COUGH DM- brompheniramine maleate, dextromethorphan hbr, phenylephrine hcl solution Publix Super Markets Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

## Publix Super Markets, Inc. Cold & Cough DM Drug Facts

### Active ingredients (in each 10 mL)

Brompheniramine maleate, USP 2 mg
Dextromethorphan HBr, USP 10 mg
Phenylephrine HCl, USP 5 mg

### **Purposes**

Antihistamine Cough suppressant Nasal decongestant

#### Uses

- temporarily relieves cough due to minor throat and bronchial irritation occurring with a cold, and nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves these symptoms due to hay fever (allergic rhinitis):
- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat
- temporarily restores freer breathing through the nose

# **Warnings**

#### Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- to make a child sleepy

### Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- glaucoma
- cough that occurs with too much phlegm (mucus)
- a breathing problem such as emphysema or chronic bronchitis
- cough that lasts or is chronic such as occurs with smoking, asthma or emphysema

# Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers

### When using this product

- do not use more than directed
- may cause marked drowsiness
- avoid alcoholic beverages
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

#### Stop use and ask a doctor if

- you get nervous, dizzy or sleepless
- symptoms do not get better within 7 days or are accompanied by fever
- cough lasts for more than 7 days, comes back, or accompanied by fever, rash or persistent headache. A persistent cough may be a sign of a serious condition.

# If pregnant or breast-feeding,

ask a health professional before use.

# Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

#### **Directions**

- do not take more than 6 doses in any 24-hour period
- measure only with dosage cup provided
- keep dosage cup with product
- mL = milliliter

age	dose
adults and children 12 years and over	20 mL every 4 hours
children 6 to under 12 years	10 mL every 4 hours

do not use

#### Other information

- each 10 mL contains: sodium 4 mg
- store at 68°-77°F (20°-25°C)

### **Inactive ingredients**

anhydrous citric acid, edetate disodium, FD&C blue no. 1, FD&C red no. 40, flavor, glycerin, propylene glycol, purified water, saccharin sodium, sodium benzoate, sorbitol solution

### **Principal Display Panel**

Ρ

FOR AGES 6 YRS. & OVER

CHILDREN'S

cold & cough DM

ANTIHISTAMINE, BROMPHENIRAMINE MALEATE

COUGH SUPPRESSANT, DEXTROMETHORPHAN HBr

NASAL DECONGESTANT, PHENYLEPHRINE HCI

Relief of:

- Stuffy Nose
- Runny Nose
- Sneezing
- Itchy, Watery Eyes
- Cough

**ALCOHOL-FREE** 

**GRAPE FLAVORED** 

Compare to Children's Dimetapp  $^{\circledR}$  Cold & Cough active ingredients

4 FL OZ (118 mL)



**BROMPHENIRAMINE MALEATE** 

COUGH SUPPRESSANT

DEXTROMETHORPHAN HBr

NASAL DECONGESTANT,

PHENYLEPHRINE HCI

NDC 55062-987-25

FOR AGES 6 YRS, & OVER CHILDREN'S

# cold&coughDM

ANTIHISTAMINE, **BROMPHENIRAMINE MALEATE** COUGH SUPPRESSANT, **DEXTROMETHORPHAN HBr** NASAL DECONGESTANT, PHENYLEPHRINE HCI



- Relief of: Stuffy Nose
- · Runny Nose
- Sneezing Itchy, Watery Eyes
- Cough

ALCOHOL-FREE GRAPE FLAVORED

Compare to Children's Dimetapp<sup>6</sup> Cold & Cough active ingredients\*

4 FL OZ (118 mL)

#### Relief of:

- Stuffy Nose
- · Runny Nose Sneezing
- Itchy, Watery Eyes
- Cough

ALCOHOL-FREE

Compare to Children's Dimetapp® Cold & Cough active ingredients\*

**GRAPE FLAVORED** 

4 FL OZ (118 mL)

Active ingredients (in each 10 mL)

Purposes

Prompheniramine maleate, USP 2 mg......Antihistamine Dextromethorphan HBr, USP 10 mg...Cough suppressant Phenylephrine HCI, USP 5 mg.........Nasal decongestant

DO NOT USE IF PRINTED NECKBAND IS

**cold**&cough**DM** 

FOR AGES 6 YRS, & OVER

- Uses:

  Itemporarily relieves cough due to minor throat and bronchial irritation occurring with a cold, and nasel congestion due to the common cold, hey fever or other upper respiratory allergies

  temporarily relieves these symptoms due to hey fever (allergic fininitis);

  unny nose
  sneezing
  tichy, watery eyes
  tiching of the nose or throat
  temporarily restores freer breathing through the nose

#### Warnings

- Warnings
  Do not use
  If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains en MAOI, ask a doctor or pharmacist before taking this product.
- to make a child sleepy
- Ask a doctor before use if you have

  heart disease bigh blood pressure
  thyroid disease diabetes
  trouble urinating due to an enlarged prostate gland
- cough that occurs with too much philegm (mucus)
   a breathing problem such as emphysema or
   chronic bronchitis
- cough that lasts or is chronic such as occurs with smoking, asthma or emphysema

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

- when using this product
  do not use more than directed
  may cause marked drowsiness
  a wool alcoholic beverages
  alcohol, sedatives, and tranquitzers may increase
- be careful when driving a motor vehicle or operating
- machinery

  excitability may occur, especially in children

#### Drug Facts (continued)

- Drug Facts (commuteu)
  Stop use and ask a doctor if
  you get nervous, dizzy, or sleepless
  symptoms do not get better within 7 days or are
  accompanied by fever
  cough lasts for more than 7 days, comes back, or
  is accompanied by lever, rash, or persistent
  headache. A persistent cough may be a sign of a
  serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose,

get medical help or contact a Poison Control Center right away (1-800-222-1222).

#### Directions

- do not take more than 6 doses in any 24-hour period
- constrained more trains access in any 24-■ measure only with dosage cup provided keep dosage cup with product mL = milliliter

age	dose
adults and children 12 years and over	20 mL every 4 hours
children 6 to under 12 years	10 mL every 4 hours
children under 6 years	do not use

#### Other information

■ each 10 mL contains: sodium 4 mg ■ store at 68°-77°F (20°-25°C)


Inactive ingredients anhydrous citric acid, edetate disodium, FD&C blue no. 1, FD&C red no. 40, flavor, glycerin, propylene glycol, purified water, saccharin sodium, sodium benzoate, sorbitol solution



OBSTREDUTED BY
PUBLIK SUPER MARKETS, INC.,
\$3500 PUBLIK CORPORATE PARKHAY
LAKELAMO, H. 33811
1-888-267-3037 publik.com PUBLIX GUARANTEE: COMPLETE Satisfaction or your money back



Publix.





LOT NO.

# **COLD AND COUGH DM**

brompheniramine maleate, dextromethorphan hbr, phenylephrine hcl solution

### **Product Information Product Type** HUMAN OTC DRUG Item Code (Source) NDC:56062-987 **Route of Administration ORAL**

Active Ingredient/Active Moiety			
Ingredient Name	<b>Basis of Strength</b>	Strength	
<b>BROMPHENIRAMINE MALEATE</b> (UNII: IXA7C9ZN03) (BROMPHENIRAMINE - UNII: H57G17P2FN)	BROMPHENIRAMINE MALEATE	2 mg in 10 mL	
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 10 mL	
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg in 10 mL	

Inactive Ingredients			
Ingredient Name	Strength		
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)			
EDETATE DISODIUM (UNII: 7FLD91C86K)			
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)			
FD&C RED NO. 40 (UNII: WZB9127XOA)			
GLYCERIN (UNII: PDC6A3C0OX)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
WATER (UNII: 059QF0KO0R)			
SACCHARIN SODIUM (UNII: SB8ZUX40TY)			
SODIUM BENZOATE (UNII: OJ245FE5EU)			
SORBITOL (UNII: 506T60A25R)			

Product Characteristics			
Color	PURPLE (Clear bluish-red)	Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:56062-987- 26	1 in 1 CARTON	02/10/2014	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	02/10/2014	

# Labeler - Publix Super Markets Inc (006922009)

Revised: 5/2022 Publix Super Markets Inc