

MINOXIDIL TOPICAL SOLUTION USP, 2%- minoxidil 2% solution
Carol's Daughter, LLC

2% Minoxidil Solution

Active Ingredient

Minoxidil 2% w/v

Purpose

Hair growth treatment

Use

to regrow hair on the scalp

Warnings

For external use only

Flammable: Keep away from flame

Do not use if

- your degree of hair loss is different than that shown on the side of this carton, because this product may not work for you
- you have no family history of hair loss
- your hair loss is sudden and/or patchy • your hair loss is associated with childbirth
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

Ask a doctor before use if you have

heart disease

When using this product

- do not apply on other parts of the body • avoid contact with the eyes. In case of accidental contact, rinse eyes with large

amounts of cool tap water • some people have experienced changes in hair color and/or texture • it takes time to regrow hair. You may need to use this product 2 times a day for at least 4 months before you see results • the amount of hair regrowth is different for each person. This product will not work for everyone

Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months.

May be harmful if used when pregnant or breastfeeding. Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- apply one mL with dropper 2 times a day directly onto the scalp in the hair loss area
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

Other information

- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed leaflet
- keep the carton. It contains important information.
- in clinical studies of mostly white women aged 18–45 years with mild to moderate degrees of hair loss, the following response to minoxidil topical solution 2% was reported: 19% of women reported moderate regrowth after using minoxidil topical solution 2% for 8 months (19% had moderate regrowth; 40% had minimal regrowth) this compares with 7% of women reporting moderate hair regrowth after using the placebo, the liquid without minoxidil in it, for 8 months (7% had moderate regrowth; 33% had minimal regrowth)
- store at 20° to 25°C (68° to 77°F). Keep tightly closed.

Inactive ingredients

alcohol, propylene glycol, purified water

Questions or comments

1-877-540-2101

EXUPERY DESIGN

FILE NAME:

CD_2026_Minoxidil_2oz

COLORS:



NEW

2.5568"

1.4968"

2.5568"

1.4968"

Drug Facts

Active ingredient Minoxidil 2% w/v. **Purpose** Hair regrowth treatment.

Use To regrow hair on the scalp.

Warnings For external use only
Flammable liquid. Keep away from fire or flame.

Do not use if • you have a history of heart disease or a family history of heart disease • you have a history of low blood pressure • you are pregnant or breastfeeding • you are allergic to any of the ingredients • you are using other hair loss treatments on the scalp.

Ask a doctor before use if you have heart disease

When using this product • do not apply to other parts of the body • avoid contact with the eyes. In case of accidental contact, rinse eyes well with large amounts of cool tap water • some people have experienced changes in hair color or hair texture • it takes time to regrow hair. You may need to use this product 3 times a day for at least 6 months before you see results • the amount of hair regrowth is different for each person. This product will not work for everyone.

Stop use and ask a doctor if • chest pain, rapid heartbeat, hair loss, or dizziness occurs • sudden, unexplained weight gain occurs • your hair does not grow back • you do not see hair regrowth in 4 months.

Keep this Minoxidil topical solution pregnancy or breast-feeding safe. Keep out of reach of children. For medical information contact a Poison Control Center right away. (1-800-232-1233)

Directions • apply once or twice a day directly onto the scalp in the hair loss area • using excessive quantities will not improve results • prolonged use is necessary to increase and keep your hair regrowth, or hair regrowth, long-term.

Other information

• see hair loss pictures on each of the caps • before use, read all information on outer and inner cap • keep the caps, bottles, and other information • in clinical studies of newly thinning women aged 18-45 years with moderate to severe hair loss, the following responses to minoxidil topical solution 2% were reported: 10% of women reported moderate regrowth, using twice daily topical solution 2% for 6 months (10% had moderate regrowth); 40% had minimal regrowth; 50% of women reported moderate regrowth, using twice daily topical solution 2% for 6 months (10% had moderate regrowth); 50% had minimal regrowth • store at 20° to 25° C (68° to 77° F). Keep tightly closed.

Inactive ingredients alcohol, propylene glycol, purified water

Questions or comments? 1-877-640-2101



Carol's Daughter Minoxidil Topical Solution USP, 2% is for women who have a general thinning of hair on the top of the scalp as shown. Minoxidil Topical Solution USP, 2% has been shown to regrow hair in women with the following degrees of thinning hair or hair loss.



If women have more hair loss than shown above, minoxidil topical solution 2% may not work.



Do not use if you have patchy hair loss as shown above.

THIS PACKAGE CONTAINS:

- One 6.0 mL (2 fl oz) Bottle of Minoxidil Topical Solution 2% (one month supply)
- One Child-resistant dropper applicator
- Information leaflet with complete directions on how to use and obtain best results

of U.S. Physicians surveyed by an independent market research firm.
Distributed by: Carol's Daughter, LLC, Rockville, MD 20852, carolsdaughter.com

NDC 49867-088-01

Carol's Daughter
GODDESS STRENGTH

Carol's Daughter
GODDESS STRENGTH

GODDESS STRENGTH
MINOXIDIL TOPICAL SOLUTION USP, 2%

HAIR REGROWTH TREATMENT
FOR WOMEN

Clinically Proven to Help Regrow Hair

Reactivates Hair Follicles to Stimulate Regrowth

Topical Solution · Unscented

#1 Dermatologist recommended active ingredient*

One Month Supply

2 FL OZ (60 mL) Bottle



FOR BEST RESULTS
USE TWICE DAILY
APPLY DIRECTLY TO SCALP

ACTUAL SIZE

5.208"

MINOXIDIL TOPICAL SOLUTION USP, 2%

minoxidil 2% solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:87532-001
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	0.02 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
PROPYLENE GLYCOL DIACETATE (UNII: 5Z492UNF9O)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87532-001-01	1 in 1 BOX	04/03/2026	
1		60 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA078176	04/03/2026	

Labeler - Carol's Daughter, LLC (137231376)

Establishment

Name	Address	ID/FEI	Business Operations
Pure Source		080354456	manufacture(87532-001)

Revised: 3/2026

Carol's Daughter, LLC