

**DERM ACNE SOLUTION GEL- salicylic acid gel**  
**Yantai Aien Biotechnology Co., Ltd.**

-----  
**87512-003 Derm Acne Solution Gel**

Active ingredient

Purpose

Salicylic Acid(0.5%)..Acne treatment

Uses

For the treatment of acne

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Warnings For external use only

When using this product Skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne at a time.

Avoid contact with eyes. If contact occurs, flush thoroughly with water.

Cover the entire affected area with a thin layer one to three times daily. Because excessive drying of the skin may occur, if needed or as directed by a doctor. Start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor. If bothersome dryness or peeling occurs, reduce application to one day or every other day.

Inactive ingredients

Acid, Propylene Glycol,  
Polyhexanide, Riboflavin, Hyaluronic  
Dimethicone, 3-O-Ethyl Ascorbic  
Acid, Allantoin, Marine Collagen,  
Carbomer Homopolymer, Trolamine,  
Water

Directions

Cleanse the skin thoroughly before applying this product. Cover the entire affected area with a thin layer one to three times daily. Because excessive drying of the skin may occur, if needed or as directed by a doctor. Start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor. If bothersome dryness or peeling occurs, reduce application to one a day or every other day.

**87512-003-01 Derm Acne Solution Gel 10g**

**Eisen Life**

**Drug Facts**

**Active ingredient Purpose**  
Salicylic Acid(0.5%)..Acne treatment

**Uses**

■ For the treatment of acne

**Warnings**

**For external use only**

**When using this product**

■ Skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne at a time.

■ Avoid contact with eyes. If contact occurs, flush thoroughly with water.

**Stop use and ask a doctor if**

■ Excessive skin irritation occurs

**Keep out of reach of children**

■ If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

■ Cleanse the skin thoroughly before applying this product.  
■ Cover the entire affected area with a thin layer one to three times daily. Because excessive drying of the skin may occur, if needed or as directed by a doctor. Start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor.  
■ If bothersome dryness or peeling occurs, reduce application to one a day or every other day.

**Other Information**

■ Store at room temperature.  
■ Protect this product from excessive heat and direct sun.

**Inactive ingredients**

Polyhexanide, Riboflavin, Hyaluronic Acid, Propylene Glycol, Dimethicone, 3-O-Ethyl Ascorbic Acid, Allantoin, Marine Collagen, Carbomer Homopolymer, Triamine, Water



**Eisen Life**

**DERM ACNE SOLUTION GEL**

Salicylic Acid 0.5%

Active acne solution.  
Unveil clearer skin soon.

**Eisen Life**

**DERM ACNE SOLUTION GEL**

Salicylic Acid 0.5%

Combat breakouts with our laboratory developed formula, engineered for breakout prone skin

- Minimizes acne and clogged pores
- Soothes and repairs visible redness
- Strengthens skin barrier to reduce recurrence
- Daily gentle formula with potent acne-fighting action

MADE IN CHINA

NET WT 0.35 OZ (10 g)



**87512-003-02 Derm Acne Solution Gel 15g**

**Eisen Life**

**Drug Facts**

**Active ingredient Purpose**  
Salicylic Acid(0.5%)..Acne treatment

**Uses**

- For the treatment of acne

**Warnings**

**For external use only**

- When using this product**
- Skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne at a time.
  - Avoid contact with eyes. If contact occurs, flush thoroughly with water.

**Stop use and ask a doctor if**

- Excessive skin irritation occurs

**Keep out of reach of children**

- If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Cleanse the skin thoroughly before applying this product.
- Cover the entire affected area with a thin layer one to three times daily. Because excessive drying of the skin may occur, if needed or as directed by a doctor. Start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor.
- If bothersome dryness or peeling occurs, reduce application to one a day or every other day.

**Other Information**

- Store at room temperature.
- Protect this product from excessive heat and direct sun.

**Inactive ingredients**

Polyhexanide, Riboflavin, Hyaluronic Acid, Propylene Glycol, Dimethicone, 3-O-Ethyl Ascorbic Acid, Allantoin, Marine Collagen, Carbomer Homopolymer, Triamine, Water



**Eisen Life**

**DERM ACNE SOLUTION GEL**

Salicylic Acid 0.5%

Active acne solution.  
Unveil clearer skin soon.

**Eisen Life**

**DERM ACNE SOLUTION GEL**

Salicylic Acid 0.5%

Combat breakouts with our laboratory developed formula, engineered for breakout prone skin

- Minimizes acne and clogged pores
- Soothes and repairs visible redness
- Strengthens skin barrier to reduce recurrence
- Daily gentle formula with potent acne-fighting action

MADE IN CHINA

NET WT 0.53 OZ(15 g)



**87512-003-03 Derm Acne Solution Gel 20g**

**Eisen Life**

**Drug Facts**

**Active ingredient Purpose**  
Salicylic Acid(0.5%)...Acne treatment

**Uses**

- For the treatment of acne

**Warnings**

**For external use only**

- When using this product  
Skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne at a time.
- Avoid contact with eyes. If contact occurs, flush thoroughly with water.

**Stop use and ask a doctor if**

- Excessive skin irritation occurs

**Keep out of reach of children**

- If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Cleanse the skin thoroughly before applying this product.
- Cover the entire affected area with a thin layer one to three times daily. Because excessive drying of the skin may occur, if needed or as directed by a doctor. Start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor.
- If bothersome dryness or peeling occurs, reduce application to one a day or every other day.

**Other Information**

- Store at room temperature.
- Protect this product from excessive heat and direct sun.

**Inactive ingredients**

Polyhexanide, Riboflavin, Hyaluronic Acid, Propylene Glycol, Dimethicone, 3-O-Ethyl Ascorbic Acid, Allantoin, Marine Collagen, Carbomer Homopolymer, Triamine, Water



**Eisen Life**

**DERM ACNE SOLUTION GEL**

Salicylic Acid 0.5%

Active acne solution.  
Unveil clearer skin soon.

**Eisen Life**

**DERM ACNE SOLUTION GEL**

Salicylic Acid 0.5%

Combat breakouts with our laboratory developed formula, engineered for breakout prone skin

- Minimizes acne and clogged pores
- Soothes and repairs visible redness
- Strengthens skin barrier to reduce recurrence
- Daily gentle formula with potent acne-fighting action

MADE IN CHINA

NET WT 0.71 OZ(20 g)



# DERM ACNE SOLUTION GEL

salicylic acid gel

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:87512-003
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>SALICYLIC ACID</b> (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	0.5 g in 100 g

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>RIBOFLAVIN</b> (UNII: TLM2976OFR)	
<b>CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE</b> (UNII: 0A5MM307FC)	
<b>DIMETHICONE, UNSPECIFIED</b> (UNII: 92RU3N3Y1O)	
<b>MARINE COLLAGEN, SOLUBLE</b> (UNII: 8JC99XGU4W)	
<b>3-O-ETHYL ASCORBIC ACID</b> (UNII: 6MW60CB71P)	
<b>ALLANTOIN</b> (UNII: 344S277G0Z)	
<b>TROLAMINE</b> (UNII: 9O3K93S3TK)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>POLIHEXANIDE</b> (UNII: 322U039GMF)	
<b>WATER</b> (UNII: 059QF0KO0R)	

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:87512-003-01	10 g in 1 TUBE; Type 0: Not a Combination Product	03/20/2026	
2	NDC:87512-003-02	15 g in 1 TUBE; Type 0: Not a Combination Product	03/20/2026	
3	NDC:87512-003-03	20 g in 1 TUBE; Type 0: Not a Combination Product	03/20/2026	

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M006	03/20/2026	

**Labeler** - Yantai Aien Biotechnology Co., Ltd. (977916686)

