

**TOCOBO BLUR FINISH SUN CUSHION COTTON BLUE- homosalate, octisalate, octocrylene, titanium dioxide, zinc oxide liquid
PICTON Co., Ltd.**

TOCOBO Blur Finish Sun Cushion Cotton Blue 13g

HOMOSALATE 6.0%
OCTISALATE 4.5%
OCTOCRYLENE 5.0%
TITANIUM DIOXIDE 0.52688%
ZINC OXIDE 10.386%

SUNSCREEN

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions) decreases the risk of skin cancer and early skin aging caused by the sun

For external use only

- on damaged skin or broken skin
- keep out of eyes. Rinse with water to remove.

and ask a doctor if • rash occurs

If swallowed, get medical help or contact a Poison Control Center right away.

■ apply liberally 15 minutes before sun exposure.

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

■ children under 6 months of age: Ask a doctor


■ reapply at least every 2 hours

■ use a water-resistant sunscreen if swimming or sweating

■ protect the product from excessive heat and direct sun ■ Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

Water, Silica, Butyloctyl Salicylate, Butylene Glycol, Cyclopentasiloxane, Ethylhexyl Methoxycrylene, Benzotriazolyl Dodecyl p-Cresol, Methyl Methacrylate Crosspolymer, Lauryl PEG-8 Dimethicone, Vinyl Dimethicone, Helianthus Annuus (Sunflower) Seed Oil, Distearidimonium Hectorite, Lauryl PEG-10 Tris(Trimethylsiloxy)silylethyl Dimethicone, 1,2-Hexanediol, Magnesium Sulfate, Triethoxycaprylylsilane, Caprylic/Capric Triglyceride, Fragrance (Parfum), Polyhydroxystearic Acid, Stearic Acid, Isododecane, Octyldodecanol, Caprylyl Glycol, Glyceryl Caprylate, Chamomilla Recutita (Matricaria) Flower Oil, Lactobacillus Ferment Lysate, Isostearic Acid, Lecithin, Polyglyceryl-4


Isostearate, Polyglyceryl-3 Polyricinoleate, Isopropyl Titanium Triisostearate, Aluminum Hydroxide, Tocopherol, Glycerin, Epilobium Fleischeri Extract, Potassium Sorbate, Citric Acid, Gossypium Herbaceum (Cotton) Seed Extract

TOCOBO	제품정보	인쇄 및 후가공	날짜 및 승인	문안 검수	
	[OTC] 토코보 블러 피니쉬 선 쿠션 코튼블루 단상자 바코드 / 사용기한 / 분리배출 8 809835 064797 / 12M / -	CMYK PANTONE 290 C(배대) PANTONE 3005 C(문안) PANTONE 2905 C(재형컬러) 부분 유광 코팅 전체 무광 코팅		데이터 아웃 작업사항 260206_신규 260223_sunscreen 문구 추가, 용량표기, exp내용 추가 260225_제조사 수정 260304_국문명 식재	담당자 문안경유 260206_신규 260223_sunscreen 문구 추가, 용량표기, exp내용 추가 260304_국문명 식재
	업체명 부자재명 규격	세종기획 CCP 350g 85*80.5*28			

85*80.5*28



토코보 블러 피니쉬 선 쿠션
01 코튼 블루



TOCOBO BLUR FINISH SUN CUSHION COTTON BLUE

homosalate, octisalate, octocrylene, titanium dioxide, zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85287-513
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	0.65 g in 13 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.0684944 g in 13 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	1.35018 g in 13 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	0.78 g in 13 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	0.585 g in 13 g

Inactive Ingredients

Ingredient Name	Strength
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	

CHAMOMILE FLOWER OIL (UNII: 60F80Z61A9)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
HELIANTHUS ANNUUS (SUNFLOWER) SEED OIL (UNII: 3W1JG795YI)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
GLYCERIN (UNII: PDC6A3C0OX)
BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
ISOSTEARIC ACID (UNII: X33R8U0062)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
TOCOPHEROL (UNII: R0ZB2556P8)
CAPRYLIC/CAPRIC TRIGLYCERIDE (UNII: C9H2L21V7U)
STEARIC ACID (UNII: 4ELV7Z65AP)
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)
GOSSYPIUM HERBACEUM (COTTON) SEED (UNII: 550E4N439V)
SILICA (UNII: ETJ7Z6XBU4)
WATER (UNII: 059QF0KO0R)
CYCLOPENTASILOXANE (UNII: 0THT5PCI0R)
MAGNESIUM SULFATE (UNII: DE08037SAB)
CITRIC ACID (UNII: 2968PHW8QP)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
ISODODECANE (UNII: A8289P68Y2)
ISOPROPYL TITANIUM TRIISOSTEARATE (UNII: 949E3KBJ1I)
ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8)
1,2-HEXANEDIOL (UNII: TR046Y3K1G)
OCTYLDODECANOL (UNII: 461N1O614Y)
GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85287-513-02	1 in 1 BOX	03/20/2026	
1	NDC:85287-513-01	13 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/20/2026	

Labeler - PICTON Co., Ltd. (695418404)

Establishment

Name	Address	ID/FEI	Business Operations
COSMAX INC.		689049693	manufacture(85287-513)

