

NICOTINE STOP SMOKING AID- nicotine patch
Guangxi Keyun E-commerce Co., Ltd.

87278-007 Nicotine Stop Smoking AID

NICOTINE(14mg)

Stop Smoking Aid

Helps reduce withdrawal symptoms, such as nicotine cravings, during smoking cessation.

Not for non-smokers. Keep away from children/pets. Consult doctor if pregnant/nursing.
For external use only, flammable, keep away from heat or flame.

Not for non-smokers.

When using section. Avoid smoking or using other nicotine-containing products to prevent nicotine overdose.


Ask Doctor Before use if you have heart disease, high blood pressure, or are taking prescription medication.

OTC- Stop Use Section. If you experience severe skin irritation, irregular heartbeat, or symptoms of nicotine overdose (e.g., dizziness, nausea, vomiting)

Keep away from children/pets.

- Apply one patch to a clean, dry, and hairless area of skin (e.g., upper arm or torso)
 - Replace the patch every 24 hours with a new one.
 - Rotate application sites to avoid skin irritation.
- Step 1+ (28mg)- For smokers of 10+ cigarettes/day.
- Apply on upper arm/hip; avoid broken skin.
 - Replace after 24 hours.

2-Hydroxyethyl Acrylate
Powdered Cellulose
Methacrylic Acid



complies with FDA guidelines for over-the-counter smoking cessation aids.

STEP 2 **14mg**

60 clear patches (1-Month kit)

If you smoke more than 10 cigarettes per day: Start with Step 1
 If you smoke 5–10 cigarettes per day: Start with Step 2
 If you smoke fewer than 5 cigarettes per day: Start with Step 3

Why EISOPIE Patches Work?

- Gradual nicotine release reduces cravings & withdrawal
- Odorless, invisible under clothing
- Water-resistant for all-day wear
- Step-down program (Step 1 + Step 2, Step 3)

Other Information

- Store at room temperature (15-30°C/59-86°F)
- Avoid exposure to direct sunlight or excessive heat.

Inactive Ingredients
 Acrylate adhesive, polyethylene film, silicone release liner.

Manufacturer: Hong Kong Allite Technology Limited
 Address: RM C20, BLK C, 3F, EAST SUN INDUSTRIAL CENTRE, 16 SHING YIP STREET, KWUN TONG

NICOTINE
 STOP SMOKING AID **CQ**

Helps You Quit Smoking
 Controls Nicotine Cravings
 Fights Withdrawal Symptoms
 100% Natural Plant Based

STEP 1 **14mg**

30 clear patches (1-Month kit)

24H
 Craving Relief

Discreet & Easy to Use

This product complies with FDA guidelines for over-the-counter smoking cessation aids.

Drug Facts

Active Ingredients (in each patch)	purpose
Nicotine (14mg)	Stop Smoking Aid

Inactive Ingredients
 2-Hydroxyethyl Acrylate, Powdered Cellulose, Methacrylic Acid

Use
 Helps reduce withdrawal symptoms, such as nicotine cravings, during smoking cessation.

Warnings

- Not for non-smokers. • Keep away from children/pets. • Consult doctor if pregnant/nursing.
- For external use only. Flammable. Keep away from heat or flame.

When using section. Avoid smoking or using other nicotine-containing products to prevent nicotine overdose.

OTC Stop Use Section. If you experience severe skin irritation, irregular heartbeat, or symptoms of nicotine overdose (e.g., dizziness, nausea, vomiting)

Ask Doctor: Before use if you have heart disease, high blood pressure, or are taking prescription medication.

Directions

- Apply one patch to a clean, dry and hairless area of skin (e.g., upper arm or torso).
- Replace the patch every 24 hours with a new one.
- Rotate application sites to avoid skin irritation.

Usage Instructions

- Step 1 (14mg): For smokers of 10+ cigarettes/day.
- Apply on upper arm/hip; avoid broken skin.
- Replace after 24 hours.

Why EISOPIE Patches Work?

- Gradual nicotine release reduces cravings & withdrawal
- Odorless, invisible under clothing
- Water-resistant for all-day wear
- Step-down program (Step 1 + Step 2, Step 3)

Other Information

- Store at room temperature (15-30°C/59-86°F)
- Avoid exposure to direct sunlight or excessive heat.

Inactive Ingredients
 Acrylate adhesive, polyethylene film, silicone release liner.

Manufacturer: Hong Kong Allite Technology Limited
 Address: RM C20, BLK C, 3F, EAST SUN INDUSTRIAL CENTRE, 16 SHING YIP STREET, KWUN TONG, HONG KONG

NICOTINE STOP SMOKING AID

nicotine patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:87278-007
Route of Administration	TRANSDERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NICOTINE (UNII: 6M3C89ZY6R) (NICOTINE - UNII:6M3C89ZY6R)	NICOTINE	14 mg

Inactive Ingredients

Ingredient Name	Strength
METHACRYLIC ACID (UNII: 1CS02G8656)	
2-HYDROXYETHYL ACRYLATE (UNII: 25GT92NY0C)	
POWDERED CELLULOSE (UNII: SMD1X3XO9M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87278-007-01	60 in 1 BOX	03/20/2026	
1		1 in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	03/20/2026	

Labeler - Guangxi Keyun E-commerce Co., Ltd. (517165491)

Establishment

Name	Address	ID/FEI	Business Operations
Guangxi Keyun E-commerce Co., Ltd.		517165491	manufacture(87278-007)

Revised: 3/2026

Guangxi Keyun E-commerce Co., Ltd.