

**DUAL-FORMULA TOOTHPASTE FOR SENSITIVE TEETH- dual-formula toothpaste
for sensitive teeth ointment
Hangzhou Namei Zhikang Technology Co., Ltd.**

-
- aids in the prevention of dental cavities.
 - helps reduce and builds increasing protection against painful sensitivity of the teeth to cold, heat, acids, sweets, or contact.

It shall be used with electric dual toothpaste dispenser.

Stop use and ask a dentist if

- the problem persists or worsens. Sensitive teeth may indicate a serious problem that may need prompt care by a dentist.
- pain/sensitivity still persists after 4 weeks of use.

Keep out of reach of children. If more than used for brushing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

①Please use it with electric dual toothpaste dispenser;②Mount dual-formula toothpaste on the electric dispenser according to the instructions for use;③For the first use, unscrew the cap and remove the sealing sticker on the opening of toothpaste tube;④When the electric dispenser is turned on, press the Squeeze button to squeeze the toothpaste, release the button to stop squeezing, then apply the toothpaste to the toothbrush.

- do not swallow .supervise children as necessary until capable of using without supervision
- adults and children 12 years of age and older:
 - apply at least a 1-inch strip of the product onto a soft bristle toothbrush.
 - brush teeth thoroughly for at least 2 minute twice a day (morning and evening) or as recommended by a dentist or doctor. Make sure to brush all sensitive areas of the teeth. Spit out after brushing.
- children under 12 years of age: Consult a dentist or doctor

A Tube: glycerin, hydrated silica, propylene glycol, calcium sodium phosphosilicate, cocamidopropyl betaine, polyoxyl 15 hydroxystearate, PEG-20, aroma, hydroxyapatite, PVP, titanium dioxide, zinc citrate, sucralose, carboxymethyl chitosan, triacetin.
B Tube: glycerin, water, hydrated silica, potassium nitrate, PEG-8, betaine, cocamidopropyl betaine, aroma, sodium lauryl sulfate,


xanthan gum, sodium hydroxide, zinc citrate, strontium chloride hexahydrate, carbomer, arginine, sucralose, sodium carbonate, sodium bicarbonate, carboxymethyl chitosan, calcium aluminum borosilicate, tin oxide, titanium dioxide, blue 2.

Uses

aids in the prevention of dental cavities.

helps reduce and builds increasing protection against painful sensitivity of the teeth to cold, heat, acids, sweets, or contact.

66x51x170mm 350g白卡
2专+1K印刷+耐刮哑膜
LOGO烫哑银



商品名:
3E CARE デュアルフォーミュラ・知覚過敏ケア
歯磨き粉 (付け替え用)

A剤成分: 炭酸カリウム、炭酸ナトリウム、水、含水シリカ、PEG-8、ベタイン、コカミドプロピルベタイン、香料、ラウリル硫酸Na、モノフルオロリン酸ナトリウム、キサンタンガム、水酸化Na、クエン酸、塩化ストロンチウム六水合物、カルボマー、アルギニン、スクラロース、炭酸Na、炭酸水素Na、
その他の微量成分: カルボキシメチルセルロース、トリアセチン

B剤成分: 炭酸カリウム、炭酸ナトリウム、水、含水シリカ、PEG-8、ベタイン、コカミドプロピルベタイン、香料、ラウリル硫酸Na、モノフルオロリン酸ナトリウム、キサンタンガム、水酸化Na、クエン酸、塩化ストロンチウム六水合物、カルボマー、アルギニン、スクラロース、炭酸Na、炭酸水素Na、
その他の微量成分: フッ化ホスファツ（フッ素として）、カルボキシメチルセルロース、ホウケイ酸（CaAl）、酸化スズ、
着色剤: 酸化チタン、青色1号
香料: 沈黙ミント

注意事項: パッケージの表示（説明書）に従って正しくお使いください。使用期限を過ぎた製品は使用しないでください。使用後は必ずキャップをしっかりと閉め、高温多湿を避けて保管してください。6歳未満のお子様には使用しないでください。目に入らないようにご注意ください。万一目に入った場合は、必ず十分に流水で十分に洗い流してください。痛みや異常が強い場合は、眼科医にご相談ください。

保管上の注意: 直射日光の当たらない、涼しく乾燥した場所（推奨: 25°C以下）に保管してください。

使用方法: ①デュアルペンサー（本体）と組み合わせてお使いください。②取扱説明書に従い、歯磨き粉のカートリッジをデュアルペンサーにセットしてください。③初めてご使用になる際は、キャップを回して外し、デュアルペンサーの封印シールを完全に剥がしてください。④電着が入った状態でボタンを押すと歯磨き粉が出ます。歯磨きペーストにとってください。⑤1日2回、1回3分以上ブラッシングすることをおすすめします。使用後は口をすすぎ、飲み込まないでください。

【製造販売元】
3E CARE 株式会社
大阪府大阪市西成区千本北1-10-6
お客様相談窓口: support@3ecare.co.jp
原産国: 中国
使用期限及び製造番号: パッケージに記載
使用期限（未開封）: 18ヶ月

内容量: 100g

デュアルフォーミュラ・知覚過敏ケア
歯磨き粉 (付け替え用)

Dual-formula Toothpaste For
Sensitive Teeth (Refill)

歯磨き粉ペースト（本体）と組み合わせてご使用ください
It shall be used with electric dual toothpaste dispenser

Product Name: 3E CARE Dual-formula Toothpaste For Sensitive Teeth (Refill)

Drug Facts	
Active ingredient	Purpose
A Tube: Sodium monofluorophosphate 0.92% (0.36% with fluoride ion)	Anticavity
B Tube: Potassium nitrate 10%	Antihypersensitivity

Uses:
-aids in the prevention of dental cavities.
-helps reduce and builds increasing protection against painful sensitivity of the teeth to cold, heat, acids, sweets, or contact.

Warnings:
It shall be used with electric dual toothpaste dispenser.
Stop use and ask a dentist if:
-the problem persists or worsens. Sensitive teeth may indicate a serious problem that may need prompt care by a dentist.
-pain/sensitivity still persists after 4 weeks of use.

Keep out of reach of children. If more than used for brushing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions:
-Do not swallow. Supervise children as necessary until capable of using without supervision.
-adults and children 12 years of age and older:
-apply at least a 1-inch strip of the product onto a soft bristle toothbrush.
-brush teeth thoroughly for at least 2 minutes twice a day (morning and evening) or as recommended by a dentist or doctor. Make sure to brush all sensitive areas of the teeth. Spit out after brushing.
-children under 12 years of age: Consult a dentist or doctor.

Inactive ingredients:
A Tube: glycerin, hydrated silica, propylene glycol, calcium sodium phosphosilicate, cocamidopropyl betaine, polyvinylpyrrolidone, PEG-20, aroma, hydroxyapatite, PVP, titanium dioxide, zinc citrate, sucralose, carboxymethyl chitosan, K-carrageenan.
B Tube: glycerin, water, hydroxyapatite, potassium nitrate, PEG-8, betaine, cocamidopropyl betaine, aroma, sodium lauryl sulfate, xanthan gum, sodium hydroxide, zinc citrate, strontium chloride hexahydrate, carbomer, arginine, sucralose, sodium carbonate, sodium tetraborate, carboxymethyl chitosan, calcium aluminum borosilicate, tin oxide, titanium dioxide, blue 2.

Questions or comments? 400-809-6112

Storage condition: Do not store above 30°C (86°F). It is recommended to store it in a cool and dry place avoiding direct sunlight.

Application method:
① Please use it with electric dual toothpaste dispenser. ② Mount dual-formula toothpaste on the electric dispenser according to the instructions for use. ③ For the first use, unscrew the cap and remove the sealing sticker on the opening of toothpaste tube. ④ When the electric dispenser is turned on, press the Squeeze button to squeeze the toothpaste. ⑤ Release the button to stop squeezing, then apply the toothpaste to the toothbrush.
Brand Owner: 3E CARE Co., Ltd.
1-1-10, Senbonitaya, Nishinari Ward, Osaka City, Osaka Prefecture
Customer Service: support@3ecare.co.jp
Country of Origin: China
Expiration date and lot number: Listed on the package
Expiration date (unopened): 18 months
Address: No. 10, Shiki Street, Qingpu Sub-district, LiAo District, Hangzhou City, Zhejiang Province, China

Net content:
100g in total



DUAL-FORMULATOOTH PASTE FOR SENSITIVE TEETH

dual-formula toothpaste for sensitive teeth ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:87514-001
Route of Administration	SUBGINGIVAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POTASSIUM NITRATE (UNII: RU45X2JN0Z) (NITRATE ION - UNII:T93E9Y2844)	POTASSIUM NITRATE	5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	1 g in 100 g

Product Characteristics

Color		Score	
Shape	RECTANGLE	Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87514-001-01	1 g in 1 BOX; Type 0: Not a Combination Product	03/20/2026	

66x51x170mm 350g白卡
2专+1K印刷+耐刮哑膜
LOGO烫哑银



商品名:
3ECARE デュアルフォーミュラ・知覚過敏ケア
歯磨き粉 (付け替え用)

A剤成分: 濃グリセリン、含水シリカ、PG、リンケイ酸 (Ca/Na)、コカミドプロピルベタイン、PEG-15ヒドロキシステアリン酸、PEG-20、香料、ヒドロキシアクリレート、モノフルオロリン酸ナトリウム、PVP、酸化チタン、クエン酸亜塩基、スクラロース、
その他の微量成分: カルボキシメチルキトサン、トリアセチン

B剤成分: 硝酸カリウム、濃グリセリン、水、含水シリカ、PEG-6、ペタイン、コカミドプロピルベタイン、香料、ラウリル硫酸Na、モノフルオロリン酸ナトリウム、キサンタンガム、水酸化Na、クエン酸亜塩基、塩化ストロンチウム六水和物、カルボキサン、アルギニン、スクラロース、炭酸Na、炭酸水素Na、
その他の微量成分: フッ化第一スズ (フッ素として)、カルボキシメチルキトサン、ホウケイ酸 (Ca/Al)、酸化スズ、
着色剤: 酸化チタン、青色1号
香味: 涼香ミント

注意事項: パッケージの表示 (説明書) に従って正しくお使いください。使用期限を過ぎた製品は使用しないでください。使用後は必ずキャップをしっかり閉め、高温多湿を避けて保管してください。6歳未満のお子様には使用しないでください。目に入らないようにご注意ください。万一目に入った場合は、必ずすぐに流水で十分に洗い流してください。痛みや異常が現れる場合は、眼科医にご相談ください。

保管上の注意: 直射日光の当たらない、湿りや乾燥した場所 (推奨: 25°C以下) に保管してください。

使用方法: ①ディスペンサー (本体) と組み合わせてお使いください。②取扱説明書に添付、歯磨き粉のカートリッジをディスペンサーにセットしてください。③初めてご使用になる際は、キャップを開けて外し、チューブの封印シールを完全に剥がしてください。④電源が入った状態でボタンを押すと歯磨き粉が出ます。適量を歯ブラシにとってください。⑤1日2回、1回3分以上ブラッシングすることをおすすめします。使用後は口をすすぎ、飲み込まないでください。

【製造販売元】
3ECARE 株式会社
大阪府大阪市西區千本北1-16
お客様相談窓口: support@secare.co.jp
原産国: 中国
使用期限及び製造番号: パッケージに記載
使用期限 (未開封): 18ヶ月

内容量: 100g

デュアルフォーミュラ・知覚過敏ケア
歯磨き粉 (付け替え用)
Dual-formula Toothpaste For
Sensitive Teeth (Refill)

歯磨き粉ベース (本機) と組み合わせてご使用ください
It shall be used with electric dual toothpaste dispenser

Product Name: 3ECARE Dual-formula Toothpaste For Sensitive Teeth (Refill)

Drug Facts
Active ingredient Purpose
A/B Tube: Sodium monofluorophosphate 0.912% (0.14% w/v fluoride ion) Anticavity
B Tube: Potassium nitrate 10% Anesthetic

Uses
•wide in the prevention of dental cavities.
•helps reduce and builds increasing protection against painful sensitivity of the teeth to cold, heat, acids, sweets, or contact.

Warnings
It shall be used with electric dual toothpaste dispenser.
Stop use and ask a dentist if:
•the problem persists or worsens. Sensitive teeth may indicate a serious problem that may need prompt care by a dentist.
•pain/sensitivity still persists after 4 weeks of use.

Keep out of reach of children. If more than used for brushing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions •do not swallow. supervise children as necessary until capable of using without supervision.
•adults and children 12 years of age and older:
•apply at least a 1-inch strip of the product onto a soft bristle toothbrush.
•brush teeth thoroughly for at least 2 minute twice a day (morning and evening) or as recommended by a dentist or doctor. Make sure to brush all sensitive areas of the teeth. Spit out after brushing.
•children under 12 years of age: Consult a dentist or doctor.

Inactive ingredients
A Tube: glycerin, hydrated silica, propylene glycol, calcium sodium phosphosilicate, cocamidopropyl betaine, polyvinyl 15 hydroxyesterate, PEG-20, aroma, hydroxyapatite, PVP, titanium dioxide, zinc citrate, sucralose, carboxymethyl chitosan, triacetin.
B Tube: glycerin, water, hydrated silica, potassium nitrate, PEG-6, betaine, cocamidopropyl betaine, aroma, sodium lauryl sulfate, xanthan gum, sodium hydroxide, zinc citrate, stannous chloride hexahydrate, carbomer, arginine, sucralose, sodium carbonate, sodium bicarbonate, carboxymethyl chitosan, calcium aluminum borosilicate, tin oxide, titanium dioxide, blue 2.

Questions or comments? 400-809-6112

Storage condition Do not store above 30°C (86°F). It is recommended to store it in a cool and dry place, avoiding direct sunlight.

Application method:
1) Please use it with electric dual toothpaste dispenser. 2) Mount dual-formula toothpaste on the electric dispenser according to the instructions for use. 3) For the first use, unscrew the cap and remove the sealing sticker on the opening of toothpaste tube. 4) When the electric dispenser is turned on, press the Squeeze button to squeeze the toothpaste release the button to stop squeezing, then apply the toothpaste to the toothbrush.
Brand Owner: 3ECARE Co., Ltd.
1-16, Senbomichi, Nishiman Ward, Osaka City, Osaka Prefecture
Customer Service: support@secare.co.jp
Country of Origin: China
Expiration date and lot number: listed on the package
Expiration date (unopened): 18 months
Address: No. 118, Shuji Street, Gongxianhu Sub-district, Lin'an District, Hangzhou City, Zhejiang Province, China

Net content:
100g in total



Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	03/20/2026	

Labeler - Hangzhou Namei Zhikang Technology Co., Ltd. (413965495)

Registrant - Hangzhou Namei Zhikang Technology Co., Ltd. (413965495)

Establishment

Name	Address	ID/FEI	Business Operations
Hangzhou Namei Zhikang Technology Co., Ltd.		413965495	api manufacture(87514-001)

Revised: 3/2026

Hangzhou Namei Zhikang Technology Co., Ltd.