

ENTERIC COATED FERROUS SULFATE- ferrous sulfate 324 mg tablet, delayed release

Pharbest Pharmaceuticals, Inc.

Enteric Coated Ferrous Sulfate Tablet

Supplement Facts	
Serving Size: 1 Tablet	
Amount Per Serving	% Daily Value
Iron (as dried ferrous sulfate) 65 mg	361%

Other ingredients: carmine, croscarmellose sodium, dicalcium phosphate, hypromellose, isomalt, magnesium stearate, methacrylic acid copolymer, microcrystalline cellulose, riboflavin, rice starch, silicon dioxide, sodium lauryl sulfate, sodium starch glycolate, stearic acid, talc, triacetin, triglycerides

Directions: Adults and children 12 years of age and over: Take one tablet daily, preferably after a meal, or as directed by a physician. Children under 12 years of age: Consult a physician. Do not chew or crush tablet.

Tablets are enteric-coated to help protect your stomach.

Warning: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of reach of children. In case of accidental overdose, call a doctor or poison control center immediately (800-222-1222).

Warnings: Do not take within 2 hours of taking oral tetracycline antibiotics, since oral iron products tend to interfere with absorption of tetracycline. May cause gastrointestinal discomfort, nausea, constipation or diarrhea. If you are pregnant or nursing a baby, seek advice of a health professional before using this product. U.S. Consumer Product Safety Commission requires that iron-containing medicine and vitamins with iron be packaged in child-resistant closures. Parents should always use properly re-secure safety closures.

Storage: Store at 20° - 25°C (68° - 77°F) (see USP Controlled Room Temperature)

Questions or Comments? (866)562-2756 (Mon-Fri 8 AM to 4 PM EST)

†This product is manufactured in a facility which shares manufacturing equipment used for manufacturing other product containing titanium dioxide.

TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL UNDER CAP IS BROKEN OR MISSING


Manufactured by:

Pharbest Pharmaceuticals, Inc. Farmingdale, NY 11735

Org. 05/25


More Supplement Facts

100 Tablets



PHARBEST

16103-414-08



Manufactured
in the **USA**

Enteric Coated

Ferrous Sulfate

Iron Supplement

*Titanium Dioxide Free**

324 mg

100 TABLETS

TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Supplement Facts

Serving size 1 Tablet

	Amount Per % Daily Serving Value
Iron (as dried ferrous sulfate) 65 mg	361 %

Other ingredients: carmine, croscarmellose sodium, dicalcium phosphate, hypromellose, isomalt, magnesium stearate, methacrylic acid copolymer, microcrystalline cellulose, riboflavin, rice starch, silicon dioxide, sodium lauryl sulfate, sodium starch glycolate, stearic acid, talc, triacetin, triglycerides


Directions: Adults and children 12 years of age and over: Take one tablet daily, preferably after a meal, or as directed by a physician. Children under 12 years of age: Consult a physician. Do not chew or crush tablet.

Tablets are enteric-coated to help protect your sto mach.

Warning: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of the reach of children. In case of accidental overdose, call a doctor or poison control center immediately (800-222-1222).

Manufactured by:
Pharbest Pharmaceuticals, Inc., Farmingdale, NY 11735

0rg. 05/25



3 16103 41408 9

More Supplement Facts

Unvarnished Area for Lot # & Exp. Dt.

STOP PEELING

Product Information

Product Type	DIETARY SUPPLEMENT	Item Code (Source)	NHRIC:16103-414	
Route of Administration	ORAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
FERROUS SULFATE (UNII: 39R4TAN1VT) (FERROUS CATION - UNII:GW89581OWR)		FERROUS CATION	65 mg	
Inactive Ingredients				
Ingredient Name			Strength	
CARMINIC ACID (UNII: CID8Z8N95N)				
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)				
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)				
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)				
ISOMALT (UNII: S870P55O2W)				
MAGNESIUM STEARATE (UNII: 70097M6I30)				
METHACRYLIC ACID - METHYL METHACRYLATE COPOLYMER (1:1) (UNII: 74G4R6TH13)				
MICROCRYSTALLINE CELLULOSE 102 (UNII: PNR0YF693Y)				
RIBOFLAVIN (UNII: TLM2976OFR)				
STARCH, RICE (UNII: 4DGK8B7I3S)				
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
SODIUM LAURYL SULFATE (UNII: 368GB5141J)				
SODIUM STARCH GLYCOLATE TYPE A (UNII: H8AV0SQX4D)				
STEARIC ACID (UNII: 4ELV7Z65AP)				
TALC (UNII: 7SEV7J4R1U)				
TRIACETIN (UNII: XHX3C3X673)				
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NHRIC:16103-414-08	100 in 1 BOTTLE, PLASTIC		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
DIETARY SUPPLEMENT			06/17/2025	

Supplement Facts		
Serving Size :		Serving per Container :
Amount Per Serving		% Daily Value
color		
scoring	1	

shape	
size (solid drugs)	10 mm

Labeler - Pharbest Pharmaceuticals, Inc. (557054835)

Revised: 6/2025

Pharbest Pharmaceuticals, Inc.