

**CVS PHARMACY COLD AND COUGH AND NIGHTTIME VALUE PACK-
brompheniramine maleate,dextromethorphan hbr,diphenhydramine hcl
CVS PHARMACY, INC.**

**CVS Children's Cold & Cough & Children's Nighttime Cold & Cough Value Pack
Drug Facts**

Children's Cold & Cough

Active ingredients (in each 10 mL)

Brompheniramine maleate, 2 mg

Dextromethorphan HBr, 10 mg

Children's NighttimeCold & Cough

Active ingredients (in each 10 mL)

Diphenhydramine HCL12.5 mg

Purposes forChildren's Cold & Cough

Antihistamine

Cough suppressant

Purposes forChildren's NighttimeCold & Cough

Antihistamine/Cough suppressant

Uses

Cold & Cough

- temporarily relieves
 - runny nose
 - cough
 - sneezing
 - itching of the nose or throat
 - itchy, watery eyes due to hay fever (or other upper respiratory allergies)
 - temporarily alleviates the intensity of coughing

Nighttime Cold & Cough

- temporarily relieves
 - runny nose
 - cough
 - sneezing
 - itching of the nose or throat
 - itchy, watery eyes due to hay fever (or other upper respiratory allergies)

- relieves the impulse to cough to help you sleep.

Warnings Do not use

Cold & Cough

- to sedate a child or to make a child sleepy
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

Nighttime Cold & Cough

- to sedate a child or to make a child sleepy
- With any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

Cold & Cough

- trouble urinating due to an enlarged prostate gland
- glaucoma
- cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts such as occurs with smoking, asthma, chronic bronchitis, or emphysema.

Nighttime Cold & Cough

- trouble urinating due to an enlarged prostate gland
- glaucoma
- cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts such as occurs with smoking, asthma, chronic bronchitis, or emphysema.

Ask a doctor or pharmacist before use if you are

Cold & Cough

taking sedatives or tranquilizers

Nighttime Cold & Cough

taking sedatives or tranquilizers

When using this product

Cold & Cough

- **do not use more than directed.**
- may cause marked drowsiness
- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Nighttime cold & cough

- **do not use more than directed.**
- may cause marked drowsiness
- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Stop use and ask a doctor if**Cold & Cough**

cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache.

These could be signs of a serious condition.

Nighttime cold & cough

cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache.

These could be signs of a serious condition.

Keep out of reach of children.**Cold & Cough**

In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

Nighttime Cold & Cough

In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

If pregnant or breast-feeding,

Ask a health professional before use

Directions**Cold & Cough**

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided.
- Keep dosage cup with product
- mL= milliliter

age	dose
Adults and children 12 years and over	20 mL every 4 hours
children 6 to under 12 years	10 mL every 4 hours
children under 6 years	do not use

Nighttime cold & cough

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided.
- Keep dosage cup with product
- mL= milliliter

age	dose
Adults and children 12 years and over	20 mL every 4 hours
children 6 to under 12 years	10 mL every 4 hours
children under 6 years	do not use

Other information

Cold & cough

- **each 10 mL contains:**sodium 6 mg
- store at room temperature.

Nighttime cold & cough

- **each 10 mL contains:**sodium 6 mg
- store at room temperature.

Inactive ingredients

Inactive ingredients for Cold & Cough

citric acid, FD&C blue #1, FD&C red #40, flavor, glycerin, propyl gallate, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol, sucralose

Inactive ingredients for Nighttime

citric acid, FD&C blue #1, FD&C red #40, flavor, glycerin, propyl gallate, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol, sucralose

Questions or comments?

1-866-467-2748

Principal Display Panel

Compare to the active ingredients in Children's Dimetapp® Cold & Cough*

Children's

Cold & Cough

Brompheniramine Maleate (Antihistamine),

Dextromethorphan HBr (Cough Suppressant)

Relieves + comforts

- Runny nose
- Itchy, watery eyes
- Sneezing
- Cough

For Ages 6 Years and over

No Added Alcohol

Grape Flavor

Naturally and Artificially Flavored

Compare to the active ingredients in Children's Dimetapp® Nighttime Cold & Congestion**

Children's **Nighttime**

Cold & Cough

Diphenhydramine HCl (Antihistamine / Cough Suppressant)

Relieves + comforts

- Runny nose
- Itchy, watery eyes
- Sneezing
- Cough

For Ages 6 Years and over

No Added Alcohol

Grape Flavor

Naturally and Artificially Flavored

2-4 FL OZ (118 mL) BOTTLES/TOTAL 8 FL OZ (236 mL)

Do not take both products at the same time. Always wait at least 4 hours before taking another dose of the product.

TAMPER EVIDENT: DO NOT USE IF PRINTED INNER SEAL UNDER CAP IS TORN OR MISSING

IMPORTANT:KEEP THIS CARTON FOR FUTURE REFERENCE FOR FULL LABELING

*This product is not manufactured or distributed by Foundation Consumer Healthcare, LLC, the distributor of Children's Dimetapp® Cold & Cough.

**This product is not manufactured or distributed by Foundation Consumer Healthcare, LLC, the distributor of Children's Dimetapp® Nighttime Cold & Cough.

Distributed by:

Product Label



CVS PHARMACY COLD AND COUGH AND NIGHTTIME VALUE PACK				
brompheniramine maleate,dextromethorphan hbr,diphenhydramine hcl kit				
Product Information				
Product Type		HUMAN OTC DRUG	Item Code (Source)	NDC:51316-635
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51316-635-08	1 in 1 KIT; Type 0: Not a Combination Product	03/03/2025	
Quantity of Parts				
Part #	Package Quantity		Total Product Quantity	
Part 1	1 BOTTLE, PLASTIC		118 mL	
Part 2	1 BOTTLE, PLASTIC		118 mL	

Part 1 of 2

CVS PHARMACY CHILDRENS COLD AND COUGH

brompheniramine maleate, dextromethorphan hbr liquid

Product Information

Item Code (Source) NDC:51316-632

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BROMPHENIRAMINE MALEATE (UNII: IXA7C9ZN03) (BROMPHENIRAMINE - UNII:H57G17P2FN)	BROMPHENIRAMINE MALEATE	2 mg in 10 mL
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYL GALLATE (UNII: 8D4SNN7V92)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color	purple	Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51316-632-04	118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	03/03/2025	

Part 2 of 2

CVS PHARMACY CHILDRENS NIGHTTIME COLD AND COUGH

diphenhydramine hcl liquid

Product Information

Item Code (Source)	NDC:51316-646
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII: 8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZ B9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYL GALLATE (UNII: 8D4SNN7V92)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3Z D4)	

Product Characteristics

Color	purple	Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start	Marketing End
---	-----------	---------------------	-----------------	---------------

#	Item Code	Package Description	Date	Date
1	NDC:51316-646-04	118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	03/03/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	03/03/2025	

Labeler - CVS PHARMACY, INC. (062312574)

Revised: 12/2025

CVS PHARMACY, INC.