

**MUCUS RELIEF - guaifenesin tablet, extended release**  
**Major Pharmaceuticals**

-----  
**MUCUS RELIEF**  
**Guaifenesin Extended-Release Tablets 600 mg**

**ACTIVE INGREDIENT(in each extended-release tablet)**

Guaifenesin 600 mg

**PURPOSE**

Expectorant

**USE(S)**

helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

**WARNING**

**DO NOT USE**

for children under 12 years of age

**ASK A DOCTOR BEFORE USE IF YOU HAVE**

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

**STOP USE AND ASK A DOCTOR IF**

- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.

**IF PREGNANT OR BREAST-FEEDING,**

ask a health professional before use.

**KEEP OUT OF REACH OF CHILDREN**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

## **DIRECTIONS**

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for the timing of meals
- adults and children 12 years of age and over: 1 or 2 tablets every 12 hours.
- Do not exceed 4 tablets in 24 hours.
- children under 12 years of age: do not use

## **OTHER INFORMATION**

- tamper evident: do not use if seal on the bottle printed "SEALED for YOU PROTECTION" is broken or missing.
- store between 20 to 25°C (68 to 77°F)

## **INACTIVE INGREDIENTS**

carbomer homopolymer, hypromellose, microcrystalline cellulose, povidone

## **QUESTIONS?**

1-800-616-2471

You may also report side effects to this phone number.

## **PRINCIPAL DISPLAY PANEL**

### **MAJOR®**

NDC 0904-6986-40

Compare to the active ingredient in Mucinex® Extended Release 600 mg Tablets\*

### **mucus relief ER**

guaifenesin 600 mg

expectorant

12 hour

relieves chest congestion

thins and loosens mucus

500 extended-release tablets

**MAJOR**<sup>®</sup>

NDC 0904-6986-40

compare to the active ingredient  
in Mucinex<sup>®</sup> extended release  
600 mg tablets\*

**mucus relief ER**

**guaifenesin 600 mg  
expectorant**

- 12-hour relief
- relieves chest congestion
- thins and loosens mucus



actual size

**500** extended-release tablets

<p><b>Drug Facts (continued)</b></p> <p><b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).</p> <p><b>Directions</b></p> <ul style="list-style-type: none"> <li>• do not crush, chew, or break tablet</li> <li>• take with a full glass of water</li> <li>• this product can be administered without regard for the timing of meals</li> <li>• adults and children 12 years of age and over: 1 or 2 tablets every 12 hours. Do not exceed 4 tablets in 24 hours.</li> <li>• children under 12 years of age: do not use</li> </ul> <p><b>Other information</b></p> <ul style="list-style-type: none"> <li>• tamper evident; do not use if seal on bottle printed "SEALED FOR YOUR PROTECTION" is broken or missing.</li> <li>• store between 20 to 25 °C (68 to 77 °F)</li> </ul> <p><b>Inactive ingredients</b> carbomer homopolymer; hypromellose; microcrystalline cellulose; povidone</p> <p><b>Questions? 1-609-860-2600</b> You may also report side effects to this phone number.</p>	<p><b>Drug Facts</b></p> <p><b>Active ingredient Purpose (in each extended-release tablet)</b> Guaifenesin 600 mg.....Expectorant</p> <p><b>Uses</b> helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive</p> <p><b>Warnings</b> Do not use • for children under 12 years of age</p> <p><b>Ask a doctor before use if you have</b></p> <ul style="list-style-type: none"> <li>• persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema</li> <li>• cough accompanied by too much phlegm (mucus)</li> </ul> <p><b>Stop use and ask a doctor if</b></p> <ul style="list-style-type: none"> <li>• cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.</li> </ul> <p><b>If pregnant or breast-feeding, ask a health professional before use.</b> →</p>
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

\*This product is not manufactured or distributed by Reckitt Benckiser, the distributor of Mucinex<sup>®</sup> Extended Release 600 mg Tablets.

Distributed by:  
**MAJOR<sup>®</sup> PHARMACEUTICALS**  
Indianapolis, IN 46268  
(800) 616-2471  
www.major-rugby.com

Rev. 05/25 M-30 Re-order No. 701182



LOT:

EXP:

**MUCUS RELIEF**

guaifenesin tablet, extended release

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0904-6986
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	600 mg

**Inactive Ingredients**

Ingredient Name	Strength
<b>CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE</b> (UNII: 0A5MM307FC)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	

**Product Characteristics**

<b>Color</b>	WHITE	<b>Score</b>	no score
<b>Shape</b>	CAPSULE	<b>Size</b>	22mm
<b>Flavor</b>		<b>Imprint Code</b>	G233
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date

<b>1</b>	NDC:0904-6986-40	500 in 1 BOTTLE; Type 0: Not a Combination Product	09/23/2019	
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>		<b>Marketing Start Date</b>	<b>Marketing End Date</b>
ANDA	ANDA209215		09/23/2019	

**Labeler - Major Pharmaceuticals (191427277)**

Revised: 11/2025

Major Pharmaceuticals