BANANA BOAT- avobenzone, homosalate, octisalate, octocrylene, oxybenzone aerosol Edgewell Personal Care Brands LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Active Ingredients

Avobenzone 3%, Homosalate 10%, Octisalate 5%, Octocrylene 10%, Oxybenzone 6%

Purpose

Sunscreen

Uses

helps prevent sunburn

if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

Keep away from face to avoid breathing it.

Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs

Keep out of reach of children

If product is swallowed, get medical help or contact a poison control center right away. May stain some fabrics.

Flammable

Contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition – No smoking. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

Directions

- hold container 4 to 6 inches from the skin to apply
- spray liberally and spread evenly by hand 15 minutes before sun exposure
- do not spray directly into face. Spray on hands then apply to face
- do not apply in windy conditions
- use in well-ventilated area
- reapply: after 80 minutes of swimming or sweating immediately after towel drying at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m.-2 p.m. wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

Alcohol Denat., Isobutane, VA/Butyl Maleate/Isobornyl Acrylate Copolymer, Caprylyl Glycol, Cyclopentasiloxane, Cyclohexasiloxane, Fragrance, Polyglyceryl-3 Stearate/Isostearate/Dimer Dilinoleate Copolymer, Lauryl PEG-8 Dimethicone, Phenylisopropyl Dimethicone, Ascorbyl Palmitate, Hydrogenated Methyl Abietate, Tocopheryl Acetate, Mineral Oil, Panthenol, Water, Aloe Barbadensis Leaf Extract.

Other Information

Protect this product from excessive heat and direct sun

Questions or Comments?

Call 1-800-SafeSun, Mon-Fri BANANA BOAT (R) Ultra

Defense (R)

CLEAR SUNSCREEN SPRAY

UVA/UVB BROAD SPECTRUM SPF 100

100

PROTECTS

AGAINST 99%

OF BURNING RAYS


LIGHTWEIGHT

High Endurance vs. Water

Water Resistant

(80 Minutes)

NET WT 6 OZ. (170 g)



CLEAR

UltraMist

BANANA

BOAT

Ultra

Defense

MAX Skin Protect

UVA/UVB PROTECTION

CONTINUOUS SPRAY SUNSCREEN

100

BROAD SPECTRUM

SPF 100

WATER RESISTANT

(80 MINUTES)

LIGHTWEIGHT & HYDRATING

VITAMIN E

PROTECTS AGAINST 99% OF BURNING RAYS

SWIM SPLASH SPORT



Banana Boat[®] UltraMist[®] Ultra Defense[®] Spray SPF 100 provides our maximum spray protection from sunbum, long-term skin damage, and premature skin aging by providing broad spectrum UVA/UVB protection. It goes on easily and is proven to be water resistant. This formula, blended with Vitamins C & E and Aloe, is hydrating for healthy-looking skin.

Hydrating Formula • Dermatologist-Tested
 • Water Resistant (80 minutes)

Drug Facts Purpose Active Ingredients Avobenzone 3.0%, Homosalate 10.0%, Octisalate 5.0%, Octoorylene 10.0%, Oxybenzone 6.0% Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun. Warnings For external use only. For external use only, Hammable: Contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120 F, Do not use in the presence of a flame or spark. Keep away from sources of lignition — No smoking. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal. Do not use on damaged or broken skin. When using this product. Keep away from face to avoid breathing it. keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. Directions I hold container 4 to 6 inches from the skin to apply spray liberally and spread evenly by hand 16 minutes before sun exposure donot spay directly intoface. Spray on hands then apply to face do not apply in windy conditions use in well ventilated area reapply: after 80 minutes of swimming or sweating - immediately after towel drying - at least every 2 hours Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: vimit time in the sun, especially from 10 a.m.-2 p.m.: wear long-sleeve shirts, pants, hats, and sunglasses Children under 8 months. Ask ad octor Children under 8 months. Ask a dicctor Inactive Ingredients. Alcohol Denst, Isobiume, Walburyl Maleste/Isobomyl Anylste Copolymer, Capyfyl Glycol, Oyclopentssilbrane, Cychheresilbrane, Fragance, Polygheay/13-Steardarkosteardae/Dimer Dilinoleste Copolymer, Lauryl PEG 8 Dimethione, Phenylsopingyl Dimethione, Asobriyl Plamitate, Hydrogeneted Methyl Abietate, Tocophenyl Acetate, Mineral Oil, Pantherol, Water, Alice Barfacterisis Leaf Entract. Other Information Questions or Comments? Call 1800-SafeSun, Mon-Fri 9656 Dist. by: ENERGIZER PERSONAL CARE, LLC SHELTON, CT 06484 www.bananaboat.com © 2014 Energizer. © 2014 Energizer. D01 29 M5655

BANANA BOAT

avobenzone, homosalate, octisalate, octocrylene, oxybenzone aerosol

Product Information	t Information		
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63354-724
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 g	
OXYBENZONE (UNII: 9500S7VE0Y) (OXYBENZONE - UNII:9500S7VE0Y)	OXYBENZONE	6 g in 100 g	
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	10 g in 100 g	
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g	
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	10 g in 100 g	

Inactive Ingredients	
Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
DIISOSTEAROYL POLYGLYCERYL-3 DIMER DILINOLEATE (UNII: G3232Z5S2O)	
DIMETHICONE PEG-8 LAURATE (UNII: 72MF9C2A18)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
METHYL DIHYDROABIETATE (UNII: 7666FJ0J9F)	
.ALPHATOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
MINERAL OIL (UNII: T5L8T28FGP)	
PANTHENOL (UNII: WV9CM0O67Z)	
WATER (UNII: 059QF0KO0R)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
ISOBUTANE (UNII: BXR49TP611)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63354-724- 34	170 g in 1 CAN; Type 0: Not a Combination Product	01/01/2016	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	01/01/2016	
	part352	01/01/2016	

Labeler - Edgewell Personal Care Brands LLC (151179769)