

**HOT PAP CATAPLASMA- methyl salicylate, vanillyl nonylamide patch  
Masaem Company**

-----  
**Drug Facts**

Methyl salicylate

Vanillyl nonylamide

Kaolin

Glycerin

Liquid paraffin

Gelatin

Titanium oxide

Carboxymethylcellulose sodium

Zinc oxide

Methoxyethylene maleicanhydride copolymer

Polybutene

Citric acid hydrate

Sodium polyacrylate

Thymol

Butyl paraben

Butylated hydroxy toluene

Polysorbate 60

Isopropyl myristate

Natural rubber latex

Purified water

Nonwoven fabric

Polyester film

Topical Analgesic

Temporarily relieves minor pain associated with - muscular pain - joint pain - backache -  
bruise - sprain

keep out of reach of the children

Adults and children 12 years of age and over: apply to affected area not more than 3 to  
4 times daily.

Children under 12 years of age: do not use, consult a doctor

For easy application: partially peel back protective film and apply exposed patch to the

site of pain.

Carefully remove remaining film while pressing patch to skin for secure adhesion.

use only as directed

do not bandage tightly or use with a healing pad

avoid contact with the eyes and mucous membranes

do not apply to wounds or damaged skin

for external use only

# HOT PAP Cataplasma

## **Drug Facts**

### **Active Ingredients**

Methyl Salicylate 58.3mg  
Vanillyl Nonylamide 3.5mg

### **Purpose**

Topical analgesic  
Topical analgesic

**Uses** For temporary relief of minor aches & pains of muscles & joints  
Associated with:

•Arthritis •Simple backache •Strains •Bruises •Sprains

### **Warnings**

For external use only

- Use only as directed
- Avoid contact with eyes, mucous membranes or rashes
- Do not bandage tightly

**Keep out of the reach of children.**

### **Directions**

**Adults and children 12 years of age and over:**

- Clean and dry affected area
- Remove patch from film
- Apply to affected area not more than 3 to 4 times daily
- Remove patch from the skin after at most 8-hour application

**Children under 12 years of age:**

consult a doctor

### **Other Information**

- Store at room temperature

### **Inactive Ingredient**

Kaolin, Zine Oxide, Titanium Oxide, Galatin, Glycerin, Liquid Paraffin, Polybutene, Sodium Polyacrylate, Rubber Latex, Purified Water

**Distributed By: Bio Mission Group, Inc**

9925 Painter Ave Suite #O Whittier, CA90605, USA

**Made in South Korea**

## **HOT PAP CATAPLASMA**

methyl salicylate, vanillyl nonylamide patch

### **Product Information**

#### **Product Type**

HUMAN OTC DRUG

#### **Item Code (Source)**

NDC:87538-0001

#### **Route of Administration**

TRANSDERMAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>METHYL SALICYLATE</b> (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	58.3 mg in 13.4 g
<b>NONIVAMIDE</b> (UNII: S846B891OR) (NONIVAMIDE - UNII:S846B891OR)	NONIVAMIDE	5 mg in 13.4 g

## Inactive Ingredients

Ingredient Name	Strength
<b>KAOLIN</b> (UNII: 24H4NWX5CO)	
<b>THYMOL</b> (UNII: 3J50XA376E)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87538-0001-2	5 in 1 PACKAGE	03/01/2026	
1	NDC:87538-0001-1	13.4 g in 1 PATCH; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	03/01/2026	

**Labeler** - Masaem Company (689851782)

**Registrant** - Masaem Company (689851782)

## Establishment

Name	Address	ID/FEI	Business Operations
Masaem Company		689851782	label(87538-0001) , manufacture(87538-0001)

Revised: 3/2026

Masaem Company