SAMBUCOL COLD AND FLU RELIEF- bryonia, gelsemium sempervirens, sabucus nigra, sulphur, zincum gluconicum tablet, orally disintegrating PharmaCare US, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

DRUG FACTS:

ACTIVE INGREDIENTS:

(in Each Tablet): Bryonia 6X, Gelsemium Sempervirens 6X, 12X, 30X, Sambucus Nigra 3X, 6X, Sulphur 12X, Zincum Gluconicum 2X, 6X.

PURPOSE:

Bryonia – Muscle ache, headache, dry throat, cough,* Gelsemium Sempervirens -Sneezing,* Sambucus Nigra – Nasal congestion, coughing,* Sulphur – Nasal congestion and pressure, headache,* Zincum Gluconicum – Fatigue, nausea, minor sore throat.* *Indicates the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

USES:

• Temporarily relieves cold & flu symptoms.**

• Provides temporary relief from respiratory symptoms such as sneezing, runny nose, nasal & sinus congestion, minor sore throat and

headache.**

• Also temporarily relieves body aches associated with the flu.**

**Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

WARNINGS:

Sore throat warning - Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult physician promptly. Do not use more than 2 days or administer to children under 3 years of age unless directed by a physician. **Stop use and ask a doctor if:**

- Symptoms worsen Any new symptoms appear.
- Fever lasts for more than three days.
- Respiratory symptoms persist for more than seven days.

If pregnant or breast feeding, ask a health professional before using.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Do not use if blister seal is broken.

Active Ingredients are monographed and microdiluted in accordance with the Homeopathic Pharmacopoeia of the United States.

KEEP OUT OF REACH OF CHILDREN:

In case of overdose, get medical help or contact a Poison Control Center right away.

DIRECTIONS:

• For best results, use at the first sign of symptoms of a cold or flu and continue to use for an additional 48 hours after symptoms subside.

Adults and children 4 years of age and older. Dissolve entire tablet in mouth. Do not chew. Do not swallow whole. Take one tablet at the outset of symptoms. Repeat every three hours.

INACTIVE INGREDIENTS:

Black Carrot Extract (Colorant), Croscarmellose Sodium, Elderberry Flavor, Lactose, Magnesium Stearate, Maltodextrin, Microcrystalline Cellulose, Sucrose

QUESTIONS:

Manufactured exclusively for

Pharmacare US, Inc.

San Diego, CA 92108

SambucolUSA.com or

call 1-888-871-9098

PACKAGE LABEL DISPLAY:

NDC# 52053-0001-2 Sambucol® BLACK ELDERBERRY COLD & FLU RELIEF

FAST TEMPORARY RELIEF FROM:

 \checkmark NASAL CONGESTION \checkmark SORE THROAT \checkmark FEVER + CHILLS \checkmark HEADACHE \checkmark RUNNY NOSE \checkmark COUGH

30 TABLETS

HOMEOPATHIC



SAMBUCOL COLD AND FLU RELIEF

bryonia, gelsemium sempervirens, sabucus nigra, sulphur, zincum gluconicum tablet, orally disintegrating

Product Information							
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52053-0001				
Route of Administration	ORAL						

Basis of Strength BRYONIA ALBA ROOT GELSEMIUM	6 [hp_X] in 1 mg
	in 1 mg
GELSEMIUM	
SEMPERVIRENS ROOT	6 [hp_X] in 1 mg
A SAMBUCUS NIGRA FLOWERING TOP	3 [hp_X] in 1 mg
SULFUR	12 [hp_X] in 1 mg
ZINC GLUCONATE	2 [hp_X] in 1 mg
	FLOWERING TOP

Ingredient Name

CROSCARM		ANTHOCYANINS (UNII: 971DA56IOL) SE SODIUM (UNII: M28OL1HH48)					
LACTOSE (U							
	-	ARATE (UNII: 70097M6I30)					
		UNII: 7CVR7L4A2D)					
		ROCRYSTALLINE (UNII: OP1R32D61U)					
SUCROSE (L							
		RBERRY JUICE (UNII: Z4IFJOAK1E)					
Product (Char	acteristics					
Color	р	urple (off purple off grey color with specks)		S	core		no score
Shape	R	OUND		Si	ze		10mm
Flavor	BERRY (Elderberry) Imprint Code				e	SCF	
Contains							
Packagin	g						
Packagin # Item Co	-	Package Description			ing Start ate	Mark	ceting End Date
	ode	Package Description 2 in 1 CARTON			ate	Mark	
# Item Co 1 NDC:5205 0001-2	ode 3-			Da	ate	Mark	
 # Item Co 1 NDC:5205 0001-2 1 NDC:5205 	ode 3-	2 in 1 CARTON 4500 mg in 1 BLISTER PACK; Type 0: Not a		Da	ate	Mark	-
 # Item Co 1 NDC:5205 0001-2 1 NDC:5205 0001-1 	ode 3- 3-	2 in 1 CARTON 4500 mg in 1 BLISTER PACK; Type 0: Not a		Da	ate	Mark	
 # Item Co 1 NDC:5205 0001-2 1 NDC:5205 0001-1 	ode 3- 3- ing	2 in 1 CARTON 4500 mg in 1 BLISTER PACK; Type 0: Not a Combination Product		Da	ng Start		-

Labeler - PharmaCare US, Inc. (026889965)

Registrant - Apotheca Company (844330915)

Establishment						
Name	Address	ID/FEI	Business Operations			
Apotheca Company		844330915	manufacture(52053-0001) , api manufacture(52053-0001) , label(52053-0001) , pack(52053-0001)			

Revised: 8/2023

PharmaCare US, Inc.