

SCEDAMIN- hydroxyurea tablet, film coated
Yunigen, Inc.

100 mg Tablet Bottle Label

NDC: 87500-100-11

100 mg Tablet Bottle Label

SCEDAMIN™ (Hydroxyurea)

100 mg per Tablet

For Oral Administration

RX Only

60 Tablets

Store at 20-25 °C (68-77 °F); excursions

permitted between 15 °C and 30 °C (59 °F and 86 °F)

Protect from moisture.

Manufactured in the United States for Export Only

Distributed by Yunigen Kenya Limited

(See image name: 100mg_bottle)

SCEDAMIN™ 100mg
(hydroxyurea)
60 Tablets
100 mg Per Tablet
for Oral administration

Store at 20°C to 25°C (68°F to 77°F); excursions permitted between 15°C and 30°C (59°F and 86°F).

Yunigen, Inc. USA

NDC 87500-100-11

Manufactured in the United States for Export Only

Distributed by Yunigen Kenya Limited Nairobi, Kenya

RX Only

ATTENTION PHARMACIST:
Each patient is required to receive the enclosed Medication Guide

LOT:
EXP:

100 mg Tablet Carton Label (1 Bottle)

NDC: 87500-100-30

SCEDAMIN™ (Hydroxyurea)

100 mg per Tablet

For Oral Administration

RX Only

60 Tablets

Store at 20-25oC (68-77oF); excursions
permitted between 15oC and 30oC (59oF and 86oF)


Protect from moisture.

Manufactured in the United States for Export Only

Distributed by Yunigen Kenya Limited

Yunigen, Inc.

(See image name: 100mg_carton_1bottle)



0120875000100302
10)AD0010
(17)281001

60 tablets
Per tablet
100 mg
(Hydroxyurea)
SCEDAMINTM

NDC 87500-100-30

NDC 87500-100-30

+
100 mg
Per tablet

SCEDAMINTM
(Hydroxyurea)

+ **SCEDAMIN**TM
100mg
(Hydroxyurea)

100 mg
Per tablet
for Oral administration
RX only
Store at 20°C to 25°C
(68°F to 77°F); excursions
permitted between 15°C
and 30°C (59°F and
86°F).
Protect from moisture.

+
100 mg
Per tablet

SCEDAMINTM
(Hydroxyurea)

+ **SCEDAMIN**TM
100mg
(Hydroxyurea)



(01)20875000100302
10)AD0010
(17)281001

ATTENTION
PHARMACISTS:
Each patient is
required to receive
the enclosed
Medication Guide.

WARNING:
**MYELOSUPPRESSION AND
MALIGNANCIES**
Handle tablets with care.
Do not use or dispense
before reading directions
and warnings in
accompanying product
information.
Wear disposable gloves
when handling
Scedamin® or
bottles containing
Scedamin®
Dosage and Use:
See prescribing
information.
Dispense In A Tight
Light-Resistant Container
Closure
RX Only
For Oral Administration
Keep out of reach of
children

LOT:
EXP:

For Export
Only
Manufactured in the United States for
Export Only
Distributed by Yunigen Kenya Limited
Nairobi, Kenya

60 tablets
Manufactured by:
Yunigen, Inc.
781 Chestnut Ridge Road, Suite 200
Morgantown, WV, 26505

60 tablets
Yunigen, Inc. USA

60 tablets
Yunigen, Inc. USA

RX only

60 tablets
100 mg
Per tablet
Yunigen, Inc. USA



0120875000100302
10)AD0010
(17)281001

100 mg Tablet Blister Label (Back)

NDC: 87500-100-21

SCEDAMINTM (Hydroxyurea)

100 mg per Tablet

For Oral Administration

Rx Only

For Export Only


Manufactured by Yunigen, Inc.

Distributed by Yunigen Kenya Limited

B/N:

EXP:

(See image name: 100mg_blister_back)

<p>Scedamin™ (Hydroxyurea) For Oral Administration Rx Only 100 mg per Tablet DO NOT PUSH Distributed by: Yunigen Kenya Ltd. Manufactured by: Yunigen, Inc., USA For Export Only</p> <p>NDC 87500-100-21</p>  <p>B/N: XXXXXX EXP: XX/XX/XXXX</p> <p>1. Peel 3. Push 2. Bend & Tear</p>	<p>Scedamin™ (Hydroxyurea) For Oral Administration Rx Only 100 mg per Tablet DO NOT PUSH Distributed by: Yunigen Kenya Ltd. Manufactured by: Yunigen, Inc., USA For Export Only</p> <p>NDC 87500-100-21</p>  <p>B/N: XXXXXX EXP: XX/XX/XXXX</p> <p>1. Peel 3. Push 2. Bend & Tear</p>	<p>Scedamin™ (Hydroxyurea) For Oral Administration Rx Only 100 mg per Tablet DO NOT PUSH Distributed by: Yunigen Kenya Ltd. Manufactured by: Yunigen, Inc., USA For Export Only</p> <p>NDC 87500-100-21</p>  <p>B/N: XXXXXX EXP: XX/XX/XXXX</p> <p>1. Peel 3. Push 2. Bend & Tear</p>
<p>Scedamin™ (Hydroxyurea) For Oral Administration Rx Only 100 mg per Tablet DO NOT PUSH Distributed by: Yunigen Kenya Ltd. Manufactured by: Yunigen, Inc., USA For Export Only</p> <p>NDC 87500-100-21</p>  <p>B/N: XXXXXX EXP: XX/XX/XXXX</p> <p>1. Peel 3. Push 2. Bend & Tear</p>	<p>Scedamin™ (Hydroxyurea) For Oral Administration Rx Only 100 mg per Tablet DO NOT PUSH Distributed by: Yunigen Kenya Ltd. Manufactured by: Yunigen, Inc., USA For Export Only</p> <p>NDC 87500-100-21</p>  <p>B/N: XXXXXX EXP: XX/XX/XXXX</p> <p>1. Peel 3. Push 2. Bend & Tear</p>	<p>Scedamin™ (Hydroxyurea) For Oral Administration Rx Only 100 mg per Tablet DO NOT PUSH Distributed by: Yunigen Kenya Ltd. Manufactured by: Yunigen, Inc., USA For Export Only</p> <p>NDC 87500-100-21</p>  <p>B/N: XXXXXX EXP: XX/XX/XXXX</p> <p>1. Peel 3. Push 2. Bend & Tear</p>
<p>Scedamin™ (Hydroxyurea) For Oral Administration Rx Only 100 mg per Tablet DO NOT PUSH Distributed by: Yunigen Kenya Ltd.</p> <p>2. Bend & Tear</p>	<p>Scedamin™ (Hydroxyurea) For Oral Administration Rx Only 100 mg per Tablet DO NOT PUSH Distributed by: Yunigen Kenya Ltd.</p> <p>2. Bend & Tear</p>	<p>Scedamin™ (Hydroxyurea) For Oral Administration Rx Only 100 mg per Tablet DO NOT PUSH Distributed by: Yunigen Kenya Ltd.</p> <p>2. Bend & Tear</p>



100 mg Tablet Carton Label (4 Blisters)

NDC:87500-100-40

SCEDAMIN™ (Hydroxyurea)

100 mg per Tablet

For Oral Administration

RX Only

60 Tablets

Store at 20-25 °C (68-77 °F); excursions

permitted between 15 °C and 30 °C (59 °F and 86 °F)

Protect from moisture.


Export Only

Yunigen, Inc.

LOT:

EXP:

(See image name: 100mg_carton_4blisters)



500 mg Tablet Bottle Label

NDC: 87500-101-11

SCEDAMIN™ (Hydroxyurea)

500 mg per Tablet

For Oral Administration

RX Only

60 Tablets

Store at 20-25 °C (68-77 °F); excursions permitted between 15 °C and 30 °C (59 °F and 86 °F)

Protect from moisture.

Manufactured in the United States for Export Only

Distributed by Yunigen Kenya Limited

LOT:

EXP:

(See image name: 500mg_bottle attched)

SCEDAMIN™ 500mg
(hydroxyurea)
60 Tablets
500 mg Per Tablet
for Oral administration

Store at 20°C to 25°C (68°F to 77°F); excursions permitted between 15°C and 30°C (59°F and 86°F).

Yunigen, Inc. USA

NDC 87500-101-11

Manufactured in the United States for Export Only

Distributed by Yunigen Kenya Limited Nairobi, Kenya

RX Only

ATTENTION PHARMACIST:
Each patient is required to receive the enclosed Medication Guide

LOT:
EXP:

500 mg Tablet Carton Label (1 Bottle)

NDC: 87500-101-30

SCEDAMIN™ (Hydroxyurea)

500 mg per Tablet

For Oral Administration

RX Only

60 Tablets

Store at 20-25 °C (68-77 °F); excursions permitted between 15 °C and 30 °C (59 °F and 86 °F)

Protect from moisture.

Lot:

EXP:

Manufactured in the United States for Export Only

Distributed by Yunigen Kenya Limited

(See image name: 500mg_carton_1bottle)



01120875000100401
10AD0012
171281001

60 tablets
Per tablet
500 mg

SCEDAMIN™
(Hydroxyurea)

+
500 mg
Per tablet

SCEDAMIN™
(Hydroxyurea)

LOT:
EXP:

60 tablets

Manufactured by:
Yunigen, Inc.
781 Chestnut Ridge Road, Suite 200
Morgantown, WV, 26505

NDC: 87500-101-30

+ SCEDAMIN™
500 mg (hydroxyurea) RX only

Per tablet
for Oral administration
RX only

Store at 20°C to 25°C
(68°F to 77°F); excursions
permitted between 15°C
and 30°C (59°F and
86°F).

See USP Controlled Room



(01120875000100401
10AD0012
171281001

For Export
Only

Manufactured in the United States for
Export Only

Distributed by Yunigen Kenya Limited
Nairobi, Kenya

60 tablets

Yunigen, Inc. USA

+
500 mg
Per tablet

SCEDAMIN™
(Hydroxyurea)

ATTENTION
PHARMACISTS:
Each patient is
required to receive
the enclosed
Medication Guide.

60 tablets

Yunigen, Inc. USA

NDC: 87500-101-30

+ SCEDAMIN™
(Hydroxyurea)

**WARNING:
MYELOSUPPRESSION AND
MALIGNANCIES**

Handle tablets with care.
Do not use or dispense
before reading directions
and warnings in
accompanying product
information.

Wear disposable gloves
when handling
Scedamin® or
bottles containing
Scedamin®

Dosage and Use:
See prescribing
information.

Dispense in A Tight
Light-Resistant Container
Closure

RX Only
For Oral Administration

Keep out of reach of
children

60 tablets

Yunigen, Inc. USA

500 mg
Per tablet



500 mg Tablet Blister Label (Back)

NDC: 87500-101-20

SCEDAMIN™ (Hydroxyurea)

500 mg per Tablet

For Oral Administration

RX Only

For Export Only

Manufactured by Yunigen, Inc.

Distributed by Yunigen Kenya Limited

B/N:

EXP:

(See image name: 500mg_blister_back)

<p>Scedamin™ (Hydroxyurea) For Oral Administration Rx Only</p> <p>500 mg per Tablet</p> <p>DO NOT PUSH Distributed by: Yunigen Kenya Ltd. Manufactured by: Yunigen, Inc., USA For Export Only</p>	<p>NDC 87500-101-20</p>  <p>B/N: XXXXXX EXP: XX/XX/XXXX</p>	<p>1. Peel 3. Push 2. Bend & Tear</p>	<p>Scedamin™ (Hydroxyurea) For Oral Administration Rx Only</p> <p>500 mg per Tablet</p> <p>DO NOT PUSH Distributed by: Yunigen Kenya Ltd. Manufactured by: Yunigen, Inc., USA For Export Only</p>	<p>NDC 87500-101-20</p>  <p>B/N: XXXXXX EXP: XX/XX/XXXX</p>	<p>1. Peel 3. Push 2. Bend & Tear</p>
<p>Scedamin™ (Hydroxyurea) For Oral Administration Rx Only</p> <p>500 mg per Tablet</p> <p>DO NOT PUSH Distributed by: Yunigen Kenya Ltd. Manufactured by: Yunigen, Inc., USA For Export Only</p>	<p>NDC 87500-101-20</p>  <p>B/N: XXXXXX EXP: XX/XX/XXXX</p>	<p>1. Peel 3. Push 2. Bend & Tear</p>	<p>Scedamin™ (Hydroxyurea) For Oral Administration Rx Only</p> <p>500 mg per Tablet</p> <p>DO NOT PUSH Distributed by: Yunigen Kenya Ltd. Manufactured by: Yunigen, Inc., USA For Export Only</p>	<p>NDC 87500-101-20</p>  <p>B/N: XXXXXX EXP: XX/XX/XXXX</p>	<p>1. Peel 3. Push 2. Bend & Tear</p>
<p>Scedamin™ (Hydroxyurea) For Oral Administration</p>	<p>NDC 87500-101-20</p>  <p>↳ Tear</p>	<p>↳ Tear</p>	<p>Scedamin™ (Hydroxyurea) For Oral Administration</p>	<p>NDC 87500-101-20</p>  <p>↳ Tear</p>	<p>↳ Tear</p>

<p>Rx Only</p> <p>500 mg per Tablet</p> <p>DO NOT PUSH Distributed by: Yunigen Kenya Ltd. Manufactured by: Yunigen, Inc., USA For Export Only</p> <p>B/N: XXXXXX EXP: XX/XX/XXXX</p> <p>1. Peel 3. Push 2. Bend 8</p>		<p>Rx Only</p> <p>500 mg per Tablet</p> <p>DO NOT PUSH Distributed by: Yunigen Kenya Ltd. Manufactured by: Yunigen, Inc., USA For Export Only</p> <p>B/N: XXXXXX EXP: XX/XX/XXXX</p> <p>1. Peel 3. Push 2. Bend 8</p>
<p>Scedamin™ (Hydroxyurea) For Oral Administration Rx Only</p> <p>500 mg per Tablet</p> <p>DO NOT PUSH Distributed by: Yunigen Kenya Ltd. Manufactured by: Yunigen, Inc., USA For Export Only</p> <p>NDC 87500-101-20</p> <p>B/N: XXXXXX EXP: XX/XX/XXXX</p> <p>1. Peel 3. Push 2. Bend & Tear</p>		<p>Scedamin™ (Hydroxyurea) For Oral Administration Rx Only</p> <p>500 mg per Tablet</p> <p>DO NOT PUSH Distributed by: Yunigen Kenya Ltd. Manufactured by: Yunigen, Inc., USA For Export Only</p> <p>NDC 87500-101-20</p> <p>B/N: XXXXXX EXP: XX/XX/XXXX</p> <p>1. Peel 3. Push 2. Bend & Tear</p>
<p>Scedamin™ (Hydroxyurea) For Oral Administration Rx Only</p> <p>500 mg per Tablet</p> <p>DO NOT PUSH Distributed by: Yunigen Kenya Ltd. Manufactured by: Yunigen, Inc., USA For Export Only</p> <p>NDC 87500-101-20</p> <p>B/N: XXXXXX EXP: XX/XX/XXXX</p> <p>1. Peel 3. Push 2. Bend & Tear</p>		<p>Scedamin™ (Hydroxyurea) For Oral Administration Rx Only</p> <p>500 mg per Tablet</p> <p>DO NOT PUSH Distributed by: Yunigen Kenya Ltd. Manufactured by: Yunigen, Inc., USA For Export Only</p> <p>NDC 87500-101-20</p> <p>B/N: XXXXXX EXP: XX/XX/XXXX</p> <p>1. Peel 3. Push 2. Bend & Tear</p>

500 mg Tablet Carton Label (6 Blisters)

NDC: 87500-101-41

SCEDAMIN™ (Hydroxyurea)

500 mg per Tablet

For Oral Administration

RX Only

60 Tablets

Store at 20-25 °C (68-77 °F); excursions

permitted between 15 °C and 30 °C (59 °F and 86 °F)

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:87500-100
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROXYUREA (UNII: X6Q56QN5QC) (HYDROXYUREA - UNII:X6Q56QN5QC)	HYDROXYUREA	100 mg

Inactive Ingredients

Ingredient Name	Strength
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM STEARYL FUMARATE (UNII: 7CV7WJK4UI)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
DIMETHYLAMINOETHYL METHACRYLATE - BUTYL METHACRYLATE - METHYL METHACRYLATE COPOLYMER (UNII: 905HNO1SIH)	

Product Characteristics

Color	white (White to Off-white)	Score	score with uneven pieces
Shape	ROUND	Size	6mm
Flavor		Imprint Code	SCM
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87500-100-30	60 in 1 CARTON	05/22/2026	
1	NDC:87500-100-11	60 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:87500-100-40	60 in 1 CARTON	05/22/2026	
2	NDC:87500-100-21	15 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Export only		04/01/2026	

SCEDAMIN

hydroxyurea tablet, film coated

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:87500-101	
Route of Administration	ORAL			
Active Ingredient/Active Moiety				
	Ingredient Name	Basis of Strength	Strength	
	HYDROXYUREA (UNII: X6Q56QN5QC) (HYDROXYUREA - UNII:X6Q56QN5QC)	HYDROXYUREA	500 mg	
Inactive Ingredients				
	Ingredient Name		Strength	
	DIMETHYLAMINOETHYL METHACRYLATE - BUTYL METHACRYLATE - METHYL METHACRYLATE COPOLYMER (UNII: 905HNO1SIH)			
	ISOPROPYL ALCOHOL (UNII: ND2M416302)			
	SILICON DIOXIDE (UNII: ETJ7Z6XBU4)			
	SODIUM STEARYL FUMARATE (UNII: 7CV7WJK4UI)			
	MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)			
Product Characteristics				
Color	white (White to off-white)	Score	no score	
Shape	OVAL (White to off-white oval shaped tablet with half-scoring on both sides)	Size	16mm	
Flavor		Imprint Code	SC;SC	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87500-101-30	60 in 1 CARTON	05/22/2026	
1	NDC:87500-101-11	60 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:87500-101-41	60 in 1 CARTON	05/22/2026	
2	NDC:87500-101-20	10 in 1 BLISTER PACK; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
Export only		04/01/2026		

Labeler - Yunigen, Inc. (119379663)

Establishment

Name	Address	ID/FEI	Business Operations
Yunigen, Inc.		119379663	manufacture(87500-100, 87500-101) , analysis(87500-100, 87500-101) , label(87500-100, 87500-101) , pack(87500-100, 87500-101)

Revised: 4/2026

Yunigen, Inc.