

SUNSCREEN SPF 50- sunscreen spf 50 cream
Guangzhou Ariel Biotech Co., Ltd.

84148-020

Active Ingredient(s)

7.5% Ethylhexyl Methoxycinnamate
3% Ethylhexyl Salicylate
3% Butyl Methoxydibenzoylmethane
1% Titanium Dioxide

Purpose

Sunscreen
Preventing Skin Aging

Warnings

For external use only.

Do not use

Do not use on damaged or broken skin.

When using this product, keep out of eyes. If contact occurs, rinse with water to remove.

Stop use and ask a doctor if a rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Other information

- store at room temperature

Inactive ingredients

Water, Coco-caprylate/caprato, Propanediol, Isoamyl Laurate, Diethylamino Hydroxybenzoyl Hexyl Benzoate, Silica, Neopentyl Glycol Diheptanoate, C12-15Alkyl Benzoate, Polysilicone-11, Arachidyl Alcohol, Tocopheryl Acetate, Niacinamide, Phenoxyethanol, Polysorbate60, BehenylAlcohol, Ammonium Acryloyldimethyltaurate/vp Copolymer, Xanthan Gum, Sodium Hyaluronate, Arachidyl Glucoside, Butylene Glycol,

Ethylhexylglycerin, Dimethicone, Bht, Saururus Chinensis Leaf/root Extract, Taraxacum Officinale (Dandelion) Leaf Extract, 1,2-hexanediol, Hydroxyacetophenone

Use

Use helps prevent sunburn

Directions

Apply generously 15 minutes before sun exposure.

Reapplication Guidelines:


Reapply after 80 minutes of swimming or sweating

Reapply immediately after towel drying

Reapply at least every 2 hours

For children under 6 months: Consult a doctor.

Package Label - Principal Display Panel



SUNSCREEN SPF 50

sunscreen spf 50 cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84148-020
Route of Administration	CUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BUTYL METHOXYDIBENZOYLMETHANE (UNII: G63QQF2NOX) (BUTYL	BUTYL	3 g

METHOXYDIBENZOYLMETHANE - UNII:G63QQF2NOX)	METHOXYDIBENZOYLMETHANE	in 100 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1 g in 100 g
ETHYLHEXYL METHOXYCINNAMATE (UNII: 4Y5P7MUD51) (ETHYLHEXYL METHOXYCINNAMATE - UNII:4Y5P7MUD51)	ETHYLHEXYL METHOXYCINNAMATE	7.5 g in 100 g
ETHYLHEXYL SALICYLATE (UNII: 4X49Y0596W) (ETHYLHEXYL SALICYLATE - UNII:4X49Y0596W)	ETHYLHEXYL SALICYLATE	3 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
TARAXACUM OFFICINALE LEAF (UNII: 0022LFJ74Y)	
BHT (UNII: 1P9D0Z171K)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
ARACHIDYL GLUCOSIDE (UNII: 6JVW35JOOJ)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
WATER (UNII: 059QF0KO0R)	
COCO-CAPRYLATE/CAPRATE (UNII: 8D9H4QU99H)	
PROPANEDIOL (UNII: 5965N8W85T)	
ISOAMYL LAURATE (UNII: M1SLX00M3M)	
DIETHYLAMINO HYDROXYBENZOYL HEXYL BENZOATE (UNII: ANQ870JD20)	
SILICA (UNII: ETJ7Z6XBU4)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
C12-15 ALKYL BENZOATE (UNII: A9EJ3J61HQ)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
ARACHIDYL ALCOHOL (UNII: 1QR1QRA9BU)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
NIACINAMIDE (UNII: 25X51I8RD4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
BEHENYL ALCOHOL (UNII: 9G1OE216XY)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE/VP COPOLYMER (UNII: W59H9296ZG)	
XANTHAN GUM (UNII: TTV12P4NEE)	
SODIUM HYALURONATE (UNII: YSE9PPT4TH)	
BUTYLENE GLYCOL (UNII: 3XUS85KORA)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84148-020-01	50 g in 1 BOTTLE; Type 0: Not a Combination Product	03/25/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/25/2026	

Labeler - Guangzhou Ariel Biotech Co., Ltd. (402818771)

Establishment

Name	Address	ID/FEI	Business Operations
Guangzhou Ariel Biotech Co., Ltd.		402818771	manufacture(84148-020)

Revised: 3/2026

Guangzhou Ariel Biotech Co., Ltd.