

**CHILDRENS PAIN AND FEVER- acetaminophen suspension**  
**Strategic Sourcing Services LLC**

-----  
**Foster and Thrive 44-079**

***Active ingredient (in each 5 mL)***

Acetaminophen 160 mg

***Purpose***

Pain reliever/fever reducer

***Uses***

- temporarily relieves minor aches and pains due to:
  - headache
  - toothache
  - sore throat
  - flu
  - the common cold
- temporarily reduces fever

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use**

with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

**Ask a doctor before use if your child has**

liver disease.

**Ask a doctor or pharmacist before use if your child is**

taking the blood thinning drug warfarin.

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- any new symptoms appear
- redness or swelling is present

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **this product does not contain directions or complete warnings for adult use**
- **do not give more than directed**
- **shake well before using**
- mL = milliliter
- only use the dose cup provided
- find the right dose on chart below. If possible, use weight to dose; otherwise, use age.
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours

**Weight (lb) Age (yr) Dose (mL)\***

Under 24	Under 2	Ask a doctor
24-35	2-3	5 mL
36-47	4-5	7.5 mL
48-59	6-8	10 mL
60-71	9-10	12.5 mL
72-95	11	15 mL

\*or as directed by a doctor

**Other information**

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

**Inactive ingredients**

anhydrous citric acid, FD&C red #40, flavor, glycerin, high fructose corn syrup, microcrystalline cellulose and carboxymethylcellulose sodium, purified water, sodium benzoate, sorbitol solution, sucralose, xanthan gum

***Questions or comments?***

Call **833-358-6431**

Monday to Friday 9:00am to 7:00pm EST

***Principal display panel***

NDC 70677-1286-1

†COMPARE TO THE ACTIVE INGREDIENT IN  
CHILDREN'S TYLENOL® ORAL SUSPENSION

**Foster & Thrive™**

**Children's  
Pain & Fever  
Acetaminophen  
160 mg per 5 mL  
Oral Suspension**

PAIN RELIEVER/FEVER REDUCER

Pain & Fever  
Ages 2-11 Years

Alcohol Free  
Ibuprofen Free  
Aspirin Free  
Paraben Free

**16 FL OZ (473 mL)**

DOSING CUP  
INCLUDED

STRAWBERRY FLAVOR

**TAMPER EVIDENT: DO NOT USE IF PRINTED  
WRAP IS BROKEN OR MISSING**

†This product is not manufactured or distributed by  
Kenvue Inc., owner of the registered trademark Children's  
Tylenol® Oral Suspension. 50844 ORG042407921

©2023 McKesson Corporation

Distributed by: McKesson Corp., via Strategic Sourcing Services LLC.,  
Memphis, TN 38141 Money Back Guarantee [www.fosterandthrive.com](http://www.fosterandthrive.com)

NDC 70677-1286-1

COMPARE TO THE ACTIVE INGREDIENT IN CHILDREN'S TYLENOL® ORAL SUSPENSION

Foster & Thrive™

**Children's Pain & Fever**  
**Acetaminophen 160 mg per 5 mL**  
**Oral Suspension**  
**PAIN RELIEVER/FEVER REDUCER**

Pain & Fever  
 Ages 2-11 Years

Alcohol Free  
 Ibuprofen Free  
 Aspirin Free  
 Paraben Free

**16 FL OZ (473 mL)** STRAWBERRY FLAVOR

DOSE CUP INCLUDED

**Drug Facts**

**Active ingredient (in each 5 mL)** Acetaminophen 160 mg. **Purpose** Pain reliever/fever reducer

**Uses** temporarily relieves minor aches and pains due to:  
 ■ headache ■ toothache ■ sore throat ■ flu ■ the common cold  
 ■ temporarily reduces fever

**Warnings**  
 Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes:  
 ■ more than 5 doses in 24 hours, which is the maximum daily amount  
 ■ with other drugs containing acetaminophen  
**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash  
 If a skin reaction occurs, stop use and seek medical help right away.  
**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.  
 Do not use with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.  
 Ask a doctor before use if your child has liver disease.  
 Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin.  
 Stop use and ask a doctor if ■ pain gets worse or lasts more than 5 days ■ fever gets worse or lasts more than 3 days ■ redness or swelling is present ■ any new symptoms appear  
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**TAMPER EVIDENT: DO NOT USE IF PRINTED WRAP IS BROKEN OR MISSING**

**Drug Facts (continued)**

**Directions** ■ this product does not contain directions or complete warnings for adult use  
 ■ do not give more than directed  
 ■ shake well before using  
 ■ mL = milliliter  
 ■ only use the dose cup provided  
 ■ find the right dose on chart below. If possible, use weight to dose; otherwise, use age.  
 ■ repeat dose every 4 hours while symptoms last  
 ■ do not give more than 5 times in 24 hours

Weight (lb)	Age (yr)	Dose (mL)*
Under 24	Under 2	Ask a doctor
24-35	2-3	5 mL
36-47	4-5	7.5 mL
48-59	6-8	10 mL
60-71	9-10	12.5 mL
72-95	11	15 mL

\*or as directed by a doctor

**Other information**  
 ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)  
 ■ use by expiration date on package

**Inactive ingredients**  
 anhydrous citric acid, FD&C red #40, flavor, glycerin, high fructose corn syrup, microcrystalline cellulose and carboxymethylcellulose sodium, purified water, sodium benzoate, sorbitol solution, sucralose, xanthan gum

**Questions or comments?** Call 833-358-6431  
 Monday to Friday 9:00am to 7:00pm EST

**DIRECTIONS:**  
**STEP 1.** Shake well before using  
**STEP 2.** Remove child protective cap  
**STEP 3.** Pour your child's dose into the dosing cup

**IMPORTANT:** Please see dosing chart or ask a doctor for your child's correct dose

© 2023 McKesson Corporation  
 Distributed by: McKesson Corp., via Strategic Sourcing Services LLC,  
 Memphis, TN 38141. Money Back Guarantee. www.fosterandthrive.com

\*This product is not manufactured or distributed by Kenvue Inc., owner of the registered trademark Children's Tylenol® Oral Suspension. 50844 0RB042407921  
 Rev. 2/25

0 10939 96131 0

Foster & Thrive 44-079

## CHILDRENS PAIN AND FEVER

acetaminophen suspension

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:70677-1286
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	160 mg in 5 mL

### Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SORBITOL SOLUTION (UNII: 8KW3E207O2)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
XANTHAN GUM (UNII: TTV12P4NEE)	

### Product Characteristics

<b>Color</b>	red	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	

<b>Flavor</b>	STRAWBERRY		<b>Imprint Code</b>	
<b>Contains</b>				
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:70677-1286-1	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/27/2025	
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
OTC Monograph Drug	M013	05/27/2025		

**Labeler** - Strategic Sourcing Services LLC (116956644)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
LNK International, Inc.		967626305	manufacture(70677-1286) , pack(70677-1286)

Revised: 5/2026

Strategic Sourcing Services LLC