

EXCHANGE SELECT SUNSCREEN SPF 45- octinoxate oxybenzone lotion
ARMY AND AIR FORCE EXCHANGE SERVICE

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredients

Avobenzone 2.0%
Homosalate 12.0%
Octisalate 5.0%
Octocrylene 1.6%
Oxybenzone 3.5%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- higher SPF gives more sunburn protection
- retains SPF after 80 minutes of activity in the water

Warnings

For external use only

When using this product

- keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- rash or irritation develops and lasts.

Keep Out of the reach of children.

If swallowed get medical help or contact a Poison Control Center right away.

Directions

- apply generously before sun exposure and as needed
- children under 6 months of age:ask a doctor
- reapply frequently and after towel drying, swimming or perspiring.

Other Information

- May stain some fabrics
- Sun Alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

Inactive ingredients

Water, Sorbitan Isostearate, Sorbitol, Triethanolamine, Octadecene/MA Copolymer, Polyglyceryl-3 Distearate, VP/Eicosene Copolymer, Benzyl Alcohol, Barium Sulfate, Dimethicone, Stearic Acid, Carbomer, Phenethyl Alcohol, Simmondsia Chinensis (Jojoba) Seed Oil, Tocopherol, Disodium EDTA, Aloe Barbadensis Leaf Juice Powder, Methylparaben, Propylparaben.

Principal Display Panel

exchange

select

X

SUNSCREEN

Broad Spectrum Lotion

SPF

45

UVA/UVB Protection

Very Water Resistant



4 FL. OZ. (118 mL)

Drug Facts

Active ingredients **Purpose**
 Avobenzone 2.0%, Homosalate 12.0%, Octisalate 5.0%,
 Octocrylene 1.6%, Oxybenzone 3.5%Sunscreen

Uses • helps prevent sunburn • higher SPF gives more sunburn protection • retains SPF after 80 minutes of activity in the water

Warnings For external use only

When using this product
 • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if
 • rash or irritation develops and lasts.

Keep out of the reach of children. If swallowed get medical help or contact a Poison Control Center right away.

Directions • apply generously and evenly before sun exposure and as needed • children under 6 months of age: ask a doctor
 • reapply frequently and after towel drying, swimming or perspiring

Other information • May stain some fabrics • Sun Alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

Inactive ingredients Water, Sorbitan Isostearate, Sorbitol, Triethanolamine, Barium Sulfate, Benzyl Alcohol, Octadecene/MA Copolymer, Polyglyceryl-3 Distearate, VP/Eicosene Copolymer, Dimethicone, Stearic Acid, Carbomer, Phenethyl Alcohol, Simmondsia Chinensis (Jojoba) Seed Oil, Tocopherol, Disodium EDTA, Aloe Barbadensis Leaf Juice, Methylparaben, Propylparaben.

"SATISFACTION GUARANTEED OR YOUR MONEY BACK"
 Manufactured For: Your Military Exchanges
 By: Alpha to Omega, Ormond Beach, FL 32174
 386-673-2024

Made in U.S.A. ES07-B



EXCHANGE SELECT SUNSCREEN SPF 45

octinoxate oxybenzone lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:5530 1-00 1
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	2 g in 100 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	12 g in 100 g
OCTISALATE (UNII: 4X49 Y0596 W) (OCTISALATE - UNII:4X49 Y0596 W)	OCTISALATE	5 g in 100 g
OCTOCRYLENE (UNII: 5A68 WGF6 WM) (OCTOCRYLENE - UNII:5A68 WGF6 WM)	OCTOCRYLENE	1.6 g in 100 g
OXYBENZONE (UNII: 950OS7VE0 Y) (OXYBENZONE - UNII:950OS7VE0 Y)	OXYBENZONE	3.5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SORBITAN ISOSTEARATE (UNII: 0 1S2G2C1E4)	
SORBITOL (UNII: 506T60 A25R)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	

PHENYLETHYL ALCOHOL (UNII: ML9LGA7468)
TROLAMINE (UNII: 9O3K93S3TK)
BENZYL ALCOHOL (UNII: LKG8494WBH)
DIMETHICONE (UNII: 92RU3N3Y1O)
JOJOBA OIL (UNII: 724GKU717M)
TOCOPHEROL (UNII: R0ZB2556P8)
EDETATE DISODIUM (UNII: 7FLD91C86K)
ALOE VERA LEAF (UNII: ZY81Z83H0X)
DIMETHICONE (UNII: 92RU3N3Y1O)
METHYL PARABEN (UNII: A2I8C7HI9T)
PROPYL PARABEN (UNII: Z8IX2SC1OH)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55301-001-13	113 g in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/15/2012	

Labeler - ARMY AND AIR FORCE EXCHANGE SERVICE (001695568)

Revised: 11/2012

ARMY AND AIR FORCE EXCHANGE SERVICE