

SILKSCREEN SHEER TINT MINERAL LIGHT-MEDIUM- titanium dioxide, zinc oxide cream

SILKSCREEN SHEER TINT MINERAL MEDIUM-DARK- titanium dioxide, zinc oxide cream

Curology

AGENCY SilkScreen Sheer Tint Mineral Sunscreen Broad Spectrum SPF 50

Drug Facts

Active Ingredients

Active Ingredients

Titanium Dioxide 2.3%

Zinc Oxide 13.3 %

Purpose

Sunscreen

Sunscreen

Uses

Uses

Helps prevent sunburn

Warnings

For external use only

Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center right away.

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove

Stop use and ask a doctor if rash occurs

Directions

Directions

- Apply generously 15 minutes before sun exposure
- Reapply every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. - 2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses
 - Children under 6 months of age: Ask a doctor

Other Information

- Store at 20 °-25 ° (68 °-77 °F)

- Protect the product in this container from excessive heat and direct sun

Caprylic/Capric Triglyceride, Water, Diisopropyl Sebacate, Polymethylsilsesquioxane, Undecane, Aloe Barbadensis Leaf Juice, Glycerin, Polyglyceryl-6 Polyricinoleate, Isododecane, Dimethicone, Polysilicone-11, Tridecane, Argania Spinosa Kernel Oil, Polyhydroxystearic Acid, Tocopheryl Acetate, Polyglyceryl-2 Isostearate, Distearidimonium Hectorite, Phenoxyethanol, Dimethicone Crosspolymer, Sodium Chloride, Triethoxycaprylylsilane, Alumina, Propanediol, Magnesium Stearate, Jojoba Esters, Disodium EDTA, 1,2-Hexanediol, Bisabolol, Propylene Carbonate, Niacinamide, Laureth-12, Caprylhydroxamic Acid, Sodium Hyaluronate, Ethylhexylglycerin, Glycyrrhiza Glabra (Licorice) Root Extract +/- May Contain: Iron Oxides (CI 77491, CI 77492, CI 77499), Titanium Dioxide (CI 77891), Mica (CI 77019)

Questions?

858-859-1188

SilkScreen SheerTint Mineral Sunscreen Broad Spectrum SPF 50 Light - Medium -- 40 mL Carton -- PDP

1
LIGHT - MEDIUM

Drug Facts

Active Ingredients	Purpose
Titanium Dioxide 2.5%	Sunscreen
Zinc Oxide 15.5%	Sunscreen

Use
Helps prevent sunburn

- Warnings**
- For external use only
 - Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center right away.
 - Do not use on damaged or broken skin.
 - When using this product keep out of eyes. Rinse with water to remove.
 - Stop use and ask a doctor if rash occurs.

- Directions**
- Apply generously 15 minutes before sun exposure
 - Reapply every 2 hours
 - Use a water resistant sunscreen if swimming or sweating
 - Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. - 2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses
 - Children under 6 months of age: Ask a doctor

- Other Information**
- Store at 20°-25° (68°-77°)
 - Protect the product in this container from excessive heat and direct sun

Inertive Ingredients
 Caprylic/Capric Triglyceride, Water, Diisopropyl Sebacate, Polymethylsiloxane, Undecane, Aloe Barbadensis Leaf Juice, Glycerin, Polyglyceryl-4 Polytrimellitate, Isodecane, Dimethicone, Polydecene-11, Thidéone, Argania Spinosa Kernel Oil, Polyhydroxyacetic Acid, Tocopherol Acetate, Polyglyceryl-2 Sebacate, Diethanolammonium Niacinate, Phenoxyethanol, Dimethicone Crosspolymer, Sodium Dihydroxyethylglycinate, Alumina, Propylal, Magnesium Stearate, Jojoba Esters, Disodium EDTA, 1,2-Hexanediol, Bisabolol, Propylene Carbonate, Niacinamide, Laureth-12, Caprylylhydroxamic Acid, Sodium Hyaluronate, Ethylhexylglycerin, Glycerin Glucoside (Liscaria) Root Extract +/- May Contain Iron Oxides (CI 77491, CI 77492, CI 77499), Titanium Dioxide (CI 77891), Zinc (CI 77019)

Questions?
858-859-1588

Protect and perfect with our hydrating SPF 50 mineral sunscreen—a sheer tinted serum made to enhance your natural glow.



For all skin types



Cruelty-free



Vegan



Reef-safe



Fragrance-free



Paraben-free



Non-nano

Manufactured for Agency
Distributed by Curlogy, Inc.
San Diego, CA 92121

Made in the USA with
global ingredients.

withagency.com
@agency skincare



AGENCY

SilkScreen

Sheer Tint Mineral Sunscreen
Broad Spectrum SPF 50

40 ml — 1.35 fl oz



Face the future #withAgency

AGENCY
SilkScreen

Sheer Tint Mineral Sunscreen

Broad Spectrum SPF 50

40 ml -- 1.35 fl oz

**Silkscreen Sheer Tint Mineral Sunscreen Broad Spectrum SPF 50 Medium -
Deep -- 40 mL Carton -- PDP**

2
MEDIUM - DEEP

Drug Facts

Active Ingredients	Purpose
Titanium Dioxide 2.5%	Sunscreen
Zinc Oxide 15.5%	Sunscreen

Use
Helps prevent sunburn

Warnings

- For external use only
- Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center right away.
- Do not use on damaged or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs

Directions

- Apply generously 15 minutes before sun exposure
- Reapply every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF index of 16 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. - 2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months of age: Ask a doctor

Other Information

- Store at 20°-25° (68°-77°F)
- Protect the product in this container from excessive heat and direct sun

Inactive Ingredients
Caprylic/Capric Triglyceride, Water, Dimethyl Siloxane, Polymethylsiloxane, Undecane, Aloe Barbadensis Leaf Juice, Glycerin, Polyglyceryl-3 Polyricinoleate, Isododecane, Dimethicone, Polyethylene-11, Thioleone, Argania Spinosa Kernel Oil, Polymethacrylate, Tocopherol Acetate, Polyhydroxyethyl Methacrylate, Diethylhexylamine, Phenoxyethanol, Dimethicone Crosspolymer, Sodium Citrate, Triethoxyoctylsilane, Alumina, Propandiol, Magnesium Stearate, Zizyba Extract, Disodium EDTA, 1,2-Hexanediol, Bisabolol, Propylene Glycol, Niacinamide, Laureth-9, Caprylhydroxysulfonic Acid, Sodium Hyaluronate, Ethylhexylglycerin, Glycyrrhiza Glabra (Licorice) Root Extract +/- May Contain Iron Oxides (CI 77491, CI 77492, CI 77499), Titanium Dioxide (CI 77891), Zinc (CI 77018)

Questions?
858-553-1188

Protect and perfect with our hydrating SPF 50 mineral sunscreen—a sheer tinted serum made to enhance your natural glow.



For all skin types



Cruelty-free



Vegan



Reef-safe



Fragrance-free



Paraben-free



Non-nano

Manufactured for Agency Distributed by Curology, Inc. San Diego, CA 92121

Made in the USA with global ingredients.

withagency.com @agency skincare



A
G
E
N
C
Y

SilkScreen

Sheer Tint Mineral Sunscreen
Broad Spectrum SPF 50

40 ml — 1.35 fl oz



Face the future #withAgency

Sheer Tint Mineral Sunscreen

Broad Spectrum SPF 50

40 ml -- 1.35 fl oz

SILKSCREEN SHEER TINT MINERAL LIGHT-MEDIUM

titanium dioxide, zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82575-038
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	13.3 g in 100 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.3 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
ISODODECANE (UNII: A8289P68Y2)	
GLYCERIN (UNII: PDC6A3C0OX)	
HYDROLYZED JOJOBA ESTERS (UNII: UDR641JW8W)	
WATER (UNII: 059QF0KO0R)	
UNDECANE (UNII: JV0QT00NUE)	
PROPANEDIOL (UNII: 5965N8W85T)	
GLYCYRRHIZA GLABRA (LICORICE) ROOT (UNII: 2788Z9758H)	
CI 77491 (UNII: 1K09F3G675)	
POLYGLYCERYL-6 POLYRICINOLEATE (UNII: YPM0ZOC2HR)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
ARGANIA SPINOSA KERNEL OIL (UNII: 4V59G5UW9X)	
CAPRYLIC/CAPRIC TRIGLYCERIDE (UNII: C9H2L21V7U)	
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)	
ALOE BARBADENSIS LEAF JUICE (UNII: RUE8E6T4NB)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DIMETHICONE CROSSPOLYMER (UNII: UF7620L1W6)	
ALUMINA (UNII: LMI26O6933)	
CI 77492 (UNII: EX438O2MRT)	
CI 77499 (UNII: XM0M87F357)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
DIISOPROPYL SEBACATE (UNII: J8T3X564IH)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	

MAGNESIUM STEARATE (UNII: 70097M6I30)
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
BISABOLOL (UNII: 24WE03BX2T)
CAPRYLHYDROXAMIC ACID (UNII: UPY805K99W)
SODIUM HYALURONATE (UNII: YSE9PPT4TH)
NIACINAMIDE (UNII: 25X51I8RD4)
EDETATE DISODIUM (UNII: 7FLD91C86K)
POLYGLYCERYL-2 ISOSTEARATE (UNII: 7B8OE71MQC)
MICA (UNII: V8A1AW0880)
TRIDECANE (UNII: A3LZF0L939)
LAURETH-12 (UNII: OAH19558U1)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82575-038-00	1 in 1 CARTON	03/25/2026	
1		40 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/25/2026	

SILKSCREEN SHEER TINT MINERAL MEDIUM-DARK

titanium dioxide, zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82575-039
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	13.3 g in 100 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.3 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
ISODODECANE (UNII: A8289P68Y2)	
GLYCERIN (UNII: PDC6A3C0OX)	
HYDROLYZED JOJOBA ESTERS (UNII: UDR641JW8W)	

WATER (UNII: 059QF0KO0R)
UNDECANE (UNII: JVOQT00NUE)
PROPANEDIOL (UNII: 5965N8W85T)
GLYCYRRHIZA GLABRA (LICORICE) ROOT (UNII: 2788Z9758H)
CI 77491 (UNII: 1K09F3G675)
POLYGLYCERYL-6 POLYRICINOLEATE (UNII: YPM0ZOC2HR)
DIMETHICONE (UNII: 92RU3N3Y1O)
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
ARGANIA SPINOSA KERNEL OIL (UNII: 4V59G5UW9X)
CAPRYLIC/CAPRIC TRIGLYCERIDE (UNII: C9H2L21V7U)
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)
ALOE BARBADENSIS LEAF JUICE (UNII: RUE8E6T4NB)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
DIMETHICONE CROSSPOLYMER (UNII: UF7620L1W6)
ALUMINA (UNII: LMI26O6933)
CI 77492 (UNII: EX438O2MRT)
CI 77499 (UNII: XM0M87F357)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
DIISOPROPYL SEBACATE (UNII: J8T3X564IH)
1,2-HEXANEDIOL (UNII: TR046Y3K1G)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
MAGNESIUM STEARATE (UNII: 70097M6I30)
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
BISABOLOL (UNII: 24WE03BX2T)
CAPRYLHYDROXAMIC ACID (UNII: UPY805K99W)
SODIUM HYALURONATE (UNII: YSE9PPT4TH)
NIACINAMIDE (UNII: 25X51I8RD4)
EDETATE DISODIUM (UNII: 7FLD91C86K)
POLYGLYCERYL-2 ISOSTEARATE (UNII: 7B8OE71MQC)
MICA (UNII: V8A1AW0880)
TRIDECANE (UNII: A3LZF0L939)
LAURETH-12 (UNII: OAH19558U1)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82575-039-00	1 in 1 CARTON	03/25/2026	
1		40 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

OTC Monograph Drug M020

03/25/2026

Labeler - Curology (104103284)

Revised: 3/2026

Curology