

ID ANTI ACNE- salicylic acid lotion
SKIN SCIENCES LABORATORY INC.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ID ANTI-ACNE OIL FREE LOTION

Active Ingredients

Salicylic Acid 1.95%

Purpose

Acne Treatment

Uses

Treats acne • Helps prevent development of new acne blemishes

Warnings

For external use only

When using this product

- Apply to affected areas only
- Avoid unnecessary sun exposure and use a sunscreen
- Do not use in or near the eyes.

Using other topical acne drugs at the same time

or right after use of this product

may increase dryness or irritation of the skin.

Only one drug should be used unless directed by a doctor

Keep out of reach of children, if swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Clean skin well before applying this product
- Dot and spread gently over face, neck, chest, back, back of arms, thighs, posterior and other affected areas. Avoid mucosal (wet) areas of eyes, nostrils and mouth.
- Follow with a sunscreen.
- Because excessive drying of the skin may occur, start applying 2x-a-week only, very slowly increasing until 2x-a-day usage is achieved (no earlier than week 8). Do not rush.

If bothersome dryness or peeling occurs, stop for 5-7 days and restart application frequency at 2x-a-week, slowly increasing over several weeks.

Other information

- Protect the product in this container from excessive heat and direct sun.
- Before use, test a tiny amount on skin (we omit allergens, but you may be sensitive to an ingredient that is not an allergen.
- Introduce new skin products one at a time, with at least 3 days in between.
- Do not (re)introduce removed portions of product or other substances into container.


Inactive Ingredients

Alcohol, Inactive Ingredients, Water/Eau, Butylene Glycol, C12-15 Alkyl Lactate, Camellia Sinensis


Leaf ElCl:ract, Ceteareth-25, Getearyl Alcohol, Gycol)entasilox- ane, Glycerin, Glyceryl Caprate, Glyceryl Laurate, Glyceryl Stearate, Sodium Phytate, Tromethamine.

Notes: If contact with eyes occurs, flush out with plenty of water. This product is meant to be washed off quickly, not left on the skin for longer than a few seconds while cleansing. Prolonged exposure without rinsing immediately may cause irritation to skin. Stop use and consult your doctor in the unlikely event of discomfort or sensitivity. 1ST-TIME USERS: Some first-time users may experience an initial acne break-out due to the deeper exfoliation of the pores' inner walls. If your pores have not been regularly cleaned at this level, existing pore cloggers are brought to the surface. As therapy continues, this deeper-cleaned state is maintained and acne is markedly reduced. With correct use - following instructions carefully, the slow increase in application frequency, the use of hypoallergenic, non-comedogenic and pH-appropriate support products in the Id system - as well as prevention with non-comedogenic products such as Essence Skin-Saving Hair, Body + Bath Care, Armada Sun + Light Screens, Skintelligent Beauty Makeup, this initial reaction soon disappears. If it does occur, stop use for 1 week and restart therapy at the beginning, with 2x-a-week applications. CYSTIC ACNE can be internally caused. If you have cystic acne, consult your dermatologist as you may need additional medication and/or other management.

TOP PANEL



BOTTOM PANEL



FRONT PANEL

.....
VMV HYPOALLERGENICS
validated hypoallergenic, randomized, blinded, published & awarded clinical studies, since 1979.

id
**OIL-FREE
 CLARIFYING LOTION**
 face + body **anti-acne
 exfoliating hydrator**

salicylic acid + monolaurin;
 glycerin; antioxidants: green tea +
 rice phytic acid

clarifying, soothing +
 exfoliating system

Validated Hypoallergenic:
VH -109/109
 sans all common allergens,
 extended allergen series: North American
 Contact Dermatitis Group + European
 Surveillance System on Contact Allergies

100% All-Types-Of-Fragrance-Free.
 100% Dye, Phthalate, Paraben +
 Preservative-Free.

Usage, Patch + Clinically-Tested
 (in vitro + in vivo;
 evidence-based: double-blind,
 randomized).

Non-Comedogenic. Non-Drying.
 For All Skin Types.
 For Men + Women, 18+.

110 mL (3.72 Fl. Oz.) - 110 mL e

RIGHT SIDE PANEL

Drug Facts

Active Ingredients	Purpose
Salicylic Acid, 1.95%	Acne Treatment

Uses
 ■ Treats acne ■ Helps prevent development of new acne blemishes

Warnings
 For external use only
 When using this product ■ Do not use in or near the eyes. ■ Do not use in or near the eyes. ■ Using other topical acne drugs at the same time or right after use of this product may increase dryness or irritation of the skin. Only one drug should be used unless directed by a doctor.
 Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
 ■ Clean skin well before applying this product
 ■ Dot and spread gently over face, neck, chest, back, back of arms, thighs, posterior and other affected areas. Avoid mucosal (wet) areas of eyes, nostrils and mouth.
 ■ Follow with a sunscreen.
 ■ Because excessive drying of the skin may occur, start applying 2x-a-week only, very slowly increasing until 2x-a-day usage is achieved (no earlier than week 8). Do not rush.
 ■ If bothersome dryness or peeling occurs, stop for 5-7 days and restart application frequency at 2x-a-week, slowly increasing over several weeks.

Other information
 ■ Protect the product in this container from excessive heat and direct sun.
 ■ Before use, test a tiny amount on skin (we omit allergens, but you may be sensitive to an ingredient that is not an allergen).
 ■ Introduce new skin products one at a time, with at least 3 days in between.
 ■ Do not (re)introduce removed portions of product or other substances into container.

Inactive ingredients
 Alcohol, Aqua/Water/Eau, Butylene Glycol, C12-15 Alkyl Lactate, Camellia Sinensis Leaf Extract, Cetareth-25, Cetearyl Alcohol, Cyclopentasiloxane, Glycerin, Glyceryl Caprylate, Glyceryl Laurate, Glyceryl Stearate, Sodium Phytate, Tromethamine.

LEFT SIDE PANEL

NOTES:
 If contact with eyes occurs, flush out with plenty of water. Stop use and consult your doctor in the unlikely event of sensitivity.

1ST-TIME USERS:
 Some first-time users may experience an initial acne break-out due to the deeper exfoliation of the pores' inner walls. If your pores have not been regularly cleaned at this level, existing pore cloggers are brought to the surface. As therapy continues, this deeper-cleaned state is maintained and acne is markedly reduced. With correct use— following instructions carefully, the slow increase in application frequency, the use of hypoallergenic, non-comedogenic and pH-appropriate support products in the id system— as well as prevention with non-comedogenic products such as **Essence Skin-Saving Moist, Body + Bath Care, Armado Sun + Light Screens, Skintelligent Beauty Makeup**, this initial reaction soon disappears. If it does occur, stop use for 1 week and restart therapy at the beginning, with 2x-a-week applications.

CYSTIC ACNE can be internally caused. If you have cystic acne, consult your dermatologist as you may need additional medication and/or other management.


 4 806027 702783

BACK PANEL


*locion exfoliante anti-acné!
 folliculite avec acide salicylique et monolaurine pour le visage et le corps -
 traitement exfoliant anti-acne
 a base d'acide salicylique et monolaurine
 per viso e corpo -
 loción exfoliante para el acné!
 folliculitis con ácido salicílico y monolaurina para la cara y el cuerpo*

Light, non-pore-clogging hydration + therapy. Beta-hydroxy acid, an oil-soluble anti-acne micro-exfoliant with skin-calming benefits, scours pores' inner walls clean. Monolaurin, a coconut-derivative, is clinically proven to be effective against various organisms responsible for certain acne types. For acne, Ingrown hair, "chicken skin," shaving / waxing bumps, "sweat acne" and other types of folliculitis.

TO USE: See Drug Facts. **IMPORTANT:** Start using 2x-a-week only, very slowly increasing until 2x-a-day usage (no earlier than week 8). **DO NOT RUSH.** READ WEBSITE FOR FULL INSTRUCTIONS.

step 3 of 4 nourish & treat
 use after: Id Toner
 large treat: Id Monolaurin oil /
 Red Better Spot Corrector
 end with: your choice of an Armado
 Sun + Light Screen

RECOMMEND - oil-clarifying, soothing +
 exfoliating system



See Website, Voir Website, Vedere Website,
 Ver Website. - Read all information on this
 container + on website. - **As with all things
 skin, consult your dermatologist.** - © VMV USA,
 Inc. Dist. New York, NY, USA. BeSera S.r.l. Padova
 Bergamo, Via San Carlo 52, Arona, Italy -
 SKINLUBRUS - HELP

vmvypoallergenic.com

VMV HYPOALLERGENICS
 validated hypoallergenic.
 randomized, blinded, published &
 awarded clinical studies. since 1979

id
 OIL-FREE
 CLARIFYING LOTION

face + body anti-acne
 exfoliating hydrator

salicylic acid+ monolaurin; glycerin; antioxidants: green tea+ rice phytic acid
 clarifying, soothing+ exfoliating system

Validated
 Hypoallergenic:
 VH -109/109

sans all common allergens,
 extended allergen series:
 North American Contact Dermatitis
 Group + European Surveillance
 System on Contact Allergies

100% All-Types-Of-Fragrance-Free.

100% Dye, Phthalate, Paraben + Preservative-Free.

Usage, Patch + Clinically-Tested (in vitro + in vivo; evidence-based:
 double-blind, randomized).

Non-Comedogenic. Non-Drying.

For All Skin Types.

For Men + Women, 18+.

110 mL (3.72 Fl. Oz.) - 110 mL

ID ANTI ACNE

salicylic acid lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69774-553
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	2.15 g in 110 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
C12-15 ALKYL LACTATE (UNII: GC844VRD7E)	
GLYCERYL CAPRATE (UNII: 197M6VFC1W)	
PHYTATE SODIUM (UNII: 88496G1ERL)	
ALCOHOL (UNII: 3K9958V90M)	
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
CETEARETH-25 (UNII: 8FA93U5T67)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
GLYCERYL LAURATE (UNII: Y98611C087)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
TROMETHAMINE (UNII: 023C2WHX2V)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69774-553-04	1 in 1 BOX	04/15/2017	
1		110 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333D	04/15/2017	

Labeler - SKIN SCIENCES LABORATORY INC. (718777360)

Establishment

Name	Address	ID/FEI	Business Operations
SKIN PRESCRIPTIVES MARKETING, INC.		718955750	manufacture(69774-553)

Revised: 4/2017

SKIN SCIENCES LABORATORY INC.