

PUVIDA NUMBING- lidocaine 4% (w/w) numbing cream
Jiangxi Yudexi Pharmaceutical Co., LTD

85248-173

Active Ingredient

Lidocaine 4% (w/w)

Purpose

External analgesic

Use

For temporary relief of local discomfort, itching, pain, soreness, or burning associated with minor skin procedures.

Warnings

For external use only.

Do not use

- In children under 2 years of age or on irritated or sensitive skin
- Do not exceed the recommended daily dosage unless directed by a doctor.
- Avoid contact with eyes. If this happens, rinse thoroughly with water.
- If symptoms persist for more than 7 days or subside but occur again within 3 days, stop use and consult a physician.

When Using

- Avoid contact with eyes, If this happens, rinse thoroughly with water.

Stop Use

Stop use and seek medical attention if signs of an allergy occur, such as redness, irritation, swelling, pain, or other severe symptoms. If symptoms do not subside completely within 7 days, seek medical help.

Ask Doctor

Stop use and seek medical attention if signs of an allergy occur, such as redness, irritation, swelling, pain, or other severe symptoms. If symptoms do not subside completely within 7 days, seek medical help.

Keep Out Of Reach Of Children

Keep out of reach of children.

Directions

- Before applying the numbing cream, make sure to wash your hands thoroughly and put on disposable procedure gloves.
- Clean the area of the body receiving the procedure. Dry completely.
- Apply a generous amount of numbing cream to the cleaned area and rub it in thoroughly in a circular motion for 30 to 60 seconds. Then, cover with plastic wrap.
- Leave the cream and wrap in place for 30 to 45 minutes. Wipe away the cream and thoroughly clean the area to prepare for the upcoming procedure.

Other information

Store between 15-30°C (59-86°F). Avoid freezing and excessive heat above 40°C (104°F).

Inactive ingredients

Water, Carbomer 934, Propylene Glycol, Soybean Lecithin, Alpha-Tocopherol Acetate, Benzyl Alcohol.

PRINCIPAL DISPLAY PANEL

PUVIDA®

58*58*46mm 350g银卡 纳米 UV 液压

<p>DRUG FACTS ACTIVE INGREDIENT Lidocaine 4% (w/w)</p> <p>PURPOSE External analgesic</p> <p>Use For temporary relief of local discomfort, itching, pain, soreness, or burning associated with minor skin procedures.</p> <p>WARNINGS For external use only.</p> <p>DO NOT USE • In children under 2 years of age or on irritated or sensitive skin • Do not exceed the recommended daily dosage unless directed by a doctor. • Avoid contact with eyes. If this happens, rinse thoroughly with water. • If symptoms persist for more than 7 days or subside but occur again within 3 days, stop use and consult a physician. Stop use and seek medical attention if signs of an allergy occur, such as redness, irritation, swelling, pain, or other severe symptoms. If symptoms do not subside completely within 7 days, seek medical help.</p>	<p>PUVIDA®</p>  <p>NET: 1.76 oz (50g)</p>	<p>Keep out of reach of children.</p> <p>DIRECTIONS • Before applying the numbing cream, make sure to wash your hands thoroughly and put on disposable procedure gloves. • Clean the area of the body receiving the procedure. Dry completely. • Apply a generous amount of numbing cream to the cleaned area and rub it in thoroughly in a circular motion for 30 to 60 seconds. Then, cover with plastic wrap. • Leave the cream and wrap in place for 30 to 45 minutes. Wipe away the cream and thoroughly clean the area to prepare for the upcoming procedure.</p> <p>STORAGE AND HANDLING Store between 15-30°C (59-86°F). Avoid freezing and excessive heat above 40°C (104°F).</p> <p>INACTIVE INGREDIENTS Water, Carbomer 934, Propylene Glycol, Soybean Lecithin, Alpha-Tocopherol Acetate, Benzyl Alcohol.</p>	<p>Distributor: Jiangxi Yudexi Pharmaceutical Co., LTD Address: No.1998, Jingkal West 5th Road, Chengbei Jingkal District, Zhangshu City, Yichun City, Jiangxi Province 331200, China (CN)</p>  
--	--	---	--

PUVIDA NUMBING

lidocaine 4% (w/w) numbing cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85248-173
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
WATER (UNII: 059QF0KO0R)	
CARBOMER 934 (UNII: Z135WT9208)	
SOYBEAN LECITHIN (UNII: 1DI56QDM62)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85248-173-01	50 g in 1 BOTTLE; Type 0: Not a Combination Product	03/26/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	03/26/2026	

Labeler - Jiangxi Yudexi Pharmaceutical Co., LTD (455662836)

Establishment

Name	Address	ID/FEI	Business Operations
Jiangxi Zhongletang Pharmaceuticals Co.,Ltd.		411295811	manufacture(85248-173)

Revised: 3/2026

Jiangxi Yudexi Pharmaceutical Co., LTD