PUNCTURE WOUNDS BITES- ledum palustre twig pellet Natural Health Supply

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Indications

Indications: To be used for acute self-limiting conditions according to standard homeopathic indications

Active Ingredient

LEDUM PALUSTRE

Directions

Take at onset of symptoms. Repeat every 2 hours or as needed until relieved. If condition persists or worsens discontinue use and consult a practitioner.

Adults: dissolve 5-10 pellets in 1 oz. of filtered water or take dry by mouth. Children and infants: 1-5 pellets.

Keep Out of Reach of Children

Keep these and all medications out of the reach of children.

Warning

If pregnant or nursing, consult a practitioner before using.

Inactive Ingredients

Inactive Ingredients - Lactose, Sucrose

Purpose

Purpose: Puncture Wounds Bites

Package Label

Est. No. 1724217 Natural Health Supply 505-474-9175 Homeopathic Medicated Pellets Do not use if clear bottle seal is broken LEDUM PALUSTRE 30C Puncture Wounds Bites Lot #

Est. No. 1724217 Est. No. 1724217 Do not use if perforated cap seal is broken. Natural Health Supply Natural Health Supply 70 Puncture Wounds, 505-474-9175 uncture 505-474-9175 Homeopathic Medicated Pellets Indications: to be used for acute, self-limiting conditions according to standard homeo-pathic indications. Directions: Take at onset of symptoms. Repeat every 2 Homeopathic Medicated Pellets LEDUM PALUSTRE DE EPRON CIERAPCIN Indications: to be used for acute. self-limiting conditions according to Wounds standard homeopathic indications. hours or as needed until relieved. If condition persists or worsens 300 If conducon persists or worsens discontinue use and consult a practitioner. Adults: dissolve 5-10 pellets in 1 oz. of filtered water or take dry by mouth; <u>Children and Infants</u>: 1-5 pellets. Warning: Keep these and all markines out of the reach Directions: Take at onset of symp-300 toms. Repeat every 2 hours or as needed until relieved. If condition Bites persists or worsens discontinue use all medicines out of the reach of children; if pregnant or and consult a practitioner. Adults: nursing, consult a practitioner dissolve 5-10 pellets in 1 oz. of before using. filtered water or take dry by mouth; 1.875 ml (1/16 cz.) Bite l Children and Infants: 1-5 pellets. oken. LOT # 1 Warning: Keep these and all medicines out of the reach of children; S if pregnant or nursing, consult a practitioner before using. 7.5ML(1/40Z)LOT

res

PUNCTURE	WOUNDS B	ITES						
ledum palustre twig	g pellet							
Product Inform	ation							
Product Type		HUMAN OTC DRUG	Item Code (Source)		Ν	NDC:64117-979		
Route of Administ	ration	ORAL						
Active Ingredie	nt/Active Moi	etv						
Active Ingredient/Active Moiety Ingredient Name					Basis of Strength		Strength	
LEDUM PALUSTRE TWIG (UNII: 877L01IZ0P) (LEDUM PALUSTRE TWIG - UNII:877L01IZ0P)			LEDUM PALUSTRE TWIG		-	30 [hp_C] in 1 mL		
Inactive Ingred	ients							
Ingredient Name					Strength		ngth	
LACTOSE (UNII: J2B	32A4N98G)	-					-	
SUCROSE (UNII: C1	51H8M554)							
D 1 ·								
Packaging								
# Item Code		Package Description		Marketing Start Date		Μ	Marketing End Date	
NDC:64117-979-	1.875 mL in 1 BO	TLE, GLASS; Type 0: Not a Co	mbination	/0 //10 0 0				

0 1	Product	00/04/1330	
	7.5 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/04/1998	
Marketing In	formation		
Marketing In Marketing Catego		Marketing Start Date	Marketing End Date
0	ory Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

Labeler - Natural Health Supply (018504618)

Registrant - Natural Health Supply (018504618)

Establishment

Name	Address	ID/FEI	Business Operations
Natural Health Supply		0 18 50 46 18	manufacture(64117-979)

Revised: 1/2019

Natural Health Supply