

COSRX- vitamin e vitalizing sunscreen lotion
COSRX- airy-light clear sunscreen stick stick
COSRX inc.

COSRX Airy-Light Clear Sunscreen Stick

Active ingredients

Avobenzone 2.80%
Homosalate 11.00%
Octisalate 4.50%
Octocrylene 7.50%

COSRX Vitamin E Vitalizing Sunscreen

Active ingredients

Avobenzone 2.5%
Homosalate 9%
Octisalate 4.5%
Octocrylene 9%

Sunscreen

COSRX Airy-Light Clear Sunscreen Stick

-Helps prevent sunburn.

COSRX Vitamin E Vitalizing Sunscreen

-Helps prevent sunburn.

-If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

If swallowed, get medical help or contact a Poison Control Center right away.

COSRX Airy-Light Clear Sunscreen Stick

-Protect the product in this container from excessive heat and direct sun.

COSRX Vitamin E Vitalizing Sunscreen

-Protect the product in this container from excessive heat and direct sun.

-Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

COSRX Airy-Light Clear Sunscreen Stick

Diethylhexyl Carbonate, Methyl Methacrylate Crosspolymer, Synthetic Wax, Dimethicone, Dimethicone/Vinyl Dimethicone Crosspolymer, Butyloctyl Salicylate, Isopropyl

Palmitate, Diisostearyl Malate, Dimethiconol, Trisiloxane, Diphenylsiloxy Phenyl Trimethicone, Ethylhexyl Isononanoate, Synthetic Fluorophlogopite, Polyethylene, Polymethylsilsesquioxane, Bis-Behenyl/Isostearyl/Phytosteryl Dimer Dilinoleyl Dimer Dilinoleate, Ethylene/Propylene Copolymer, Camellia Japonica Seed Oil, Silica Dimethyl Silylate, Dimethicone Crosspolymer, Candelilla Wax Esters, Copernicia Cerifera (Carnauba) Wax, 3-O-Ethyl Ascorbic Acid, Panthenol, Sodium Hyaluronate, Tocopherol Acetate

COSRX Vitamin E Vitalizing Sunscreen

Water / Aqua / Eau, Propanediol, Butyloctyl salicylate, Diphenylsiloxy phenyl trimethicone, Dimethicone, VP/Eicosene copolymer, Silica, Trisiloxane, Cyclopentasiloxane, Trimethylsiloxysilicate, 1,2-Hexanediol, Behenyl alcohol, Glyceryl stearate, PEG-100

stearate, C14-22 alcohols, Cetyl alcohol, Potassium cetyl phosphate, Polyacrylate-13, Polyisobutene, C12-20 Alkyl glucoside, Butylene glycol, Disodium EDTA, Ethylhexylglycerin, Polysorbate 20, Sorbitan isostearate, Dextrin, Theobroma cacao (cocoa) extract, Gossypium herbaceum (cotton) extract, Tocopherol

global@cosrx.co.kr

COSRX Airy-Light Clear Sunscreen Stick Broad Spectrum SPF 50 19 g / 0.67 oz.

Directions

Apply liberally 15 minutes before sun exposure

Reapply :

- . After 80 minutes of swimming or sweating
- . Immediately after towel drying
- . At least every 2 hours

Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging.

To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- . Limit time in the sun, especially from 10 a.m. - 2 p.m
- . Wear long-sleeved shirts, pants, hats, and sunglasses

Children under 6 months of age: Ask a doctor

COSRX Vitamin E Vitalizing Sunscreen

Broad Spectrum SPF 50+ 50 mL / 1.69 fl. oz.

Directions

Apply liberally 15 minutes before sun exposure.

Children under 6 months of age : Ask a doctor.

Reapply at least every 2 hours.

Use a water-resistant sunscreen if swimming or sweating.

Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin

aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- . Limit time in the sun, especially from 10 a.m. - 2 p.m.
- . Wear long-sleeved shirts, pants, hats, and sunglasses.

AIRY-LIGHT CLEAR

SUNSCREEN STICK
with Vitamin E&C

SPF 50 BROAD
SPECTRUM

WATER RESISTANT
(80 MINUTES)

COSRX

COSRX

AIRY-LIGHT CLEAR SUNSCREEN STICK

BROAD SPECTRUM SPF50

WATER RESISTANT (80 MINUTES)

Active ingredients

Avobenzone 2.80%, Homosalate 11.00%,
Octisalate 4.50%, Octocrylene 7.50%

Uses helps prevent sunburn.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes.
Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact
a Poison Control Center right away.

Directions

apply liberally 15 minutes before sun exposure
reapply : after 80 minutes of swimming or sweating
immediately after towel drying at least every 2 hours

Sun Protection Measures. Spending time in the sun
increases your risk of skin cancer and early skin
aging. To decrease this risk, regularly use a
sunscreen with a Broad Spectrum SPF value of
15 or higher and other sun protection measures
including: limit time in the sun, especially from
10 a.m. – 2 p.m. wear long-sleeved shirts, pants,
hats, and sunglasses children under 6 months of
age : Ask a doctor

Distributed by COSRX INC.

Gangnam-gu, Seoul, Korea (06142)

COSRX.COM | MADE IN KOREA



19 g / 0.67 oz.

EXP : MM-YYYY

Vitamin E Vitalizing Sunscreen

Tocopherol

SPF 50⁺ sunscreen contains Vitamin E to protect your skin from light (UV rays) and heat (Aging signs) leaving your skin healthy and moisturized.

SPF 50⁺
BROAD SPECTRUM

50 mL / 1.69 fl. oz.

COSRX

#Reef-Friendly : formulated without Octinoxate, Oxybenzone

DERMATOLOGIST TESTED

COSRX
Vitamin E Vitalizing Sunscreen SPF 50⁺

Active Ingredients

Avobenzone 2.5%, Homosalate 9%, Octisalate 4.5%, Octocrylene 9%

Uses

Helps prevent sunburn.

If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Apply liberally 15 minutes before sun exposure.

Children under 6 months of age : Ask a doctor.

Reapply at least every 2 hours.

Use a water-resistant sunscreen if swimming or sweating.

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including :

Limit time in the sun, especially from 10 a.m. - 2 p.m.

Wear long-sleeved shirts, pants, hats, and sunglasses.

See Outer Package for complete Drug Facts.

50 mL / 1.69 fl. oz.

Distributed by COSRX INC.
Gangnam-gu, Seoul, Korea
(06142)



COSRX.COM

MADE IN KOREA

COSRX

vitamin e vitalizing sunscreen lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70319-250
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	4.5 mg in 50 mL

OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	4.5 mg in 50 mL
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.25 mg in 50 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	2.25 mg in 50 mL

Inactive Ingredients

Ingredient Name	Strength
PEG-100 STEARATE (UNII: YD01N1999R)	
BEHENYL ALCOHOL (UNII: 9G10E216XY)	
COCOA (UNII: D9108TZ9KG)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
LEVANT COTTON SEED (UNII: 550E4N439V)	
GLYCERYL STEARATE (UNII: 230OU9XXE4)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
C14-22 ALCOHOLS (UNII: B1K89384R)	
WATER (UNII: 059QF0KO0R)	
TRISILOXANE (UNII: 9G1ZW13R0G)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
PROPANEDIOL (UNII: 5965N8W85T)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
POLYISOBUTYLENE (45000 MW) (UNII: YR8AQ94O31)	
CYCLOPENTASILOXANE (UNII: 0THT5PCI0R)	
POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT)	
POLYACRYLATE-13 (UNII: FS2D4T67EA)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
ANHYDROUS DEXTROSE (UNII: 5SLOG7R0OK)	
TRIMETHYLSILOXYSILICATE (M/Q 1.0-1.2) (UNII: 78GX033D7I)	
C12-20 ALKYL GLUCOSIDE (UNII: K67N5Z1RUA)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TOCOPHEROL (UNII: ROZB2556P8)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
VINYLPYRROLIDONE/EICOSENE COPOLYMER (UNII: 035MV9S1C3)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70319-250-01	1 mL in 1 TUBE; Type 1: Convenience Kit of Co-Package	04/06/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/06/2026	

COSRX

airy-light clear sunscreen stick stick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70319-260
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	0.855 g in 19 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	2.09 g in 19 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	1.425 g in 19 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	0.532 g in 19 g

Inactive Ingredients

Ingredient Name	Strength
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
SODIUM HYALURONATE (UNII: YSE9PPT4TH)	
DIETHYLHEXYL CARBONATE (UNII: YCD500OZ6L)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	
TRISILOXANE (UNII: 9G1ZW13R0G)	
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
3-O-ETHYL ASCORBIC ACID (UNII: 6MW60CB71P)	
PANTHENOL (UNII: WW9CM0067Z)	
POLYETHYLENE (UNII: UG00KM4WR7)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
CAMELLIA JAPONICA SEED OIL (UNII: U37N0S910T)	
DIMETHICONE CROSSPOLYMER (UNII: UF7620L1W6)	
ETHYLHEXYL ISONONANOATE (UNII: I6KB4GE3K4)	
BIS-BEHENYL/ISOSTEARYL/PHYTOSTERYL DIMER DILINOLEYL DIMER DILINOLEATE (UNII: G27BTQ95MJ)	
COPERNICIA CERIFERA (CARNAUBA) WAX (UNII: R12CBM0EIZ)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70319-260-01	1 g in 1 BOTTLE, PLASTIC; Type 1: Convenience Kit of Co-Package	04/06/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/06/2026	

Labeler - COSRX inc. (689516893)

Registrant - COSRX inc. (689516893)

Revised: 3/2026

COSRX inc.