TOPCARE ENEMA- dibasic sodium phosphate, monobasic sodium phosphate enema Topco Associates LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

TOPCARE® ENEMA SALINE LAXATIVE LAXATIVE

Drug Facts

Active ingredients (in each 118mL delivered dose)	Purpose
Dibasic Sodium Phosphate 7 g	Saline laxative
Monobasic Sodium Phosphate 19 g	Saline laxative

Use

- relieves occasional constipation
- this product generally produces bowel movement in 1 to 5 minutes

Warnings

For rectal use only.

Dosage warning

Using more than one enema in 24 hours can be harmful.

Ask a doctor before use if you

- already used a laxative for more than 1 week
- have kidney disease
- have heart problems
- are dehydrated
- are 55 years old or older
- are on a sodium-restricted diet

Ask a doctor before using any laxative if you have

- abdominal pain, nausea, or vomiting
- a sudden change in bowel habits lasting more than 2 weeks
- already used a laxative for more than 1 week

When using this product

- do not use more than directed. Serious side effects may occur from excess dosage
- do not use for more than 3 days

Stop use and ask a doctor if

- you have bleeding
- condition worsens or does not improve within 7 days
- you have no bowel movement within 30 minutes of enema use
- you have symptoms of dehydration (thirstiness, dizziness, vomiting, urinating less often than normal)

These symptoms may indicate a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away: 800-222-1222.

Directions

Single daily dosage (per 24 hours)

Do not use if taking another sodium phosphate product.

Do not use more unless directed by a doctor. See Warnings.

Adults and children 12 years old and older	1 bottle once daily
Children 2 to under 12 years old	Use Pediatric Enema
Children under 2 years	DO NOT USE

Other information

- each 118 mL contains 4.3 g sodium
- store at 15 to 30°C (59 to 86°F)
- additional liquids by mouth are recommended while using this product
- this product generally produces a bowel movement in 1 to 5 minutes
- carton sealed for safety. Do not use if top or bottom flap of carton is torn or missing

Inactive ingredients

benzalkonium chloride, disodium EDTA, purified water

Questions or comments?

1-888-423-0139

DISTRIBUTED BY TOPCO ASSOCIATES LLC ELK GROVE VILLAGE, IL 60007

PRINCIPAL DISPLAY PANEL - 133 mL Bottle Carton

TopCare_® health™

NDC 36800-002-02

COMPARE TO FLEET $^{\circledR}$ ENEMA SALINE ACTIVE INGREDIENTS*

Enema

Saline

Laxative

- For Relief of Occasional Constipation
- Soft, Flexible Tip
- Not Made with Natural Rubber Latex

• Ready-to-Use Squeeze Bottle

1 BOTTLE

4.5 FL OZ (133 mL)



Enema Saline axative

PL31650B V03

Drug Facts (continued)

Other information

- each 118 mL contains 4.3 g sodium
 store at 15 to 30°C (59 to 86°F)
 additional fliguids by mouth are
 recommended while using this product
 this product generally produces a bovel
 movement in 1 to 5 minutes
 carton sealed for safety. Do not use if
 top or bottom flap of carton is tom or
 missing

Inactive ingredients benzalkonium chloride, disodium EDTA, puified water

Questions or comments?

Positions for using this enema Left-side position

Lie on left side with knees bent and arms resting comfortably.



Knee-chest position

Kneel, then lower head and chest forward until left side of face is resting on surface with left arm folded



How to use this enema

Remove protective shield from enema tip before inserting. With steady pressure, gently insert enema tip into rectum with a slight side-to-side movement, with tip pointing to ward navel. Insertion may be easier if per

Do not force enematip into rectum as this can cause

Squeeze bottle until nearly all liquid is gone. It is not necessary to empty bottle completely, as it contains more liquid than needed.

Remove tip from rectum and stay in position until urge to evacuate is strong (usually 1 to 5 minutes).





TopCare.

NDC 36800-002-02

COMPARE TO FLEET® ENEMA SALINE ACTIVE INGREDIENTS*

Enema Saline axative


- For Relief of Occasional Constipation
- · Soft, Flexible Tip
- Not Made with Natural Rubber Latex
- Ready-to-Use Squeeze Bottle



1 BOTTLE 4.5 FL OZ (133 mL)

+TopCare.

Enema Saline Laxative



DISTRIBUTED BY TOPCOASSOCIATES LLC ELK GROVE VILLAGE, IL 60007 CTOPCO NPXA0418 OLESTIONS? 1-888-423-0139 topcare@topco.com www.topcarebrand.com NADE IN USA



This Top Care® product is laboratory tested to guarantee its highest quality. Your totals at is faction is quaranteed

* This product is not manufactured or distributed by C.B. Fleet Co., Inc., the distributor of Fleet[®] Enema Saline.

TAMPER EVIDENT: CARTON SEALED FOR SAFETY.
IF PRINTED SEAL ON BOTTOM OR TOP FLAP IS
BROKEN OR MISSING, DO NOT USE.

Drug Facts

Active ingredients P (in each 118mL delivered dose) Dibasic Sodium Purpose Phosphate 7 g..... Monobasic Sodium

......Saline laxative Phosphate 19g...

eves occasional constipation relieves occasional constipation
 this product generally produces bowel movement in 1 to 5 minutes

Warnings

Dosage warning Using more than one enema in 24 hours can be harmful.

Ask a doctor before use if you ■ already used a laxative for more than 1

- arready used a laxative for more week
 have kidney disease
 have heart problems
 are dehydrated
 are 55 years old or dder
 are on a sodium-restricted diet

- Ask a doctor before using any laxative if you have abdominal pain, nausea, or vomiting a sudden change in bowel habits lasting more than 2 weeks already used a laxative for more than 1 week
- When using this product
 do not use more than directed. Serious
 side effects may occur from excess
- dosage do not use for more than 3 days

- Stop use and ask a doctor if

 you have bleeding

 condition worsens or does not improve
 within 7 day

 you have no bowel movement within 30
 minutes of enema use

 you have symptoms of dehydration
 (thirstiness, dizziness, vomiting, urinating
 less often than normal)

These symptoms may indicate a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away: 800-222-1222.

Directions

Single daily dosage (per 24 hours) Do not use if taking another sodium

phosphate product. Do not use more unless directed by a doctor. See Warnings.

Adults and children 12	1 bottle
years old and older	once daily
Children 2 to under	Use Pediatric
12 years old	Enema
Children under 2 years	DO NOT USE

TOPCARE ENEMA

dibasic sodium phosphate, monobasic sodium phosphate enema

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:36800-002
Route of Administration	RECTAL		

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
SODIUM PHO SPHATE, DIBASIC, UNSPECIFIED FORM (UNII: GR686LBA74) (SODIUM CATION - UNII:LYR4M0NH37)	SODIUM PHOSPHATE, DIBASIC, UNSPECIFIED FORM	7 g in 118 mL		
SO DIUM PHO SPHATE, MO NO BASIC, UNSPECIFIED FORM (UNII: 3980 JIH2SW) (SODIUM CATION - UNII: LYR4M0 NH37)	SODIUM PHOSPHATE, MONOBASIC, UNSPECIFIED FORM	19 g in 118 mL		

Inactive Ingredients		
Ingredient Name	Strength	
BENZALKO NIUM CHLO RIDE (UNII: F5UM2KM3W7)		
EDETATE DISO DIUM (UNII: 7FLD91C86K)		
WATER (UNII: 059QF0KO0R)		

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:36800-002-02	1 in 1 CARTON	11/05/2009		
1		133 mL in 1 BOTTLE; Type 0: Not a Combination Product			
2	NDC:36800-002-36	2 in 1 CARTON	11/05/2009		
2		133 mL in 1 BOTTLE; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	11/05/2009	

Labeler - Topco Associates LLC (006935977)

Establishment				
Name	Address	ID/FEI	Business Operations	
Natureplex LLC		062808196	MANUFACTURE(36800-002)	

Revised: 1/2019 Topco Associates LLC