

BANANA BOAT- titanium dioxide,zinc oxide lotion
Edgewell Personal Care Brands LLC

Active Ingredients

Titanium Dioxide 2.8%, Zinc Oxide 9.3%

Purpose

Sunscreen

Uses

• helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

May stain some fabrics.

Do not use

on damaged or broken skin.

When using this product

• Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

• **Shake well** • Apply liberally 15 minutes before sun exposure • Reapply: after 80 minutes of swimming or sweating • Immediately after towel drying • At least every 2 hours • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.–2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • Children under 6 months: Ask a doctor

Inactive Ingredients

Water, Caprylic/Capric Triglyceride, Isohexadecane, Octyldodecyl Citrate Crosspolymer, Cetyl PEG/PPG-10/1 Dimethicone, Lauryl PEG-8 Dimethicone, Butyloctyl Salicylate, C30-38 Olefin/Isopropyl Maleate/MA Copolymer, Sodium Chloride, Ethylhexyl Methoxycrylene, Phenoxyethanol, Dimethicone, PEG-8, Caprylyl Glycol, Alumina, Glycerin, Triethoxycaprylsilane, Sodium Citrate, Simethicone, Tocopheryl Acetate.

Other information

- Protect this product from excessive heat and direct sun

Questions or comments?

Call 1-800-SafeSun, Mon-Fri

Principal Display Panel

BANANA BOAT

Baby

Mineral

100% MINERAL BASED SUNSCREEN LOTION

UVA/UVB BROAD SPECTRUM SPF 50+

50+

PEDIATRICIAN TESTED

tear free

MADE WITHOUT OXYBENZONE & PARABENS

Water Resistant

(80 Minutes)

6 FL. OZ. (177 mL)



baby mineral

100% MINERAL BASED SUNSCREEN LOTION
UVA/UVB BROAD SPECTRUM SPF 50+



PEDIATRICIAN TESTED

tear free

MADE WITHOUT OXYBENZONE & PARABENS

Water Resistant
(80 Minutes)

6 FL. OZ. (177 mL)



No Oxybenzone or Octinoxate

Drug Facts

Active Ingredients	Purpose
Titanium Dioxide 2.8%, Zinc Oxide 9.3%	Sunscreen

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only.
Do not use on damaged or broken skin.
When using this product • Keep out of eyes. Rinse with water to remove.
Stop use and ask a doctor if rash occurs.
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.
May stain some fabrics.


Directions
■ Shake well ■ Apply liberally 15 minutes before sun exposure
■ Reapply: after 80 minutes of swimming or sweating ■ Immediately after towel drying ■ At least every 2 hours ■ Sun Protection Measures.
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
• limit time in the sun, especially from 10 a.m.–2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses ■ Children under 6 months: Ask a doctor

Inactive Ingredients Water, Caprylic/Capric Triglyceride, Isohexadecane, Octyldodecyl Citrate Crosspolymer, Cetyl PEG/PPG-10/1 Dimethicone, Lauryl PEG-8 Dimethicone, Butyloctyl Salicylate, C30-38 Olefin/Isopropyl Maleate/MA Copolymer, Sodium Chloride, Ethylhexyl Methoxycrylene, Phenoxyethanol, Dimethicone, PEG-8, Caprylyl Glycol, Alumina, Glycerin, Triethoxycaprylylsilane, Sodium Citrate, Simethicone, Tocopheryl Acetate.

Other information
■ Protect this product from excessive heat and direct sun

Questions or comments?
Call 1-800-SafeSun, Mon-Fri

Distributed by: EDGEWELL PERSONAL CARE BRANDS, LLC, SHELTON, CT 06484
www.bananaboat.com
© 2022 Edgewell.



BANANA BOAT

titanium dioxide,zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63354-876
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.8 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	9.3 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
PEG-8 (UNII: B697894SGQ)	

GLYCERIN (UNII: PDC6A3C00X)
CAPRYLIC/CAPRIC TRIGLYCERIDE (UNII: C9H2L21V7U)
SODIUM CITRATE (UNII: 1Q73Q2JULR)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)
LAURYL PEG-8 DIMETHICONE (300 CPS) (UNII: ELL2U7K8T8)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
ALUMINA (UNII: LMI26O6933)
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)
DIMETHICONE (UNII: 92RU3N3Y1O)
ISOHEXADECANE (UNII: 918X1OUF1E)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
WATER (UNII: 059QF0KO0R)
ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63354-876-24	177 g in 1 TUBE; Type 0: Not a Combination Product	07/01/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/01/2024	

Labeler - Edgewell Personal Care Brands LLC (151179769)

Revised: 3/2026

Edgewell Personal Care Brands LLC