

**UV SOLUTIONS BRIGHTENING TINTED BROAD SPECTRUM SPF 50 SUNSCREEN  
NIACINAMIDE ANTIOXIDANTS DARK SHADE- titanium dioxide and zinc  
oxide cream  
CLINIQUE LABORATORIES LLC**

-----

**UV SOLUTIONS BRIGHTENING + TINTED BROAD SPECTRUM SPF 50  
SUNSCREEN NIACINAMIDE+ANTIOXIDANTS**

**Active ingredients**

TITANIUM DIOXIDE 3.8%

ZINC OXIDE 20.7%

**Purpose**

Sunscreen

**Use**

helps prevent sunburn

**Warnings**

For external use only

**Do not use**

on damaged or broken skin

**When using this product**

keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

rash occurs

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

apply liberally and evenly 15 minutes before sun exposure

reapply at least every two hours

use a water resistant sunscreen if swimming or sweating

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer

and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:  
limit time in the sun, especially from 10 a.m.-2 p.m.  
wear long-sleeved shirts, pants, hats and sunglasses  
children under 6 months of age: ask a doctor

### **Inactive Ingredients**

water/aqua/eau, dicaprylyl ether, isododecane, butyloctyl salicylate, dimethicone/vinyl dimethicone crosspolymer, niacinamide, polyglyceryl-3 diisostearate, isononyl isononanoate, diethylhexyl succinate, cetyl peg/ppg-10/1 dimethicone, lauryl peg-9 polydimethylsiloxyethyl dimethicone, butylene glycol, diphenylsiloxy phenyl trimethicone, silica, polyhydroxystearic acid, sodium chloride, caprylic/capric triglyceride, trimethylsiloxy silicate, sodium hyaluronate, litchi chinensis seed extract, caffeine, oryzanol, dimethicone, c12-15 alkyl benzoate, caprylyl glycol, polyglyceryl-3 polyricinoleate, biosaccharide gum-1, 7-dehydrocholesterol, disteardimonium hectorite, dimethicone silylate, lecithin, propylene carbonate, xanthan gum, potassium hydroxide, isostearic acid, dextrin, triethoxycaprylylsilane, tocopherol, disodium edta, phenoxyethanol, iron oxides (ci 77492), iron oxides (ci 77491), iron oxides (ci 77499) [iln55704]

### **Other information**

protect the product in this container from excessive heat and direct sun

### **PDP**

CLINIQUE

UV solutions

brightening + tinted

BROAD SPECTRUM SPF 50

SUNSCREEN

NIACINAMIDE + ANTIOXIDANTS

1.4 FL. OZ. LIQ/40ml

CULTECH INC  
CAD#10588



67191

**All Skin Types**  
**Allergy Tested. 100% Fragrance Free.**  
**Dermatologist Tested.**  
Silky formula with 100% mineral sunscreen actives and a soft, tinted glow. Helps protect against damaging UVA and UVB rays with SPF and premature signs of aging with antioxidants. Formulated with niacinamide, it visibly brightens and reduces fine lines and dark spots.

**Drug Facts**

Active ingredients	Purpose
Titanium dioxide 3.8% Zinc oxide 20.7%	Sunscreen

**Use** helps prevent sunburn

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally and evenly 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: ask a doctor

**Drug Facts (cont'd)**

**Inactive ingredients**

water/aque/veau · dicaprylyl ether · isododecane · butyloctyl salicylate · dimethicone/vinyl dimethicone crosspolymer · niacinamide · polyglyceryl-3 diisostearate · isononyl isononanoate · diethylhexyl succinate · cetyl ppg-10/1 dimethicone · lauryl peg-9 polydimethylsiloxyethyl dimethicone · butylene glycol · diphenylsiloxy phenyl trimethicone · silica · polyhydroxystearic acid · sodium chloride · caprylic/capric triglyceride · trimethylsilyloxy silicate · sodium hyaluronate · litchi chinensis seed extract · caffeine · oryzanol · dimethicone · c12-15 alkyl benzoate · caprylyl glycol · polyglyceryl-3 polyricinoleate · bisaccharide gum-1 · 7-dehydrocholesterol · disteardimonium hectorite · dimethicone silylate · lecithin · propylene carbonate · xanthan gum · potassium hydroxide · isostearic acid · dextrin · triethoxycaprylylsilane · tocopherol · disodium edta · phenoxyethanol · [+/- iron oxides (ci 77491) · iron oxides (ci 77492) · iron oxides (ci 77499)] [ln55704]

**Other information**

protect the product in this container from excessive heat and direct sun

brightening + tinted

100% MINERAL SUNSCREEN\*



CLINIQUE  
**UV solutions**  
brightening + tinted

SPF  
**50**

BROAD SPECTRUM SPF 50  
SUNSCREEN  
NIACINAMIDE + ANTIOXIDANTS

1.4 FL.OZ./40 ml e

\*SUNSCREEN ACTIVES



MEK  
Postcards  
FSC® C001168

**UPC/FPO**  
1.3125" x 0.5312"

© CLINIQUE LABORATORIES, DIST.  
NEW YORK, N.Y. 10022.  
W.L.P.LTD., Q132 300, UK  
W.L.B.S. NY, DEVEL. RE-2280  
NEW YORK · LONDON · PARIS  
MADE IN U.S.A. VEZH

clinique.com

VEZH-02-1118

**UV SOLUTIONS BRIGHTENING TINTED BROAD SPECTRUM SPF 50**

# SUNSCREEN NIACINAMIDE ANTIOXIDANTS DARK SHADE

titanium dioxide and zinc oxide cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:49527-228
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	207 mg in 1 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	38 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)	
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8)</b> (UNII: 5041RX63GN)	
<b>ISONONYL ISONONANOATE</b> (UNII: S4V5BS6GCX)	
<b>7-DEHYDROCHOLESTEROL</b> (UNII: BK1IU07GKF)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>BIOSACCHARIDE GUM-1</b> (UNII: BB4PU4V09H)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>SODIUM HYALURONATE</b> (UNII: YSE9PPT4TH)	
<b>ORYZANOL</b> (UNII: SST9XCL51M)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>DIETHYLHEXYL SUCCINATE</b> (UNII: 69W9UMG3P8)	
<b>DICAPRYLYL ETHER</b> (UNII: 77JZM5516Z)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE)</b> (UNII: H895X08VNO)	
<b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8)	
<b>CAPRYLIC/CAPRIC TRIGLYCERIDE</b> (UNII: C9H2L21V7U)	
<b>C12-15 ALKYL BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)	
<b>ICODEXTRIN</b> (UNII: 2NX48Z0A9G)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: 25G622K2RA)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	

<b>SILICA</b> (UNII: ETJ7Z6XBU4)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>LITCHI CHINENSIS SEED</b> (UNII: 9294024N9Q)	
<b>CAFFEINE</b> (UNII: 3G6A5W338E)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)	
<b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49527-228-01	1 in 1 CARTON	03/27/2026	
1		40 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/27/2026	

**Labeler** - CLINIQUE LABORATORIES LLC (044475127)

**Registrant** - Estee Lauder Companies Inc. (790802086)

### Establishment

Name	Address	ID/FEI	Business Operations
The Estee Lauder Inc		802599436	label(49527-228) , pack(49527-228) , manufacture(49527-228)

Revised: 3/2026

CLINIQUE LABORATORIES LLC