

**FLEET- bisacodyl tablet, coated**  
**C.B. Fleet Company, Inc.**

-----  
**Fleet Oral Lax Bisacodyl 0132-0401**

**Active ingredient (in each tablet)**

Bisacodyl USP 5 mg

**Purpose**

Stimulant laxative

**Uses**

- for temporary relief of occasional constipation and irregularity
- this product generally produces bowel movement in 6 to 12 hours

**Warnings**

**Do not use**

if you cannot swallow without chewing

**Ask a doctor before use if you have**

- abdominal pain, nausea or vomiting
- a sudden change in bowel habits that lasts more than 2 weeks

**When using this product**

- do not chew or crush tablet(s)
- do not use within 1 hour after taking an antacid or milk
- you may have stomach discomfort, faintness and cramps

**Stop use and ask a doctor if**

- you have rectal bleeding or no bowel movement after use of a laxative

These symptoms may indicate a serious condition.

- you need to use a laxative for more than 1 week

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- Take with a glass of water

<b>Adults and children 12 years of age and over</b>	1 to 3 tablets in a single daily dose
<b>Children 6 to under 12 years of age</b>	1 tablet in a single daily dose
<b>Children under 6 years of age</b>	ask a doctor

**Other information**

- store between 68° to 77°F (20° to 25°C)

**Tamper Evident:** Do not use if blister unit is broken or torn

**Inactive ingredients**

acacia, ammonium hydroxide, calcium carbonate, carnauba wax, colloidal anhydrous silica, corn starch, D&C yellow no. 10 aluminum lake, FD&C yellow no. 6 aluminum lake, hypromellose, iron oxide black, lactose anhydrous, magnesium stearate, methylparaben, polydextrose, polyethylene glycol, polyvinyl acetate phthalate, povidone, propylene glycol, propylparaben, shellac glaze, simethicone, sodium alginate, sodium benzoate, sodium bicarbonate, stearic acid, sucrose, talc, titanium dioxide, triacetin, triethyl citrate

**Questions?**

**Call** 1-866-255-6960

**Principal Display Panel**

Fleet

Bisacodyl 5 mg Stimulant

stimulant

oral laxative

25 coated tablets

NEW

# Fleet

Bisacodyl 5 mg  
Stimulant

stimulant  
ORAL LAXATIVE

Gentle, Overnight  
Constipation Relief

RELIEF IN  
6-12 HOURS.

5 5  
25 Coated Tablets

**Tamper Evident:**  
Do not use  
if blister unit  
is broken  
or torn.

### Drug Facts

**Active ingredient (in each tablet)** Bisacodyl (USP) 5 mg **Purpose** Stimulant laxative

**Uses** ■ for temporary relief of occasional constipation and irregularity  
■ this product generally produces bowel movement in 6 to 12 hours

#### Warnings

**Do not use** ■ if you cannot swallow without chewing

**Ask a doctor before use if you have** ■ abdominal pain, nausea, vomiting  
■ a sudden change in bowel habits that lasts over a period of 2 weeks

**When using this product** ■ do not chew or crush tablet(s) ■ do not use within  
1 hour after taking an antacid or milk ■ you may have stomach discomfort,  
faintness and cramps.

**Stop use and ask a doctor if** ■ you have rectal bleeding or no bowel movement  
after use of a laxative. These symptoms may indicate a serious condition  
■ you need to use a laxative for more than 1 week

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a  
Poison Control Center right away.

#### Directions

Take with a glass of water

**Adults and children 12 years of age and over** 1 to 3 tablets in a single daily dose

**Children 6 to under 12 years of age** 1 tablet in a single daily dose

**Children under 6 years** ask a doctor

#### Other information

■ store between 68° to 77°F (20° to 25°C)

#### Inactive ingredients

acacia, ammonium hydroxide, calcium carbonate, ceramuba wax, colloidal anhydrous silica, corn starch, D&C yellow no. 10 aluminum lake, FD&C yellow no. 6 aluminum lake, hypromellose, iron oxide black, lactose anhydrous, magnesium stearate, methylparaben, polydextrose, polyethylene glycol, polyvinyl acetate phthalate, povidone, propylene glycol, propylparaben, shellac glaze, simethicone, sodium alginate, sodium benzoate, sodium bicarbonate, stearic acid, sucrose, talc, titanium dioxide, triacetin, triethyl citrate

**Questions?** 1-866-255-6960

Keep carton for future reference.



Distributed by C.B. Fleet Company, Inc., Lynchburg, VA 24502  
©2024 Trade dress is owned by C.B. Fleet Company, Inc.  
All rights reserved.  
Made in India.  
FLUS037101  
LB2164 R0124

## FLEET

bisacodyl tablet, coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0132-0401
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BISACODYL (UNII: 10X0709Y6I) (DEACETYLBISACODYL - UNII:R09078E41Y)	BISACODYL	5 mg

### Inactive Ingredients

Ingredient Name	Strength
ACACIA (UNII: 5C5403N26O)	
AMMONIA (UNII: 5138Q19F1X)	
CALCIUM CARBONATE (UNII: H0G9379FGK)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
STARCH, CORN (UNII: O8232NY3SJ)	
D&C YELLOW NO. 10 ALUMINUM LAKE (UNII: CQ3XH3DET6)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	

<b>ANHYDROUS LACTOSE</b> (UNII: 3SY5LH9PMK)
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)
<b>POLYDEXTROSE</b> (UNII: VH2XOU12IE)
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)
<b>Polyvinyl Acetate Phthalate</b> (UNII: 58QVG85GW3)
<b>POVIDONE</b> (UNII: FZ989GH94E)
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)
<b>SHELLAC</b> (UNII: 46N107B71O)
<b>SODIUM ALGINATE</b> (UNII: C269C4G2ZQ)
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)
<b>SODIUM BICARBONATE</b> (UNII: 8MDF5V39QO)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>SUCROSE</b> (UNII: C151H8M554)
<b>TALC</b> (UNII: 7SEV7J4R1U)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>TRIACETIN</b> (UNII: XHX3C3X673)
<b>TRIETHYL CITRATE</b> (UNII: 8Z96QXD6UM)
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)

### Product Characteristics

<b>Color</b>	orange	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	4mm
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0132-0401-25	25 in 1 BLISTER PACK; Type 0: Not a Combination Product	06/21/2024	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	06/21/2024	

**Labeler** - C.B. Fleet Company, Inc. (003119054)