

PODOCON 25- podophyllum resin tincture Bryant Ranch Prepack

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Podocon-25® (25% Podophyllin in benzoin tincture)

DESCRIPTION:

Podocon-25® is composed of Podophyllin (Podophyllum Resin, American) 25% in Benzoin Tincture. Podophyllin Resin is the powdered mixture of resins removed from the May apple or Mandrake (*Podophyllum peltatum Linne'*), a perennial plant of northern and middle United States⁽¹⁾. The podophyllin resin used in this product is exclusively the American podophyllin (rather than the Indian resin). American podophyllin typically has a reduced level of podophyllotoxin (see below).

CLINICAL PHARMACOLOGY:

Podophyllin is a cytotoxic agent that has been used topically in the treatment of genital warts. It arrests mitosis in metaphase, an effect it shares with other cytotoxic agents such as the vinca alkaloids⁽²⁾. The active agent is podophyllotoxin, whose concentration varies with the type of podophyllin used; the American source normally containing one-fourth the amount of podophyllotoxin as the Indian source⁽³⁾.

NOTE: PODOCON-25® IS TO BE APPLIED ONLY BY A PHYSICIAN. IT IS NOT TO BE DISPENSED TO THE PATIENT.

INDICATIONS:

Podocon-25® (25% podophyllin in benzoin tincture) is indicated for the removal of soft genital (venereal) warts (condylomata acuminata)⁽⁴⁾.

CONTRAINDICATIONS:

Podocon-25® is contraindicated in diabetics, patients using steroids or with poor blood circulation. Podocon-25® should not be used on bleeding warts, moles, birthmarks or unusual warts with hair growing from them. It is recommended that Podocon-25® not be used during pregnancy (see Pregnancy warning below).

WARNINGS:

Podophyllin is a powerful caustic and severe irritant. Keep away from the eyes; if eye contact occurs, flush with copious amounts of warm water and consult physician or poison control center immediately for advice.

PRECAUTIONS:

Do not use Podocon-25[®] if wart or surrounding tissue is inflamed or irritated. Do not use on bleeding warts, moles, birthmarks or unusual warts with hair growing from them.

ADVERSE REACTIONS:

The use of topical podophyllin has been known to result in paresthesia, polyneuritis, paralytic ileus, pyrexia, leukopenia, thrombocytopenia, coma and death⁽⁵⁾.

Pregnancy:

There have been reports of complications associated with the topical use of podophyllin on condylomata of pregnant patients including birth defects, fetal death and stillbirth⁽⁶⁾. In the absence of controlled safety studies, podophyllin remains contraindicated for use on pregnant patients.

Nursing Mothers:

It is not known whether podophyllin is excreted in human milk following topical application. In the absence of controlled safety studies, podophyllin remains contraindicated for use on nursing patients.

DOSAGE AND ADMINISTRATION:

PODOCON-25[®] IS TO BE APPLIED ONLY BY A PHYSICIAN. IT IS NOT TO BE DISPENSED TO THE PATIENT. SHAKE WELL. Thoroughly cleanse affected area. Use supplied applicator to apply Podocon-25[®] **sparingly** to lesion. Avoid contact with healthy tissue. Allow to dry thoroughly. Only intact (no bleeding) lesions should be treated. As podophyllin is a powerful caustic and severe irritant, it is recommended the first application of Podocon-25[®] be left in contact for only a short time (30-40 minutes) to determine patient's sensitivity. To avoid systemic absorption, time of contact should be minimum time necessary to produce the desired result (1 to 4 hours, depending on condition of lesion and of patient), the physician developing his/her own experience and technique. Large areas or numerous warts should not be treated at once.

After treatment time has elapsed, remove dried Podocon-25[®] **thoroughly** with alcohol or soap and water.

HOW SUPPLIED:

Podocon-25[®] is available in 15-mL bottles with tapered tip applicator attached inside cap.

- NDC: 72162-1117-2

Store at 20° to 25°C (68° to 77°F) [see USP Controlled Room Temperature] in tight, light-resistant containers.

Rx Only

Repackaged/Relabeled by:

Bryant Ranch Prepack, Inc.
Burbank, CA 91504

Podocon-25®

(25% Podophyllin in benzoin tincture) 15 mL (1/2 FL OZ)



Each mL contains: 25% Podophyllin (Podophyllum Resin, American) in benzoin tincture. Contains Alcohol approx. 64% v/v.

Store at 20° to 25°C (68° to 77°F) [see USP Controlled Room Temperature] in tight, light-resistant containers.

NOTE: Podocon-25® is to be applied only by a physician. It is not to be dispensed to the patient.

Topical solution for removal of venereal warts (condylomata acuminata). SHAKE WELL.

Warnings: Podophyllin is a powerful caustic and severe irritant, Keep away from eyes; if eye contact occurs, flush with copious amounts of warm water.



Package Insert

NDC 72162-1117-2

Podocon-25® (Podophyllin in benzoin tincture)

25%



Relabeled by:
Bryant Ranch Prepack, Inc.
Burbank, CA 91504 USA

Rx only
15 mL (1/2 FL OZ)

Manufactured by:
Padagis



PODOCON 25

podophyllum resin tincture

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:72162-1117(NDC:0574-0601)
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PODOPHYLLUM RESIN (UNII: 16902YVY2B) (PODOPHYLLUM RESIN - UNII:16902YVY2B)	PODOPHYLLUM RESIN	1 mg in 4 mL

Inactive Ingredients

Ingredient Name	Strength
STYRAX BENZOIN RESIN (UNII: FE663Z 8IRO)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72162-1117-2	1 in 1 CARTON	12/24/2024	

1	15 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product		
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Unapproved drug other		09/01/1990	

Labeler - Bryant Ranch Prepack (171714327)

Registrant - Bryant Ranch Prepack (171714327)

Establishment			
Name	Address	ID/FEI	Business Operations
Bryant Ranch Prepack		171714327	REPACK(72162-1117) , RELABEL(72162-1117)

Revised: 12/2024

Bryant Ranch Prepack