

**CARE SCIENCE ESSENTIAL FIRST AID- ethyl alcohol, isopropyl alcohol, bacitracin zinc, neomycin sulfate, polymyxin-b sulfate
ASO LLC**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Care Science Essential First Aid Kit

CONTENTS - Care Science Essential First Aid Kit

Adhesive Bandages

- 30** Sheer Bandages - 5/8 IN X 2 1/4 IN (15 MM X 57 MM)
- 20** Sheer Bandages - 3/4 IN X 3 IN (19 MM X 76 MM)
- 6** Butterfly Closures - 1 3/4 IN X 3/8 IN (44 MM X 9.5 MM)

Instruments

- 4** Wooden Finger Splints
- 2** Nitrile Gloves
- 1** First Aid Guide
- 1** Instant Cold Pack
- 1** Metal Tweezers
- 1** Paper Tape Roll
1/2 IN X 5 YDS (12 MM X 4.5 M)

Topicals & Ointments

- 12** Alcohol Prep Pads - 1 3/16 IN X 2 5/16 IN (30 MM X 58 MM)
- 10** Triple Antibiotic Ointment - 1/32 OZ (0.9 G)
- 6** Antiseptic Wipes - 4 3/4 IN X 7 3/4 IN (120 MM X 196 MM)

Wound Dressings

- 4** Gauze Pads - 2 IN X 2 IN (50 MM X 50 MM)
- 2** Gauze Pads - 4 IN X 4 IN (101 MM x 101 MM)

Alcohol Prep Pads & Triple Antibiotic Ointment

Caution: This product contains non-prescription drug products that have expiration dates. Please

check before use. Keep these and all drug products out of reach of children. Tamper evident

sealed packets; do not use any opened or torn packets.

Adhesive Bandages: For use on minor cuts, scrapes, & burns.

Directions: For optimal results, apply bandage to clean, dry skin. Change the dressing daily, when

wet, or more often if needed. Single use.

Warning: For medical emergencies, seek professional help.

Butterfly Closures: For use on minor cuts, scrapes, & burns.

Directions: Remove backing tabs from Butterfly Closure. Apply adhesive sections on either side of

the wound. Be sure to center the nonstick area over the wound. Change dressing as directed by

your health care professional.

Warning: For medical emergencies, seek professional help.

Gauze Pads: For cleaning wounds.

Directions: Gently clean the wound with mild soap and water using the gauze pad and carefully

dry the affected area. Discard the used pad.

Warning: In case of deep puncture wounds or serious burns, consult a physician.

Nitrile Exam Gloves: Non-sterile single use disposable exam gloves.

Storage: Protect from freezing. Avoid excessive heat. Keep dry. Gloves should be shielded from

direct sunlight, fluorescent lighting, x-rays, moisture and Ozone.

Disposal: Dispose of gloves and all biologically contaminated matter in an appropriate container.

Paper Tape: For securing wound covers.

Directions: Use gauze to gently clean in and around injured area with mild soap and water. Dry

injured area and apply medication if necessary. Cover wound with non-stick pad or dressing.

Secure the dressing with paper tape to help keep out dirt and contaminants.

Warning: In case of deep puncture wounds or serious burns, consult a physician.

Kit contents are not made with natural rubber latex.

Adhesive Bandages, Butterfly Closures, and Gauze Pads are sterile unless wrapper is opened

or damaged.

Gauze pads are rayon-polyester blend.

Made in USA with globally sourced materials: Adhesive Bandages, Antiseptic Wipes, Butterfly Closures, First Aid Guide, Triple Antibiotic Ointment, Wooden Finger Splints.

Made in China: Alcohol Prep Pads, Gauze Pads, Instant Cold Pack, Metal Tweezers, Nitrile Gloves, Paper Tape.

Made in Mexico: Carrying Case

Active ingredient - Alcohol Prep Pads

Isopropyl Alcohol 70%

Purpose - Alcohol Prep Pads

Antiseptic

Uses - Alcohol Prep Pads

- For preparation of the skin prior to an injection

Warnings - Alcohol Prep Pads

For external use only

Flammable, keep away from fire or flame

Do not use - Alcohol Prep Pads

- with electrocautery procedures
- In the eyes.
If contact occurs, flush eyes with water.

Stop use if - Alcohol Prep Pads

irritation and redness develop. If condition continues, consult your health care practitioner

Keep out of reach of children. - Alcohol Prep Pads

If swallowed get medical help or contact a Poison Control Center right away.

Directions - Alcohol Prep Pads

- wipe injection area and discard

Other information - Alcohol Prep Pads

- Store at room temperature:
59°F - 86°F (15°C - 30°C)

Inactive Ingredients - Alcohol Prep Pads

purified water

Questions or comments? - Alcohol Prep Pads

1-855-823-4545

Active ingredient - Antiseptic Wipes

Ethyl Alcohol 66.5%

Purpose - Antiseptic Wipes

Antiseptic

Uses - Antiseptic Wipes

- Antiseptic cleansing of face, hands and body to decrease bacteria on skin without soap and water

Warnings - Antiseptic Wipes

For external use only

Flammable: keep away from fire or flame

Do not use - Antiseptic Wipes

in the eyes. If this happens, rinse thoroughly with water.

Stop use and ask a doctor if - Antiseptic Wipes

irritation or redness develop and persist for more than 72 hours.

Keep out of reach of children. - Antiseptic Wipes

If swallowed get medical help or contact a Poison Control Center right away.

Directions - Antiseptic Wipes

- Tear open packet, remove towelette
- unfold and use as a washcloth
- supervise children under 6 years of age

Inactive ingredients - Antiseptic Wipes

aloe vera, fragrance, purified water, triethanolamine

Questions or comments? - Antiseptic Wipes

1-855-823-4545

Active ingredients (in each gram) - Triple Antibiotic Ointment

Bacitracin Zinc (400 units Bacitracin)
Neomycin Sulfate 5 mg
(equivalent to 3.5 mg Neomycin base)
Polymyxin-B Sulfate 5000 units

Purpose - Triple Antibiotic Ointment

first aid antibiotic
first aid antibiotic
first aid antibiotic

Uses - Triple Antibiotic Ointment

- First aid to help prevent infection in minor cuts, scrapes and burns.

Warnings - Triple Antibiotic Ointment

For external use only

Do not use - Triple Antibiotic Ointment

in the eyes. If this happens, rinse thoroughly with water.

- internally
- over large areas of the body
- if you are allergic to any of the ingredients
- longer than 1 week unless directed by a doctor

Ask a doctor before use if you have - Triple Antibiotic Ointment

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if - Triple Antibiotic Ointment

the condition persists or gets worse

- a rash or other allergic reaction develops

Keep out of reach of children. - Triple Antibiotic Ointment

In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

Directions - Triple Antibiotic Ointment

- Clean the affected area
- Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- May be covered with a sterile bandage

Other information - Triple Antibiotic Ointment

- Store at room temperature (do not freeze)
- Do not use any opened or torn packets

Inactive ingredient - Triple Antibiotic Ointment

petrolatum

Questions or comments? - Triple Antibiotic Ointment

1-855-823-4545

Principal Display Panel - Care Science Essential First Aid Kit

CARE SCIENCE®
ESSENTIAL
FIRST AID

OFFICE HOME OUTDOOR SCHOOL

100 PIECES

See back panel for details

Pack-&-go convenience ideal
for minor cuts, scrapes, & burns

ASO

CARE SCIENCE® is an ASO brand

Distributed by ASO LLC | Sarasota, FL 34240

www.asocorp.com

ALCOHOL PREP PAD

1 Pad/Pouch
Saturated with 70% Isopropyl Alcohol
For External Use Only



DO NOT REUSE



NOT MADE WITH
NATURAL RUBBER LATEX

Made in China
Manufactured for Aso LLC
Sarasota, FL 34240 | www.asocorp.com
DIE 40015

Drug Facts

Active ingredient	Purpose
Isopropyl Alcohol 70%	Antiseptic

Uses • For preparation of the skin prior to an injection

Warnings

For external use only

Flammable, keep away from fire or flame

Do not use • with electrocautery procedures • in the eyes. If contact occurs, flush eyes with water.

Stop use if irritation and redness develop. If condition continues, consult your health care practitioner

Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center right away

Directions • wipe injection area and discard

Other information • Store at room temperature:
59°F - 86°F (15°C - 30°C)

Inactive ingredient purified water

LOT:

EXP:

Label

Principal Display Panel - Antiseptic Wipes

Safetec

**Antiseptic
Towelette**

For Professional and Hospital Use
Contents: 1 single-use, premoistened towelette

Manufactured by **SAFETEC OF AMERICA, Inc.**
Buffalo, NY 14215 800-456-7077 www.safetec.com

 **Safetec**

Antiseptic
Towelette

For Professional and Hospital Use

Contents: 1 single-use, premoistened towelette

Manufactured by **SAFETEC OF AMERICA, Inc.**
Buffalo, NY 14215 800-456-7077 www.safetec.com

Drug Facts

Active ingredients	Purpose
Ethyl Alcohol 66.5%.....	Antiseptic

Uses ■ Antiseptic cleansing of face, hands and body to decrease bacteria on skin without soap and water

Warnings

For external use only

Flammable: keep away from fire or flame

Do not use in the eyes. If this happens, rinse thoroughly with water.

Stop use and ask a doctor if irritation or redness develop and persist for more than 72 hours

Keep out of reach of children If swallowed get medical help or contact a Poison Control Center right away

Directions ■ tear open packet, remove towelette

■ unfold and use as a washcloth

■ supervise children under 6 years of age

Inactive ingredients aloe vera, fragrance, purified water, triethanolamine

Label

Principal Display Panel - Triple Antibiotic Ointment

Safetec

**Triple Antibiotic
Ointment**

0.9 g (1/32 oz.)

Safetec of America, Inc.
Buffalo, NY 14215
800-456-7077



Triple Antibiotic Ointment

0.9 g (1/32 oz.)

Safetec of America, Inc.
Buffalo, NY 14215
800-456-7077

Drug Facts

Active Ingredient Purpose

(in each gram)

Bacitracin Zinc (400 units Bacitracin)

Neomycin sulfate (3.5 mg Neomycin)

Polymyxin B Sulfate First Aid

(Polymyxin B 5000 units)..Antibiotics

Uses first aid to help prevent infection in minor cuts, scrapes, and burns

Warnings

For external use only ▶

Drug Facts (continued)

Warnings (continued)

Do not use ■ internally ■ in eyes ■ over large areas of the body or on puncture wounds, animal bites or serious burns ■ for more than 1 week unless directed by a doctor ■ if you are allergic to any of the ingredients

Stop use and ask a doctor if ■ a rash or allergic reaction develops ■ condition worsens or persists

Keep out of reach of children
If ingested, contact a Poison Control Center right away.

Directions ■ clean affected area ■ apply a small amount 1 to 3 times daily ■ may cover with a sterile bandage

Inactive ingredients
petrolatum

Label

CARE SCIENCE ESSENTIAL FIRST AID

ethyl alcohol, isopropyl alcohol, bacitracin zinc, neomycin sulfate, polymyxin-b sulfate kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51142-001
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51142-001-01	1 in 1 CASE; Type 0: Not a Combination Product	03/11/2021	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	12 POUCH	4.08 g
Part 2	6 PACKET	0.0114 L
Part 3	10 POUCH	9.00 g

Part 1 of 3

ALCOHOL PREP PAD

alcohol prep pad swab

Product Information

Item Code (Source)	NDC:51142-445
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	70 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	WHITE (White pad)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51142-445-21	0.34 g in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

OTC monograph not final	part333A	09/24/2018	
-------------------------	----------	------------	--

Part 2 of 3

ANTISEPTIC

alcohol cloth

Product Information

Item Code (Source)	NDC:61010-2017
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	665 mL in 1 L

Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
WATER (UNII: 059QF0KO0R)	
TROLAMINE (UNII: 9O3K93S3TK)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61010-2017-0	0.0019 L in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333E	05/01/2017	

Part 3 of 3

TRIPLE ANTIBIOTIC

bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment

Product Information**Item Code (Source)** NDC:61010-5600**Route of Administration** TOPICAL**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [USP'U] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [USP'U] in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61010-5600-1	0.9 g in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	08/08/2011	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333E	03/11/2021	

Labeler - ASO LLC (152793493)