

**CARE SCIENCE ESSENTIAL FIRST AID- ethyl alcohol, isopropyl alcohol,  
bacitracin zinc, neomycin sulfate, polymyxin-b sulfate  
ASO LLC**

-----  
**Care Science Essential First Aid Kit**

**CONTENTS - Care Science Essential First Aid Kit**

**Adhesive Bandages**

- 30** Sheer Bandages - 5/8 IN X 2 1/4 IN (15 MM X 57 MM)
- 20** Sheer Bandages - 3/4 IN X 3 IN (19 MM X 76 MM)
- 12** Butterfly Closures - 1 3/4 IN X 3/8 IN (44 MM X 9.5 MM)

**Instruments**

- 2** Wooden Finger Splints
- 2** Nitrile Gloves
- 1** First Aid Guide
- 1** Instant Cold Pack
- 1** Metal Tweezers
- 1** Paper Tape Roll - 1/2 IN X 5 YDS (12 MM X 4.5 M)

**Topicals & Ointments**

- 18** Alcohol Prep Pads - 1 3/16 IN X 2 5/16 IN (30 MM X 58 MM)
- 10** Triple Antibiotic Ointment - 1/32 OZ (0.9 G)
- 6** Antiseptic Wipes - 4 3/4 IN X 7 3/4 IN (120 MM X 196 MM)

**Wound Dressings**

- 4** Gauze Pads - 2 IN X 2 IN (50 MM X 50 MM)
- 2** Gauze Pads - 4 IN X 4 IN (101 MM x 101 MM)

**Made in USA with globally sourced materials:** Antiseptic Wipes, Butterfly Closures, First Aid Guide, Triple Antibiotic Ointment, Wooden Finger Splints.

**Made in Philippines:** Adhesive Bandages

**Made in China:** Alcohol Prep Pads, Gauze Pads, Instant Cold Pack, Metal Tweezers, Nitrile Gloves, Paper Tape.

**Made in Mexico:** Carrying Case

**Alcohol Prep Pads & Triple Antibiotic Ointment**

**Caution:** This product contains non-prescription drug products that have expiration dates. Please check before use. Keep these and all drug products out of reach of children. Tamper evident sealed packets; do not use any opened or torn packets.

**Adhesive Bandages:** For use on minor cuts, scrapes, & burns.

**Directions:** For optimal results, apply bandage to clean, dry skin. Change the dressing daily, when wet, or more often if needed. Single use.

**Warning:** For medical emergencies, seek professional help.

**Butterfly Closures:**For use on minor cuts, scrapes, & burns.

**Directions:**Remove backing tabs from Butterfly Closure. Apply adhesive sections on either side of the wound. Be sure to center the nonstick area over the wound. Change dressing as directed by your health care professional.

**Warning:**For medical emergencies, seek professional help.

**Gauze Pads:**For cleaning wounds.

**Directions:**Gently clean the wound with mild soap and water using the gauze pad and carefully dry the affected area. Discard the used pad.

**Warning:**In case of deep puncture wounds or serious burns, consult a physician.

**Nitrile Exam Gloves:**Non-sterile single use disposable exam gloves.

Storage: Protect from freezing. Avoid excessive heat. Keep dry. Gloves should be shielded from direct sunlight, fluorescent lighting, x-rays, moisture and Ozone.

**Disposal:**Dispose of gloves and all biologically contaminated matter in an appropriate container.

**Paper Tape:**For securing wound covers.

**Directions:**Use gauze to gently clean in and around injured area with mild soap and water. Dry injured area and apply medication if necessary. Cover wound with non-stick pad or dressing. Secure the dressing with paper tape to help keep out dirt and contaminants.

**Warning:**In case of deep puncture wounds or serious burns, consult a physician.

Kit contents are not made with natural rubber latex.

Adhesive Bandages, Butterfly Closures, and Gauze Pads are sterile unless wrapper is opened or damaged.

Gauze pads are rayon-polyester blend.

Actual appearance of contents may vary depending on availability. We reserve the right to add, substitute, or replace items at our own discretion. At no time will the integrity of the items be less than that which is indicated on the packaging.

See inside of clear plastic case for complete drug facts & warnings for Alcohol Prep Pad, Triple Antibiotic Ointment and Antiseptic Wipes.

**CARE SCIENCE** ® is an ASO brand

Distributed by ASO LLC | Sarasota, FL 34240

[www.asocorp.com](http://www.asocorp.com)

## CONTENTS

### Adhesive Bandages

- 30 Sheer Bandages - 5/8 IN X 2 1/4 IN (15 MM X 57 MM)
- 20 Sheer Bandages - 3/4 IN X 3 IN (19 MM X 76 MM)
- 12 Butterfly Closures - 1 3/4 IN X 3/8 IN (44 MM X 9.5 MM)

### Instruments

- 2 Wooden Finger Splints
- 2 Nitrile Gloves
- 1 First Aid Guide
- 1 Instant Cold Pack
- 1 Metal Tweezers
- 1 Paper Tape Roll
- 1/2 IN X 5 YDS (12 MM X 4.5 M)

### Topicals & Ointments

- 18 Alcohol Prep Pads - 1 3/16 IN X 2 5/16 IN (30 MM X 58 MM)
- 10 Triple Antibiotic Ointment - 1/32 OZ (0.9 G)
- 6 Antiseptic Wipes - 4 3/4 IN X 7 3/4 IN (120 MM X 196 MM)

### Wound Dressings

- 4 Gauze Pads - 2 IN X 2 IN (50 MM X 50 MM)
- 2 Gauze Pads - 4 IN X 4 IN (101 MM X 101 MM)

**Made in USA with globally sourced materials:** Antiseptic Wipes, Butterfly Closures, First Aid Guide, Triple Antibiotic Ointment, Wooden Finger Splints.

**Made in Philippines:** Adhesive Bandages

**Made in China:** Alcohol Prep Pads, Gauze Pads, Instant Cold Pack, Metal Tweezers, Nitrile Gloves, Paper Tape.

**Made in Mexico:** Carrying Case

LOT CODE/ UDI LABEL AREA  
UNCOATED  
NO COLOR • NO CONTENT • NO VARNISH  
2 IN X 1 IN  
(50.8 mm X 25.4 mm)

### Alcohol Prep Pads & Triple Antibiotic Ointment

**Caution:** This product contains non-prescription drug products that have expiration dates. Please check before use. Keep these and all drug products out of the reach of children. Tamper evident sealed packets; do not use any opened or torn packets.

**Adhesive Bandages:** For use on minor cuts, scrapes, & burns.

**Directions:** For optimal results, apply bandage to clean, dry skin. Change the dressing daily, when wet, or more often if needed. Single use.

**Warning:** For medical emergencies, seek professional help.

**Butterfly Closures:** For use on minor cuts, scrapes, & burns.

**Directions:** Remove backing tabs from Butterfly Closure. Apply adhesive sections on either side of the wound. Be sure to center the nonstick area over the wound. Change dressing as directed by your health care professional.

**Warning:** For medical emergencies, seek professional help.

**Gauze Pads:** For cleaning wounds.

**Directions:** Gently clean the wound with mild soap and water using the gauze pad and carefully dry the affected area. Discard the used pad.

**Warning:** In case of deep puncture wounds or serious burns, consult a physician.

**Nitrile Exam Gloves:** Non-sterile single use disposable exam gloves.

**Storage:** Protect from freezing. Avoid excessive heat. Keep dry. Gloves should be shielded from direct sunlight, fluorescent lighting, x-rays, moisture and Ozone.

**Disposal:** Dispose of gloves and all biologically contaminated matter in an appropriate container.

**Paper Tape:** For securing wound covers.

**Directions:** Use gauze to gently clean in and around injured area with mild soap and water. Dry injured area and apply medication if necessary. Cover wound with non-stick pad or dressing. Secure the dressing with paper tape to help keep out dirt and contaminants.

**Warning:** In case of deep puncture wounds or serious burns, consult a physician.

Kit contents are not made with natural rubber latex.

Adhesive Bandages, Butterfly Closures, Gauze Pads are sterile unless wrapper is opened or damaged.

Gauze pads are rayon-polyester blend.

Actual appearance of contents may vary depending on availability. We reserve the right to add, substitute, or replace items at our own discretion. At no time will the integrity of the items be less than that which is indicated on the packaging.

See inside of clear plastic case for complete drug facts & warnings for Alcohol Prep Pad, Triple Antibiotic Ointment and Antiseptic Wipes.



CARE SCIENCE® is an ASO brand  
Distributed by ASO LLC | Sarasota, FL 34240  
www.asocorp.com

2000619 REV-01 LBL 80001U



X002QSEG5Z

Care Science First Aid Kit, ... Camping, Hiking, and More  
New

## Active ingredient - Alcohol Prep Pads

Isopropyl Alcohol 70%

## Purpose - Alcohol Prep Pads

Antiseptic

## Uses - Alcohol Prep Pads

- For preparation of the skin prior to an injection

## Warnings - Alcohol Prep Pads

**For external use only**

**Flammable, keep away from fire or flame**

## Do not use - Alcohol Prep Pads

- with electrocautery procedures
  - In the eyes.
- If contact occurs, flush eyes with water.

**Stop use if - Alcohol Prep Pads**

irritation and redness develop. If condition continues, consult your health care practitioner

**Keep out of reach of children. - Alcohol Prep Pads**

If swallowed get medical help or contact a Poison Control Center right away.

**Directions - Alcohol Prep Pads**

- wipe injection area and discard

**Other information - Alcohol Prep Pads**

- Store at room temperature:  
59°F - 86°F (15°C - 30°C)

**Inactive Ingredients - Alcohol Prep Pads**

purified water

**Questions or comments? - Alcohol Prep Pads**

1-855-823-4545

**Active ingredient - Antiseptic Wipes**

Ethyl Alcohol 66.5%

**Purpose - Antiseptic Wipes**

Antiseptic

**Uses - Antiseptic Wipes**

- Antiseptic cleansing of face, hands and body to decrease bacteria on skin without soap and water

**Warnings - Antiseptic Wipes**

**For external use only**

**Flammable: keep away from fire or flame**

**Do not use - Antiseptic Wipes**

in the eyes. If this happens, rinse thoroughly with water.

### **Stop use and ask a doctor if - Antiseptic Wipes**

irritation or redness develop and  
persist for more than 72 hours.

### **Keep out of reach of children. - Antiseptic Wipes**

If swallowed get medical help or  
contact a Poison Control Center right away.

### **Directions - Antiseptic Wipes**

- Tear open packet, remove towelette
- unfold and use as a washcloth
- supervise children under 6 years of age

### **Inactive ingredients - Antiseptic Wipes**

aloe vera, fragrance, purified water,  
triethanolamine

### **Questions or comments? - Antiseptic Wipes**

1-855-823-4545

### **Active ingredients (in each gram) - Triple Antibiotic Ointment**

Bacitracin Zinc (400 units Bacitracin)  
Neomycin Sulfate 5 mg  
(equivalent to 3.5 mg Neomycin base)  
Polymyxin-B Sulfate 5000 units

### **Purpose - Triple Antibiotic Ointment**

first aid antibiotic  
first aid antibiotic  
first aid antibiotic

### **Uses - Triple Antibiotic Ointment**

- First aid to help prevent infection in minor cuts, scrapes  
and burns.

### **Warnings - Triple Antibiotic Ointment**

**For external use only**

### **Do not use - Triple Antibiotic Ointment**

in the eyes. If this happens, rinse thoroughly with water.

- internally
- over large areas of the body
- if you are allergic to any of the ingredients
- longer than 1 week unless directed by a doctor

### **Ask a doctor before use if you have - Triple Antibiotic Ointment**

- deep or puncture wounds
- animal bites
- serious burns

### **Stop use and ask a doctor if - Triple Antibiotic Ointment**

the condition persists or gets worse

- a rash or other allergic reaction develops

### **Keep out of reach of children. - Triple Antibiotic Ointment**

In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

### **Directions - Triple Antibiotic Ointment**

- Clean the affected area
- Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- May be covered with a sterile bandage

### **Other information - Triple Antibiotic Ointment**

- Store at room temperature (do not freeze)
- Do not use any opened or torn packets

### **Inactive ingredient - Triple Antibiotic Ointment**

petrolatum

### **Questions or comments? - Triple Antibiotic Ointment**

1-855-823-4545

### **Principal Display Panel - Care Science Essential First Aid Kit**

**CARE SCIENCE** ®  
**ESSENTIAL**  
**FIRST AID**

OFFICE HOME OUTDOOR SCHOOL

110 PIECES See back panel for details

Pack-&-go convenience ideal  
for minor cuts, scrapes, & burns

EDGE 3

CARE SCIENCE®

2000617 REV-01 LBL 80001

ESSENTIAL

FIRST AID

OFFICE

HOME

OUTDOOR

SCHOOL



110

PIECES

See back panel for details

Pack-&-go convenience ideal  
for minor cuts, scrapes, & burns

EDGE 4

EDGE 2

(1)

EDGE 3

TRIPLE ANTIBIOTIC OINTMENT

Drug Facts

Active ingredients (in each gram)

Purpose

Bacitracin Zinc (400 units Bacitracin) .....first aid antibiotic

Neomycin Sulfate.....first aid antibiotic (equivalent to 3.5 mg Neomycin base)

Polymyxin-B Sulfate 5000 units .....first aid antibiotic

Uses

• First aid to help prevent infection in minor cuts, scrapes and burns.

Warnings

For external use only

Do not use in the eyes. If this happens, rinse thoroughly with water.

• internally • over large areas of the body • if you are allergic to any of the ingredients • longer than a week unless directed by a doctor

ALCOHOL PREP PADS

Drug Facts

Active ingredient

Isopropyl Alcohol 70%.....Antiseptic

Uses

• For preparation of the skin prior to an injection

Warnings

For external use only

Flammable, keep away from fire or flame

Do not use • with electrocautery procedures • in the eyes, if contact occurs, flush eyes with water.

Stop use if irritation and redness develop. If condition continues, consult your health care practitioner

Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center right away.

Directions

• wipe injection area and discard

Other information

• Store at room temperature: 59°F - 86°F (15°C - 30°C)

Inactive ingredient

purified water

EDGE 4



<p><b>Ask a doctor before use if you have</b></p> <ul style="list-style-type: none"> <li>• deep or puncture wounds</li> <li>• animal bites</li> <li>• serious burns</li> </ul> <p><b>Stop use and ask a doctor if the condition persists or gets worse</b></p> <ul style="list-style-type: none"> <li>• a rash or other allergic reaction develops</li> </ul> <p><b>Keep out of reach of children.</b> In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.</p> <p><b>Directions</b></p> <ul style="list-style-type: none"> <li>• Clean the affected area</li> <li>• Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily</li> <li>• May be covered with a sterile bandage</li> </ul> <p><b>Other information</b></p> <ul style="list-style-type: none"> <li>• Store at room temperature (do not freeze)</li> <li>• Do not use any opened or torn packets</li> </ul> <p><b>Inactive ingredient</b> petrolatum</p>		ANTISEPTIC WIPES
<b>Drug Facts</b>	<b>Purpose</b>	
<b>Active ingredient</b>	Ethyl Alcohol 66.5% Antiseptic	
<b>Uses</b>	Antiseptic cleansing of face, hands and body to decrease bacteria on skin without soap and water	
<b>Warnings</b>	For external use only	
	Flammable: keep away from fire or flame	
	Do not use in the eyes. If this happens, rinse thoroughly with water.	
	Stop use and ask a doctor if irritation or redness develop and persist for more than 72 hours.	
	Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center right away.	
	<b>Directions</b>	
	<ul style="list-style-type: none"> <li>• Tear open packet, remove towelette</li> <li>• unfold and use as a washcloth</li> <li>• supervise children under 6 years of age</li> </ul>	
	<b>Inactive ingredients</b>	aloe vera, fragrance, purified water, triethanolamine

EDGE 2

(1

Principal Display Panel - Alcohol Prep Pads

ALCOHOL  
PREP PAD

1 Pad/Pouch  
Saturated with 70% Isopropyl Alcohol  
For External Use Only

DO NOT REUSE

NOT MADE WITH  
NATURAL RUBBER LATEX

Made in China  
Manufactured for Aso LLC  
Sarasota, FL 34240 | www.asocorp.com  
DIE 40015



<h1>ALCOHOL PREP PAD</h1> <p>1 Pad/Pouch Saturated with 70% Isopropyl Alcohol For External Use Only</p> <div>   </div> <p>DO NOT REUSE      NOT MADE WITH NATURAL RUBBER LATEX</p> <p>Made in China Manufactured for Aso LLC Sarasota, FL 34240   <a href="http://www.asocorp.com">www.asocorp.com</a> DIE 40015</p>		<table border="1"> <tr> <th colspan="2">Drug Facts</th> </tr> <tr> <th>Active ingredient</th> <th>Purpose</th> </tr> <tr> <td>Isopropyl Alcohol 70%</td> <td>Antiseptic</td> </tr> <tr> <td colspan="2"><b>Uses</b> • For preparation of the skin prior to an injection</td> </tr> <tr> <td colspan="2"><b>Warnings</b> For external use only Flammable, keep away from fire or flame</td> </tr> <tr> <td colspan="2"><b>Do not use</b> • with electrocautery procedures • in the eyes. If contact occurs, flush eyes with water.</td> </tr> <tr> <td colspan="2"><b>Stop use</b> if irritation and redness develop. If condition continues, consult your health care practitioner</td> </tr> <tr> <td colspan="2"><b>Keep out of reach of children.</b> If swallowed get medical help or contact a Poison Control Center right away</td> </tr> <tr> <td colspan="2"><b>Directions</b> • wipe injection area and discard</td> </tr> <tr> <td colspan="2"><b>Other information</b> • Store at room temperature: 59°F - 86°F (15°C - 30°C)</td> </tr> <tr> <td colspan="2"><b>Inactive ingredient</b> purified water</td> </tr> </table> <p>LOT:      EXP:</p>	Drug Facts		Active ingredient	Purpose	Isopropyl Alcohol 70%	Antiseptic	<b>Uses</b> • For preparation of the skin prior to an injection		<b>Warnings</b> For external use only Flammable, keep away from fire or flame		<b>Do not use</b> • with electrocautery procedures • in the eyes. If contact occurs, flush eyes with water.		<b>Stop use</b> if irritation and redness develop. If condition continues, consult your health care practitioner		<b>Keep out of reach of children.</b> If swallowed get medical help or contact a Poison Control Center right away		<b>Directions</b> • wipe injection area and discard		<b>Other information</b> • Store at room temperature: 59°F - 86°F (15°C - 30°C)		<b>Inactive ingredient</b> purified water	
Drug Facts																								
Active ingredient	Purpose																							
Isopropyl Alcohol 70%	Antiseptic																							
<b>Uses</b> • For preparation of the skin prior to an injection																								
<b>Warnings</b> For external use only Flammable, keep away from fire or flame																								
<b>Do not use</b> • with electrocautery procedures • in the eyes. If contact occurs, flush eyes with water.																								
<b>Stop use</b> if irritation and redness develop. If condition continues, consult your health care practitioner																								
<b>Keep out of reach of children.</b> If swallowed get medical help or contact a Poison Control Center right away																								
<b>Directions</b> • wipe injection area and discard																								
<b>Other information</b> • Store at room temperature: 59°F - 86°F (15°C - 30°C)																								
<b>Inactive ingredient</b> purified water																								

Label

Principal Display Panel - Antiseptic Wipes

Safetec

Antiseptic  
Towelette

For Professional and Hospital Use  
Contents: 1 single-use, premoistened towelette

Manufactured by **SAFETEC OF AMERICA, Inc.**  
Buffalo, NY 14215 800-456-7077 [www.safetec.com](http://www.safetec.com)

 **Safetec**

**Antiseptic**  
**Towelette**

For Professional and Hospital Use

Contents: 1 single-use, premoistened towelette

Manufactured by **SAFETEC OF AMERICA, Inc.**  
Buffalo, NY 14215 800-456-7077 [www.safetec.com](http://www.safetec.com)

**Drug Facts**

Active ingredients	Purpose
Ethyl Alcohol 66.5%.....	Antiseptic

**Uses** ■ Antiseptic cleansing of face, hands and body to decrease bacteria on skin without soap and water

**Warnings**

For external use only

**Flammable: keep away from fire or flame**

**Do not use** in the eyes. If this happens, rinse thoroughly with water.

**Stop use and ask a doctor** if irritation or redness develop and persist for more than 72 hours

**Keep out of reach of children** If swallowed get medical help or contact a Poison Control Center right away

**Directions** ■ tear open packet, remove towelette

■ unfold and use as a washcloth

■ supervise children under 6 years of age

**Inactive ingredients** aloe vera, fragrance, purified water, triethanolamine

Label

**Principal Display Panel - Triple Antibiotic Ointment**

**Safetec**

**Triple Antibiotic  
Ointment**

0.9 g (1/32 oz.)

Safetec of America, Inc.  
Buffalo, NY 14215  
800-456-7077



# Triple Antibiotic Ointment

0.9 g (1/32 oz.)

Safetec of America, Inc.  
Buffalo, NY 14215  
800-456-7077

## Drug Facts

### Active Ingredient Purpose

(in each gram)

Bacitracin Zinc (400 units Bacitracin)

Neomycin sulfate (3.5 mg Neomycin)

Polymyxin B Sulfate First Aid

(Polymyxin B 5000 units)..Antibiotics

**Uses** first aid to help prevent infection in minor cuts, scrapes, and burns

### Warnings

For external use only

## Drug Facts (continued)

### Warnings (continued)

**Do not use** ■ internally ■ in eyes ■ over large areas of the body or on puncture wounds, animal bites or serious burns ■ for more than 1 week unless directed by a doctor ■ if you are allergic to any of the ingredients

**Stop use and ask a doctor if** ■ a rash or allergic reaction develops ■ condition worsens or persists

**Keep out of reach of children**  
If ingested, contact a Poison Control Center right away.

**Directions** ■ clean affected area ■ apply a small amount 1 to 3 times daily ■ may cover with a sterile bandage

**Inactive ingredients**  
petrolatum

Label

## CARE SCIENCE ESSENTIAL FIRST AID

ethyl alcohol, isopropyl alcohol, bacitracin zinc, neomycin sulfate, polymyxin-b sulfate kit

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51142-001
--------------	----------------	--------------------	---------------

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51142-001-01	1 in 1 CASE; Type 0: Not a Combination Product	03/11/2021	

### Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	12 POUCH	4.08 g
Part 2	6 PACKET	0.0114 L
Part 3	10 POUCH	9 g

### Part 1 of 3

### ALCOHOL PREP PAD

alcohol prep pad swab

### Product Information

Item Code (Source)	NDC:51142-445
Route of Administration	TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	70 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

### Product Characteristics

Color	white (White pad)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51142-445-21	0.34 g in 1 POUCH; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

OTC Monograph Drug	M003	09/24/2018	
--------------------	------	------------	--

## Part 2 of 3

### ANTISEPTIC

alcohol cloth

#### Product Information

<b>Item Code (Source)</b>	NDC:61010-2017
<b>Route of Administration</b>	TOPICAL

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	665 mL in 1 L

#### Inactive Ingredients

Ingredient Name	Strength
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>TROLAMINE</b> (UNII: 9O3K93S3TK)	

#### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61010-2017-0	0.0019 L in 1 PACKET; Type 0: Not a Combination Product		

#### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	05/01/2017	

## Part 3 of 3

### TRIPLE ANTIBIOTIC

bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment

#### Product Information

Item Code (Source)		NDC:61010-5600		
Route of Administration		TOPICAL		
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)		BACITRACIN	400 [USP'U] in 1 g	
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)		NEOMYCIN	3.5 mg in 1 g	
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ 07J96K)		POLYMYXIN B	5000 [USP'U] in 1 g	
Inactive Ingredients				
Ingredient Name			Strength	
PETROLATUM (UNII: 4T6H12BN9U)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61010-5600-1	0.9 g in 1 POUCH; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M004	08/08/2011	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		505G(a)(3)	03/11/2021	
Labeler - ASO LLC (152793493)				