

TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin sulfate , polymyxin b sulfate. ointment
ProStat First Aid, LLC.

Prostat First Aid Triple Antibiotic Ointment

Active ingredients (each gram contains)

Bacitracin zinc 400 units
Neomycin sulfate 3.5 mg
Polymyxin B sulfate 5,000 units

Purpose

First aid antibiotic

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Uses first aid to help prevent infection in minor: ● cuts ● scrapes ● burns

Warnings For external use only.

Do Not Use

Do not use

- In the eyes
- over large areas of the body
- if you are allergic to any of the ingredients.

Directions

- clean the affected area and dry thoroughly.
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage.

Inactive ingredient White Petrolatum

Ask a doctor before use if you have

Deep or puncture wounds, animal bites or serious burns.

Stop Use and Ask a doctor if

- Conditions persist or get worse
- you need to use longer than 1 week

- a rash or other allergic reaction develops

Other information

- store at 20° to 25°C (68° to 77°F)

Questions? Call 1-888-900-2920

Monday - Friday 8AM - 4PM PST

Manufactured for

ProStat First Aid LLC

La Verne, CA 91750

Part no. #2261

Package Label

PACKET

TEAR HERE

Triple Antibiotic Ointment

Manufactured for
ProStat First Aid LLC, La Verne, CA 91750

NET WT. 0.5G (1/55 OZ)

Drug Facts

Active ingredients (each gram contains)	Purpose
Bacitracin Zinc 400 units	First aid antibiotic
Neomycin Sulfate 3.5 mg	First aid antibiotic
Polymyxin B Sulfate 5,000 units ..	First aid antibiotic

Uses

First aid to help prevent infection in minor:
• cuts • scrapes • burns

Warnings

For external use only.

Do not use • in the eyes
• over large areas of the body
• if you are allergic to any of the ingredients

Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns.

Stop use and ask a doctor if ▶

Drug Facts (cont.)

- condition persists or gets worse
- you need to use longer than 1 week
- a rash or other allergic reaction develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center immediately.

Directions: • clean the affected area and dry thoroughly • apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily • may be covered with a sterile bandage

Other information

Store at 20° to 25°C (68° to 77°F).

Inactive ingredient

White petrolatum.

Questions? Call 1-888-900-2920 Monday – Friday 8AM – 4PM PST

LOT:

EXP:

TRIPLE ANTIBIOTIC

bacitracin zinc, neomycin sulfate, polymyxin b sulfate. ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58228-7060
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ.07J96K)	POLYMYXIN B	5000 [USP'U] in 1 g
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [USP'U] in 1 g

Inactive Ingredients

Ingredient Name	Strength
WHITE PETROLATUM (UNII: B6E5W8RQJ4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58228-7060-1	2000 in 1 BAG	01/27/2026	
1		0.5 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	01/27/2026	

Labeler - ProStat First Aid, LLC. (061263699)**Registrant** - Trifecta Pharmaceuticals USA (079424163)

Revised: 3/2026

ProStat First Aid, LLC.