

**YOUR SKIN BUT BETTER CC ILLUMINATION FAIR- titanium dioxide and zinc oxide cream**

**YOUR SKIN BUT BETTER CC ILLUMINATION LIGHT- titanium dioxide and zinc oxide cream**

**YOUR SKIN BUT BETTER CC ILLUMINATION MEDIUM- titanium dioxide and zinc oxide cream**

**YOUR SKIN BUT BETTER CC ILLUMINATION TAN- titanium dioxide and zinc oxide cream**

**YOUR SKIN BUT BETTER CC ILLUMINATION RICH- titanium dioxide and zinc oxide cream**

**IT COSMETICS, LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

IT C

**Drug Facts (continued)**

...anthemis nobilis flower water, linoleol, glycerin, eucalyptus globulus leaf oil, citral, steareth-20, comelia sinensis leaf extract, magrolia kobus bark extract, chrysanthemum indicum flower extract, glycine soja (soybean) sprout extract, cetyl acid, aloa barbadensis leaf extract, olea europaea (olive) leaf extract, artemisia princeps leaf extract, cinnamomum cassia bark extract, pueraria lobata root extract, diospyros kaki leaf extract, morus alba fruit extract, sodium benzoate, pentoerythritol tetra-DL-butyl hydroxyhydroquinamate, potassium sorbate, chlorhexidine digluconate, hydrolyzed collagen, n-hydroxy succinimide, niacinamide, hyaluronic acid, colloidal oatmeal, cholesterol, citrus grandis (grapefruit) peel oil, lactobacillus/honeysuckle flower/licorice root/morus alba root/pueraria lobata root/scutellaria chinensis fruit/scutellaria baicalensis root/sophora japonica flower extract ferment filtrate, perfluorohexane, caprylhydroxamic acid, sodium citrate, hydrolyzed silk, biotin, thiamine HCl, niacin, perfluorodecalin, folic acid, retinyl palmitate, palmitoyl tripeptide-1, carnitine HCl, riboflavin, tocopherol, ascorbic acid, panthenol, cyclopentane, palmitoyl tetrapeptide-2, may contain: mica, iron oxides, titanium dioxide

**Questions or comments? Call 800-620-3950**

G2026211

D2229971

itcosmetics.com



1.08 US fl. oz. e 32 ml

\*Use with sun protection measures. See directions.

Fair



YOUR SKIN BUT BETTER

**CC+**  
Illumination

Color Correcting  
Illuminating  
Full Coverage Cream

+  
Anti-Aging\*  
Hydrating Serum

Sunscreen  
Broad Spectrum  
SPF 50+

**50+**

physical sunscreen

DEVELOPED WITH  
PLASTIC SURGEONS  
AND  
DERMATOLOGISTS  
CLINICALLY TESTED

**TIP:** To use as your full-coverage illuminating foundation, apply 1-2 pumps to clean skin using your favorite IT Cosmetics brush.

IT Cosmetics LLC, New York, NY 10001  
14 rue Royale 75008 Paris FRANCE  
TSA 75000 93584 ST OZEN CEDEX FR  
Imp. By: IT Cosmetics Canada, Montreal H4T 1K5  
London W6 8AZ  
Made in USA • G19

**Drug Facts**

Active ingredients	Purpose
Titanium dioxide 8.9% .....	Sunscreen
Zinc oxide 6.3% .....	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

- For external use only**
- Do not use on damaged or broken skin.**
- When using this product keep out of eyes. Rinse with water to remove.**
- Stop use and ask a doctor if rash occurs**
- Keep out of reach of children.**
- swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- For sunscreen use:
  - apply liberally 15 minutes before sun exposure
  - reapply at least every 2 hours
  - use a water resistant sunscreen if swimming or sweating
  - **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
    - limit time in the sun, especially from 10 a.m. - 2 p.m.
    - wear long-sleeved shirts, pants, hats, and sunglasses
    - children under 6 months of age: Ask a doctor

**Other information**

- protect the product in this container from excessive heat and direct sun

**Inactive ingredients**

water, phenyl trimethicone, dimethicone, butylene glycol, butylene glycol dicaprylate/dicaprate, orbignya oleifera seed oil, butyloctyl salicylate, cetyl PEG/PPG-40/1 dimethicone, cyclopentasiloxane, snail secretion filtrate, aluminum hydroxide, magnesium sulfate, polyglyceryl-4 isostearate, stearic acid, cyclohexasiloxane, dimethicone/vinyl dimethicone crosspolymer, hexyl laurate, calcium stearate, caprylyl glycol, triethoxycaprylsilane, ethyl hexanediol, ethylhexylglycerin, limonene, phenoxyethanol, citrus (lemon) peel oil, sorbitan isostearate, tocopheryl acetate, 1,2-hexanediol, citrus aurantium bergamia (bergamot) fruit oil, disodium EDTA, citrus aurantium dulcis (orange) peel oil, citrus aurantifolia (lime) oil, pinus sylvestris leaf oil, curcuma longa (turmeric) root extract, punica granatum seed oil, vitis vinifera (grape) seed oil, persea gratissima (avocado) ▶



**Drug Facts (continued)**

... anthemis nobilis flower water, limonene, glycerin, eucalyptus globulus leaf oil, citral, steareth-20, camellia sinensis leaf extract, magnolia kobus bark extract, chrysanthemum indicum flower extract, glycine soja (soybean) sprout extract, citric acid, aloe barbadensis leaf extract, aloe europaea (aloe) leaf extract, artemisia princeps leaf extract, cinnamonum ceyssa bark extract, pueraria lobata root extract, diospyros kaki leaf extract, morus alba fruit extract, sodium benzozate, perfluorobutyl tetra-*n*-butyl hydroxyhydroquinamate, potassium sorbate, chlorhexidine digluconate, hydrolyzed collagen, *n*-hydroxy succinimide, niacinamide, hyaluronic acid, collagenal oatmeal, cholesterol, citrus grandis (grapefruit) peel oil, lactobacillus/honey suckle flower/licorice root/morus alba root/pueraria lobata roots/schisandra chinensis fruit/scutellaria baicalensis root/sophora japonica flower extract ferment filtrate, perfluorohexane, caprylhydroxamic acid, sodium citrate hydrolyzed silk, biotin, thiamine HCl, niacin, perfluorodecalin, folic acid, retinyl palmitate, palmitoyl tripeptide-1, carnitine HCl, riboflavin, tocopherol, ascorbic acid, panthenol, chitosin, perfluoromethylcyclopentane, palmitoyl tetrapeptide-7, may contain: mica, iron oxides, titanium dioxide

**Questions or comments? Call 800-620-3950**

G2026211 D229971



**DEVELOPED WITH PLASTIC SURGEONS AND DERMATOLOGISTS**  
**CLINICALLY TESTED**

**YOUR SKIN BUT BETTER**

**CC+**  
**llumination**

**Color Correcting Illuminating Full Coverage Cream**

**+ Anti-Aging\* Hydrating Serum**

**Sunscreen Broad Spectrum SPF 50+**

**50+**  
physical sunscreen

**TIP:** To use as your full-coverage illuminating foundation, apply 1-2 pumps to clean skin using your favorite IT Cosmetics brush.

**Drug Facts**

Active ingredients	Purpose
Titanium dioxide 8.9%	Sunscreen
Zinc oxide 6.3%	Sunscreen

**Uses**  
■ helps prevent sunburn  
■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**  
**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.**  
If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
For sunscreen use:  
■ apply liberally 15 minutes before sun exposure  
■ reapply at least every 2 hours  
■ use a water resistant sunscreen if swimming or sweating  
■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:  
■ limit time in the sun, especially from 10 a.m. - 2 p.m.  
■ wear long-sleeved shirts, pants, hats, and sunglasses  
■ children under 6 months of age: Ask a doctor

**Other information**  
■ protect the product in this container from excessive heat and direct sun

**Inactive ingredients**  
water, phenyl trimethicone, dimethicone, butylene glycol, butylene glycol dicaprylate/dicaprate, orbignya oleifera seed oil, butyloctyl salicylate, cetyl PEG/PPG-40/1 dimethicone, cyclopentasiloxane, snail secretion filtrate, aluminum hydroxide, magnesium sulfate, polyglyceryl-4 isostearate, stearic acid, cyclohexasiloxane, dimethicone/vinyl dimethicone crosspolymer, hexyl laurate, calcium stearate, caprylyl glycol, triethoxycaprylylsilane, ethyl hexanediol, ethylhexylglycerin, limonene, phenoxethanol, citrus limon (lemon) peel oil, sorbitan isostearate, tocopheryl acetate, 1,2-hexanediol, citrus aurantium bergamia (bergamot) fruit oil, disodium EDTA, citrus aurantium dulcis (orange) peel oil, citrus aurantifolia (lime) oil, pinus sylvestris leaf oil, curcuma longa (turmeric) root extract, punica granatum seed oil, vitis vinifera (grape) seed oil, persea gratissima (avocado)

itcosmetics.com



1.08 US fl. oz. e 32 ml

\*Use with sun protection measures. See directions.

IT Cosmetics LLC, New York, NY 10001  
14 rue Royale 75008 Paris FRANCE  
ISA 75000 93584 ST OZEN CEDEX FR  
Imp. By: IT Cosmetics Canada, Montreal H4T 1K5  
London W6 8AZ  
Made in USA • G19







## Drug Facts (continued)

uki, anthemis nobilis flower water, linatool, glycerin, eucalyptus globulus leaf oil, citral, steareth-20, camellia sinensis leaf extract, magnolia kobus bark extract, chrysanthemum indicum flower extract, guajacum sprout extract, citric acid, aloë barbadensis leaf extract, olea europaea (olive) leaf extract, artemisia princeps leaf extract, cinnamomum cassia bark extract, pueraria lobata root extract, aloe vera leaf extract, sodium benzoate, perfructum tetra-di-ethyl hydroxyhydrocinamic acid, potassium sorbate, chlorhexidine digluconate, hydrolyzed collagen, n-hydroxy succinimide, niacinamide, hyaluronic acid, collagen, cholesterol, citrus granatis (grapefruit) peel oil, lactobacillus/honeysuckle flower/licorice root/morus alba root/pueraria lobata root/schisandra chinensis fruit/scutellaria baicalensis root/isopahora japonica flower extract ferment filtrate, perfluorohexane, caprylylhydroxamic acid, sodium citrate hydrolyzed silk, biolan, thiamine HCL, niacin, perfluorodecalin, folic acid, retinyl palmitate, palmitoyl tripeptide-1, carnitine HCL, riboflavin, tocopherol, ascorbic acid, panthenol, chrysin, perfluoromethylcyclopentane, palmitoyl tetrapeptide-2, may contain: mica, iron oxides, titanium dioxide

**Questions or comments? Call 800-620-3950**

62026211

D2299717

itcosmetics.com



1.08 US fl. oz. e 32 ml

\*Use with sun protection measures. See directions.

Rich



YOUR SKIN BUT BETTER

# CC+

## illumination

Color Correcting  
Illuminating  
Full Coverage Cream

+  
Anti-Aging\*  
Hydrating Serum

Sunscreen  
Broad Spectrum  
SPF 50+

# 50+

physical sunscreen

DEVELOPED WITH  
PLASTIC SURGEONS  
AND  
DERMATOLOGISTS  
CLINICALLY TESTED

**TIP:** To use as your full-coverage illuminating foundation, apply 1-2 pumps to clean skin using your favorite IT Cosmetics brush.

IT Cosmetics LLC, New York, NY 10001  
14 rue Royale 75008 Paris FRANCE  
TSA 75000 93584 ST OZEN CEDEX FR  
Imp. By: IT Cosmetics Canada, Montreal H4T 1K5  
London W6 8AZ  
Made in USA • G19

## Drug Facts

Active ingredients	Purpose
Titanium dioxide 8.9% .....	Sunscreen
Zinc oxide 6.3% .....	Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
  - children under 6 months of age: Ask a doctor

### Other information

- protect the product in this container from excessive heat and direct sun

### Inactive ingredients

water, phenyl trimethicone, dimethicone, butylene glycol, butylene glycol dicaprylate/dicaprate, orbignya oleifera seed oil, butyloctyl salicylate, cetyl PEG/PPG-40/1 dimethicone, cyclopentasiloxane, snail secretion filtrate, aluminum hydroxide, magnesium sulfate, polyglyceryl-4 isostearate, stearic acid, cyclohexasiloxane, dimethicone/vinyl dimethicone crosspolymer, hexyl laurate, calcium stearate, caprylyl glycol, triethoxycaprylylsilane, ethyl hexanediol, ethylhexylglycerin, limonene, phenoxyethanol, citrus limon (Lemon) peel oil, sorbitan isostearate, tocopheryl acetate, 1,2-hexanediol, citrus aurantium bergamia (bergamot) fruit oil, disodium EDTA, citrus aurantium dulcis (orange) peel oil, citrus aurantifolia (lime) oil, pinus sylvestris leaf oil, curcuma longa (turmeric) root extract, punica granatum seed oil, vitis vinifera (grape) seed oil, persea gratissima (avocado) ▶



**Drug Facts (continued)**

anthem's nobilis flower water, limonool, glycerin, eucalyptus globulus leaf oil, citral, steareth-20, comellia sinensis leaf extract, magnolia kobus bark extract, chrysanthemum indicum flower extract, glycine soja (soybean) sprout extract, citric acid, alooe barbadensis leaf extract, alooe europaea (aloe) leaf extract, artemisia princeps leaf extract, cinnamonum cassia bark extract, pueraria lobata root extract, diospyros kaki leaf extract, morus alba fruit extract, sodium benzoate, perfume/thirtygyl tetra-*ti*-butyl hydroxyhydrocinamate, potassium sorbate, chlorhexidine digluconate, hydrolyzed collagen, n-hydroxy succinimide, niacinamide, hyaluronic acid, collidal oatmeal, cholesterol, citrus grandis (grapefruit) peel oil, lactobacillus/honeysuckle flower/licorice root/schisandra chinensis fruit/scutellaria baicalensis root/sophora japonica flower extract ferment filtrate, perfluorohexane, caprylhydroxamic acid, sodium citrate) hydrolyzed silk, biotin, thiamine HCL, niacin, perfluorodecalin, lactic acid, retinyl palmitate, palmityl tripeptide-1, carnitine HCL, riboflavin, tocopherol, ascorbic acid, panthothenic acid, chrysin, perfluoromethylcyclopentane, palmityl tetrapeptide-2, may contain: mica, iron oxides, titanium dioxide

**Questions or comments? Call 800-620-3950**



YOUR SKIN BUT BETTER

**CC+**  
ILLUMINATION

Color Correcting  
Illuminating  
Full Coverage Cream  
+  
Anti-Aging\*  
Hydrating Serum  
Sunscreen  
Broad Spectrum  
SPF 50+  
**50+**  
physical sunscreen

1.08 US fl. oz. e 32 ml

\*Use with sun protection measures. See directions.

itcosmetics.com



DEVELOPED WITH  
PLASTIC SURGEONS  
AND  
DERMATOLOGISTS  
CLINICALLY TESTED

**TIP:** To use as your full-coverage illuminating foundation, apply 1-2 pumps to clean skin using your favorite IT Cosmetics brush.

IT Cosmetics LLC, New York, NY 10001  
14 rue Royale 75008 Paris FRANCE  
TSA 75000 93584 ST OUVEN CEDEX FR  
Imp. By: IT Cosmetics Canada, Montreal H4T 1K5  
London W6 8AZ  
Made in USA • G19

**Drug Facts**

Active ingredients	Purpose
Titanium dioxide 8.9%	Sunscreen
Zinc oxide 6.3%	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

- For external use only**
- Do not use** on damaged or broken skin.
- When using this product** keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor** if rash occurs
- Keep out of reach of children.**  
If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- For sunscreen use:
- apply liberally 15 minutes before sun exposure
  - reapply at least every 2 hours
  - use a water resistant sunscreen if swimming or sweating
  - **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
    - limit time in the sun, especially from 10 a.m. - 2 p.m.
    - wear long-sleeved shirts, pants, hats, and sunglasses
    - children under 6 months of age: Ask a doctor

**Other information**

- protect the product in this container from excessive heat and direct sun

**Inactive ingredients**

water, phenyl trimethicone, dimethicone, butylene glycol, butylene glycol dicaprylate/dicaprate, orbignya oleifera seed oil, butyloctyl salicylate, cetyl PEG/PPG-40/1 dimethicone, cyclopentasiloxane, snail secretion filtrate, aluminum hydroxide, magnesium sulfate, polyglyceryl-4 isostearate, stearic acid, cyclohexasiloxane, dimethicone/vinyl dimethicone crosspolymer, hexyl laurate, calcium stearate, caprylyl glycol, triethoxycaprylylsilane, ethyl hexanediol, ethylhexylglycerin, limonene, phenoxethanol, citrus limon (lemon) peel oil, sorbitan isostearate, tocopheryl acetate, 1,2-hexanediol, citrus aurantium bergamia (bergamot) fruit oil, disodium EDTA, citrus aurantium dulcis (orange) peel oil, citrus aurantifolia (lime) oil, pinus sylvestris leaf oil, curcuma longa (turmeric) root extract, punica granatum seed oil, vitis vinifera (grape) seed oil, persea gratissima (avocado)

OSMETICS®  
Your Skin But Better CC+ ILLUMINATION SPF 50+ (FAIR/LIGHT/MEDIUM/TAN/RICH)  
Cream

Net Wt. 75 ml / 2.53 fl.oz; 32 ml / 1.08 fl.oz; 12 ml / 0.406 fl.oz; 4 ml / 0.135 fl.oz

## Drug Facts

### Active ingredient Purpose

Titanium dioxide 9.0% Sunscreen

Zinc oxide 6.3% Sunscreen

### Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

### Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact Poison Control Center right away.

### Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hour.
- Use a water resistant sunscreen if swimming or sweating.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m.-2 p.m. wear long-sleeved shirts, pants, hats, and sunglasses. Children under 6 months of age: Ask a doctor.

### Other information

Protect the product in this container from excessive heat and direct sun.

Questions? Call 800.620.3950

### Inactive Ingredients

Butylene Glycol, Phenyl Trimethicone, Dimethicone, Snail Secretion Filtrate, Butylene Glycol Dicaprylate/Dicaprate, Orbignya Oleifera Seed Oil, Butyloctyl Salicylate, Cetyl PEG/PPG-10/1 Dimethicone, Cyclopentasiloxane, Cyclohexasiloxane, Magnesium Sulfate, Polyglyceryl-4 Isostearate, Dimethicone/Vinyl Dimethicone Crosspolymer, Aluminum Hydroxide, Hexyl Laurate, Stearic Acid, Calcium Stearate, Caprylyl Glycol, Triethoxycaprylylsilane, Ethylhexylglycerin, Phenoxyethanol, Citrus Medica Limonum (Lemon) Peel Oil, Tocopheryl Acetate, Sorbitan Isostearate, Citrus Aurantium Bergamia (Bergamot) Fruit Oil, 1,2-Hexanediol, Water, Disodium EDTA, Citrus aurantium dulcis (orange) peel essential oil, Citrus Aurantifolia (Lime) Essential Oil, Vitis Vinifera (Grape) Seed Oil, Punica Granatum Seed Oil, Pinus Sylvestris Leaf Essential Oil, Persea Gratissima (Avocado) Oil, Niacinamide, Citrus Grandis (Grapefruit) Peel Oil, Anthemis Nobilis Flower Water, Lactobacillus/Honeysuckle Flower/Licorice Root/Morus Alba Root/Pueraria Lobata Root/Schizandra Chinensis Fruit/Scutellaria Baicalensis Root/Sophora Japonica Flower Extract Ferment Filtrate, Perfluorohexane, Olea Europaea (Olive) Leaf Extract, Glycerin, Eucalyptus Essential Oil, Cholesterol, Camellia Sinensis Leaf Extract, Chrysanthemum Indicum flower Extract, Pueraria Lobata Root Extract, Perfluorodecalin, Morus Alba Fruit Extract, Magnolia Kobus Bark Extract, Glycine Soja (Soybean) Sprout Extract, Diospyros Kaki Leaf Extract, Cinnamomum Cassia Bark Extract, Artemisia Princeps Leaf Extract, Pentafluoropropane, Curcuma Longa (Turmeric) Root Extract, Steareth-20, Hydrolyzed Hyaluronic Acid, Colloidal Oatmeal, Hydrolyzed Silk, Citric Acid, Sodium Benzoate,

Potassium sorbate, Aloe Barbadensis Leaf Extract, N-Hydroxysuccinimide, Hydrolyzed Collagen, Caprylhydroxamic Acid, Tocopherol, Thiamine HCl, Riboflavin, Retinyl Palmitate, Pantothenic Acid, Palmitoyl Oligopeptide, Niacin, Folic Acid, Chrysin, Carnitine HCl, Biotin, Ascorbic Acid, Palmitoyl Tetrapeptide-7, Chlorhexidine Digluconate, Iron Oxides (CI 77492, CI 77491, CI 77499), Mica.

IMAGES

FAIR- 32 ml

LIGHT- 32 ml

MEDIUM- 32 ml

TAN- 32 ml

## YOUR SKIN BUT BETTER CC ILLUMINATION FAIR

titanium dioxide and zinc oxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69259-3904
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	9.0 g in 100 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	6.3 g in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>MAGNESIUM SULFATE ANHYDROUS</b> (UNII: ML30MJ2U7I)	
<b>Polyglyceryl-4 Isostearate</b> (UNII: 820DPX33S7)	
<b>Aluminum Hydroxide</b> (UNII: 5QB0T2IUN0)	
<b>Hexyl Laurate</b> (UNII: 4CG9F9W01Q)	
<b>Stearic Acid</b> (UNII: 4ELV7Z65AP)	
<b>Calcium Stearate</b> (UNII: 776XM7047L)	
<b>Caprylyl Glycol</b> (UNII: 00YIU5438U)	
<b>Triethoxycaprylylsilane</b> (UNII: LDC331P08E)	
<b>Ethylhexylglycerin</b> (UNII: 147D247K3P)	
<b>Sorbitan Isostearate</b> (UNII: 01S2G2C1E4)	
<b>Phenoxyethanol</b> (UNII: HIE492ZZ3T)	
<b>1,2-Hexanediol</b> (UNII: TR046Y3K1G)	
<b>MAGNESIUM DISODIUM EDTA</b> (UNII: NDT563S5VZ)	
<b>LIME OIL</b> (UNII: UZH29XGA8G)	



<b>GRAPE SEED OIL</b> (UNII: 930MLC8XGG)
<b>Punica Granatum Seed Oil</b> (UNII: 0UI45XV0T6)
<b>AVOCADO OIL</b> (UNII: 6VNO72PFC1)
<b>Niacinamide</b> (UNII: 25X51I8RD4)
<b>WHITE PINE OIL</b> (UNII: HA5CX6676U)
<b>GRAPEFRUIT OIL</b> (UNII: YR377U58W9)
<b>Cholesterol</b> (UNII: 97C5T2UQ7J)
<b>Glycerin</b> (UNII: PDC6A3C0OX)
<b>EUCALYPTUS OIL</b> (UNII: 2R04ONI662)
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)
<b>SOYBEAN OIL</b> (UNII: 241ATL177A)
<b>Pentafluoropropane</b> (UNII: TA9UOF49CY)
<b>TURMERIC</b> (UNII: 856YO1Z64F)
<b>Stearth-20</b> (UNII: L0Q8IK9E08)
<b>SILK, BASE HYDROLYZED (1000 MW)</b> (UNII: UMQ31C11AY)
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)
<b>OATMEAL</b> (UNII: 8PI54V663Y)
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)
<b>Sodium Benzoate</b> (UNII: OJ245FE5EU)
<b>Potassium Sorbate</b> (UNII: 1VPU26JZZ4)
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)
<b>N-Hydroxysuccinimide</b> (UNII: MJE3791M4T)
<b>HYDROLYSED MARINE COLLAGEN (ENZYMATIC; 2000 MW)</b> (UNII: 2WD9OCG7P)
<b>Caprylhydroxamic Acid</b> (UNII: UPY805K99W)
<b>Tocopherol</b> (UNII: R0ZB2556P8)
<b>THIAMINE HYDROCHLORIDE</b> (UNII: M572600E5P)
<b>Riboflavin</b> (UNII: TLM2976OFR)
<b>RETINOL</b> (UNII: G2SH0XKK91)
<b>Pantothenic Acid</b> (UNII: 19F5HK2737)
<b>PALMITOYL TRIPEPTIDE-1</b> (UNII: RV743D216M)
<b>Niacin</b> (UNII: 2679MF687A)
<b>Folic Acid</b> (UNII: 935E97BOY8)
<b>Chrysin</b> (UNII: 3CN01F5ZJ5)
<b>CARNITINE HYDROCHLORIDE, (+)-</b> (UNII: 11X758JML9)
<b>Biotin</b> (UNII: 6SO6U10H04)
<b>Ascorbic Acid</b> (UNII: PQ6CK8PD0R)
<b>Palmitoyl Tetrapeptide-7</b> (UNII: Q41S464P1R)
<b>CHLORHEXIDINE</b> (UNII: R4KO0DY52L)
<b>BROWN IRON OXIDE</b> (UNII: 1N032N7MFO)
<b>MICA</b> (UNII: V8A1AW0880)

### Product Characteristics

<b>Color</b>	brown (FAIR)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69259-3904-1	32 mL in 1 TUBE; Type 0: Not a Combination Product	03/06/2018	
2	NDC:69259-3904-2	12 mL in 1 TUBE; Type 0: Not a Combination Product	03/06/2018	
3	NDC:69259-3904-3	4 mL in 1 TUBE; Type 0: Not a Combination Product	03/06/2018	
4	NDC:69259-3904-4	75 mL in 1 TUBE; Type 0: Not a Combination Product	03/06/2018	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	03/06/2018	

## YOUR SKIN BUT BETTER CC ILLUMINATION LIGHT

titanium dioxide and zinc oxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69259-3911
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	9.0 g in 100 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	6.3 g in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>PHENYL TRIMETHICONE</b> (UNII: DROK5NOJ4R)	
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>MAGNESIUM SULFATE ANHYDROUS</b> (UNII: ML30MJ2U7I)	
<b>Polyglyceryl-4 Isostearate</b> (UNII: 820DPX33S7)	
<b>Aluminum Hydroxide</b> (UNII: 5QB0T2IU0)	
<b>Hexyl Laurate</b> (UNII: 4CG9F9W01Q)	
<b>Stearic Acid</b> (UNII: 4ELV7Z65AP)	
<b>Calcium Stearate</b> (UNII: 776XM7047L)	
<b>Caprylyl Glycol</b> (UNII: 00YIU5438U)	
<b>Triethoxycaprylylsilane</b> (UNII: LDC331P08E)	
<b>Ethylhexylglycerin</b> (UNII: 147D247K3P)	



<b>Sorbitan Isostearate</b> (UNII: 01S2G2C1E4)	
<b>Phenoxyethanol</b> (UNII: HIE492ZZ3T)	
<b>1,2-Hexanediol</b> (UNII: TR046Y3K1G)	
<b>MAGNESIUM DISODIUM EDTA</b> (UNII: NDT563S5VZ)	
<b>LIME OIL</b> (UNII: UZH29XGA8G)	
<b>GRAPE SEED OIL</b> (UNII: 930MLC8XGG)	
<b>Punica Granatum Seed Oil</b> (UNII: 0UI45XV0T6)	
<b>AVOCADO OIL</b> (UNII: 6VNO72PFC1)	
<b>Niacinamide</b> (UNII: 25X51I8RD4)	
<b>WHITE PINE OIL</b> (UNII: HA5CX6676U)	
<b>GRAPEFRUIT OIL</b> (UNII: YR377U58W9)	
<b>Cholesterol</b> (UNII: 97C5T2UQ7J)	
<b>Glycerin</b> (UNII: PDC6A3C0OX)	
<b>EUCALYPTUS OIL</b> (UNII: 2R04ONI662)	
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)	
<b>SOYBEAN OIL</b> (UNII: 241ATL177A)	
<b>Pentafluoropropane</b> (UNII: TA9UOF49CY)	
<b>TURMERIC</b> (UNII: 856YO1Z64F)	
<b>Stearth-20</b> (UNII: L0Q8IK9E08)	
<b>SILK, BASE HYDROLYZED (1000 MW)</b> (UNII: UMQ31C11AY)	
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)	
<b>OATMEAL</b> (UNII: 8PI54V663Y)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>Sodium Benzoate</b> (UNII: OJ245FE5EU)	
<b>Potassium Sorbate</b> (UNII: 1VPU26JZZ4)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>N-Hydroxysuccinimide</b> (UNII: MJE3791M4T)	
<b>HYDROLYSED MARINE COLLAGEN (ENZYMATIC; 2000 MW)</b> (UNII: 2WD9OCG7P)	
<b>Caprylhydroxamic Acid</b> (UNII: UPY805K99W)	
<b>Tocopherol</b> (UNII: R0ZB2556P8)	
<b>THIAMINE HYDROCHLORIDE</b> (UNII: M572600E5P)	
<b>Riboflavin</b> (UNII: TLM2976OFR)	
<b>RETINOL</b> (UNII: G2SH0XKK91)	
<b>Pantothenic Acid</b> (UNII: 19F5HK2737)	
<b>PALMITOYL TRIPEPTIDE-1</b> (UNII: RV743D216M)	
<b>Niacin</b> (UNII: 2679MF687A)	
<b>Folic Acid</b> (UNII: 935E97BOY8)	
<b>Chrysin</b> (UNII: 3CN01F5ZJ5)	
<b>CARNITINE HYDROCHLORIDE, (+)-</b> (UNII: 11X758JML9)	
<b>Biotin</b> (UNII: 6SO6U10H04)	
<b>Ascorbic Acid</b> (UNII: PQ6CK8PD0R)	
<b>Palmitoyl Tetrapeptide-7</b> (UNII: Q41S464P1R)	
<b>CHLORHEXIDINE</b> (UNII: R4KO0DY52L)	
<b>BROWN IRON OXIDE</b> (UNII: 1N032N7MFO)	
<b>MICA</b> (UNII: V8A1AW0880)	

## Product Characteristics

<b>Color</b>	brown (LIGHT)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	

<b>Flavor</b>		<b>Imprint Code</b>		
<b>Contains</b>				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69259-3911-1	32 mL in 1 TUBE; Type 0: Not a Combination Product	03/06/2018	
2	NDC:69259-3911-2	12 mL in 1 TUBE; Type 0: Not a Combination Product	03/06/2018	
3	NDC:69259-3911-3	4 mL in 1 TUBE; Type 0: Not a Combination Product	03/06/2018	
4	NDC:69259-3911-4	75 mL in 1 TUBE; Type 0: Not a Combination Product	03/06/2018	
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part352	03/06/2018		

## YOUR SKIN BUT BETTER CC ILLUMINATION MEDIUM

titanium dioxide and zinc oxide cream

<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69259-3928
<b>Route of Administration</b>	TOPICAL		
<b>Active Ingredient/Active Moiety</b>			
Ingredient Name	Basis of Strength	Strength	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	9.0 g in 100 mL	
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	6.3 g in 100 mL	
<b>Inactive Ingredients</b>			
Ingredient Name	Strength		
<b>WATER</b> (UNII: 059QF0KO0R)			
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)			
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)			
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)			
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)			
<b>MAGNESIUM SULFATE ANHYDROUS</b> (UNII: ML30MJ2U7I)			
<b>Polyglyceryl-4 Isostearate</b> (UNII: 820DPX33S7)			
<b>Aluminum Hydroxide</b> (UNII: 5QB0T2IUN0)			
<b>Hexyl Laurate</b> (UNII: 4CG9F9W01Q)			



<b>Stearic Acid</b> (UNII: 4ELV7Z65AP)	
<b>Calcium Stearate</b> (UNII: 776XM7047L)	
<b>Caprylyl Glycol</b> (UNII: 00YIU5438U)	
<b>Triethoxycaprylylsilane</b> (UNII: LDC331P08E)	
<b>Ethylhexylglycerin</b> (UNII: 147D247K3P)	
<b>Sorbitan Isostearate</b> (UNII: 01S2G2C1E4)	
<b>Phenoxyethanol</b> (UNII: HIE492ZZ3T)	
<b>1,2-Hexanediol</b> (UNII: TR046Y3K1G)	
<b>MAGNESIUM DISODIUM EDTA</b> (UNII: NDT563S5VZ)	
<b>LIME OIL</b> (UNII: UZH29XGA8G)	
<b>GRAPE SEED OIL</b> (UNII: 930MLC8XGG)	
<b>Punica Granatum Seed Oil</b> (UNII: 0UI45XV0T6)	
<b>AVOCADO OIL</b> (UNII: 6VNO72PFC1)	
<b>Niacinamide</b> (UNII: 25X51I8RD4)	
<b>WHITE PINE OIL</b> (UNII: HA5CX6676U)	
<b>GRAPEFRUIT OIL</b> (UNII: YR377U58W9)	
<b>Cholesterol</b> (UNII: 97C5T2UQ7J)	
<b>Glycerin</b> (UNII: PDC6A3C0OX)	
<b>EUCALYPTUS OIL</b> (UNII: 2R04ONI662)	
<b>GREEN TEA LEAF</b> (UNII: WZZU1RY8B0)	
<b>SOYBEAN OIL</b> (UNII: 241ATL177A)	
<b>Pentafluoropropane</b> (UNII: TA9UOF49CY)	
<b>TURMERIC</b> (UNII: 856YO1Z64F)	
<b>Steareth-20</b> (UNII: L0Q8IK9E08)	
<b>SILK, BASE HYDROLYZED (1000 MW)</b> (UNII: UMQ31C11AY)	
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)	
<b>OATMEAL</b> (UNII: 8PI54V663Y)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>Sodium Benzoate</b> (UNII: OJ245FE5EU)	
<b>Potassium Sorbate</b> (UNII: 1VPU26JZZ4)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>N-Hydroxysuccinimide</b> (UNII: MJE3791M4T)	
<b>HYDROLYSED MARINE COLLAGEN (ENZYMATIC; 2000 MW)</b> (UNII: 2WD90CG7P)	
<b>Caprylhydroxamic Acid</b> (UNII: UPY805K99W)	
<b>Tocopherol</b> (UNII: R0ZB2556P8)	
<b>THIAMINE HYDROCHLORIDE</b> (UNII: M572600E5P)	
<b>Riboflavin</b> (UNII: TLM2976OFR)	
<b>RETINOL</b> (UNII: G2SH0XKK91)	
<b>Pantothenic Acid</b> (UNII: 19F5HK2737)	
<b>PALMITOYL TRIPEPTIDE-1</b> (UNII: RV743D216M)	
<b>Niacin</b> (UNII: 2679MF687A)	
<b>Folic Acid</b> (UNII: 935E97BOY8)	
<b>Chrysin</b> (UNII: 3CN01F5ZJ5)	
<b>CARNITINE HYDROCHLORIDE, (+)-</b> (UNII: 11X758JML9)	
<b>Biotin</b> (UNII: 6SO6U10H04)	
<b>Ascorbic Acid</b> (UNII: PQ6CK8PD0R)	
<b>Palmitoyl Tetrapeptide-7</b> (UNII: Q41S464P1R)	
<b>CHLORHEXIDINE</b> (UNII: R4KO0DY52L)	
<b>BROWN IRON OXIDE</b> (UNII: 1N032N7MFO)	
<b>MICA</b> (UNII: V8A1AW0880)	

## Product Characteristics

<b>Color</b>	brown (MEDIUM)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69259-3928-1	32 mL in 1 TUBE; Type 0: Not a Combination Product	03/06/2018	
2	NDC:69259-3928-2	12 mL in 1 TUBE; Type 0: Not a Combination Product	03/06/2018	
3	NDC:69259-3928-3	4 mL in 1 TUBE; Type 0: Not a Combination Product	03/06/2018	
4	NDC:69259-3928-4	75 mL in 1 TUBE; Type 0: Not a Combination Product	03/06/2018	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	03/06/2018	

## YOUR SKIN BUT BETTER CC ILLUMINATION TAN

titanium dioxide and zinc oxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69259-3935
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	9.0 g in 100 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	6.3 g in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)	



<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>MAGNESIUM SULFATE ANHYDROUS</b> (UNII: ML30MJ2U7I)	
<b>Polyglyceryl-4 Isostearate</b> (UNII: 820DPX33S7)	
<b>Aluminum Hydroxide</b> (UNII: 5QB0T2IU0)	
<b>Hexyl Laurate</b> (UNII: 4CG9F9W01Q)	
<b>Stearic Acid</b> (UNII: 4ELV7Z65AP)	
<b>Calcium Stearate</b> (UNII: 776XM7047L)	
<b>Caprylyl Glycol</b> (UNII: 00YIU5438U)	
<b>Triethoxycaprylylsilane</b> (UNII: LDC331P08E)	
<b>Ethylhexylglycerin</b> (UNII: 147D247K3P)	
<b>Sorbitan Isostearate</b> (UNII: 01S2G2C1E4)	
<b>Phenoxyethanol</b> (UNII: HIE492ZZ3T)	
<b>1,2-Hexanediol</b> (UNII: TR046Y3K1G)	
<b>MAGNESIUM DISODIUM EDTA</b> (UNII: NDT563S5VZ)	
<b>LIME OIL</b> (UNII: UZH29XGA8G)	
<b>GRAPE SEED OIL</b> (UNII: 930MLC8XGG)	
<b>Punica Granatum Seed Oil</b> (UNII: 0UI45XV0T6)	
<b>AVOCADO OIL</b> (UNII: 6VNO72PFC1)	
<b>Niacinamide</b> (UNII: 25X51I8RD4)	
<b>WHITE PINE OIL</b> (UNII: HA5CX6676U)	
<b>GRAPEFRUIT OIL</b> (UNII: YR377U58W9)	
<b>Cholesterol</b> (UNII: 97C5T2UQ7J)	
<b>Glycerin</b> (UNII: PDC6A3C0OX)	
<b>EUCALYPTUS OIL</b> (UNII: 2R04ONI662)	
<b>GREEN TEA LEAF</b> (UNII: WZZU1RY8B0)	
<b>SOYBEAN OIL</b> (UNII: 241ATL177A)	
<b>Pentafluoropropane</b> (UNII: TA9UOF49CY)	
<b>TURMERIC</b> (UNII: 856YO1Z64F)	
<b>Steareth-20</b> (UNII: L0Q8IK9E08)	
<b>SILK, BASE HYDROLYZED (1000 MW)</b> (UNII: UMQ31C11AY)	
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)	
<b>OATMEAL</b> (UNII: 8PI54V663Y)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>Sodium Benzoate</b> (UNII: OJ245FE5EU)	
<b>Potassium Sorbate</b> (UNII: 1VPU26JZZ4)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>N-Hydroxysuccinimide</b> (UNII: MJE3791M4T)	
<b>HYDROLYSED MARINE COLLAGEN (ENZYMATIC; 2000 MW)</b> (UNII: 2WD90CG7P)	
<b>Caprylhydroxamic Acid</b> (UNII: UPY805K99W)	
<b>Tocopherol</b> (UNII: R0ZB2556P8)	
<b>THIAMINE HYDROCHLORIDE</b> (UNII: M572600E5P)	
<b>Riboflavin</b> (UNII: TLM2976OFR)	
<b>RETINOL</b> (UNII: G2SH0XKK91)	
<b>Pantothenic Acid</b> (UNII: 19F5HK2737)	
<b>PALMITOYL TRIPEPTIDE-1</b> (UNII: RV743D216M)	
<b>Niacin</b> (UNII: 2679MF687A)	
<b>Folic Acid</b> (UNII: 935E97BOY8)	
<b>Chrysin</b> (UNII: 3CN01F5ZJ5)	
<b>CARNITINE HYDROCHLORIDE, (+)-</b> (UNII: 11X758JML9)	
<b>Biotin</b> (UNII: 6SO6U10H04)	

<b>Ascorbic Acid</b> (UNII: PQ6CK8PD0R)	
<b>Palmitoyl Tetrapeptide-7</b> (UNII: Q41S464P1R)	
<b>CHLORHEXIDINE</b> (UNII: R4KO0DY52L)	
<b>BROWN IRON OXIDE</b> (UNII: 1N032N7MFO)	
<b>MICA</b> (UNII: V8A1AW0880)	

### Product Characteristics

<b>Color</b>	brown (TAN)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69259-3935-1	32 mL in 1 TUBE; Type 0: Not a Combination Product	03/06/2018	
2	NDC:69259-3935-2	12 mL in 1 TUBE; Type 0: Not a Combination Product	03/06/2018	
3	NDC:69259-3935-3	4 mL in 1 TUBE; Type 0: Not a Combination Product	03/06/2018	
4	NDC:69259-3935-4	75 mL in 1 TUBE; Type 0: Not a Combination Product	03/06/2018	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	03/06/2018	

## YOUR SKIN BUT BETTER CC ILLUMINATION RICH

titanium dioxide and zinc oxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69259-3942
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	9.0 g in 100 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	6.3 g in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>MAGNESIUM SULFATE ANHYDROUS</b> (UNII: ML30MJ2U7I)	
<b>Polyglyceryl-4 Isostearate</b> (UNII: 820DPX33S7)	
<b>Aluminum Hydroxide</b> (UNII: 5QB0T2IUN0)	
<b>Hexyl Laurate</b> (UNII: 4CG9F9W01Q)	
<b>Stearic Acid</b> (UNII: 4ELV7Z65AP)	
<b>Calcium Stearate</b> (UNII: 776XM7047L)	
<b>Caprylyl Glycol</b> (UNII: 00YIU5438U)	
<b>Triethoxycaprylylsilane</b> (UNII: LDC331P08E)	
<b>Ethylhexylglycerin</b> (UNII: 147D247K3P)	
<b>Sorbitan Isostearate</b> (UNII: 01S2G2C1E4)	
<b>Phenoxyethanol</b> (UNII: HIE492ZZ3T)	
<b>1,2-Hexanediol</b> (UNII: TR046Y3K1G)	
<b>MAGNESIUM DISODIUM EDTA</b> (UNII: NDT563S5VZ)	
<b>LIME OIL</b> (UNII: UZH29XGA8G)	
<b>GRAPE SEED OIL</b> (UNII: 930MLC8XGG)	
<b>Punica Granatum Seed Oil</b> (UNII: 0UI45XV0T6)	
<b>AVOCADO OIL</b> (UNII: 6VNO72PFC1)	
<b>Niacinamide</b> (UNII: 25X51I8RD4)	
<b>WHITE PINE OIL</b> (UNII: HA5CX6676U)	
<b>GRAPEFRUIT OIL</b> (UNII: YR377U58W9)	
<b>Cholesterol</b> (UNII: 97C5T2UQ7J)	
<b>Glycerin</b> (UNII: PDC6A3C0OX)	
<b>EUCALYPTUS OIL</b> (UNII: 2R04ONI662)	
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)	
<b>SOYBEAN OIL</b> (UNII: 241ATL177A)	
<b>Pentafluoropropane</b> (UNII: TA9UOF49CY)	
<b>TURMERIC</b> (UNII: 856YO1Z64F)	
<b>Steareth-20</b> (UNII: L0Q8IK9E08)	
<b>SILK, BASE HYDROLYZED (1000 MW)</b> (UNII: UMQ31C11AY)	
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)	
<b>OATMEAL</b> (UNII: 8PI54V663Y)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>Sodium Benzoate</b> (UNII: OJ245FE5EU)	
<b>Potassium Sorbate</b> (UNII: 1VPU26JZZ4)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>N-Hydroxysuccinimide</b> (UNII: MJE3791M4T)	
<b>HYDROLYSED MARINE COLLAGEN (ENZYMATIC; 2000 MW)</b> (UNII: 2WD9OCG7P)	
<b>Caprylhydroxamic Acid</b> (UNII: UPY805K99W)	
<b>Tocopherol</b> (UNII: R0ZB2556P8)	
<b>THIAMINE HYDROCHLORIDE</b> (UNII: M572600E5P)	
<b>Riboflavin</b> (UNII: TLM2976OFR)	
<b>RETINOL</b> (UNII: G2SH0XKK91)	
<b>Pantothenic Acid</b> (UNII: 19F5HK2737)	
<b>PALMITOYL TRIPEPTIDE-1</b> (UNII: RV743D216M)	



<b>Niacin</b> (UNII: 2679MF687A)	
<b>Folic Acid</b> (UNII: 935E97BOY8)	
<b>Chrysin</b> (UNII: 3CN01F5ZJ5)	
<b>CARNITINE HYDROCHLORIDE, (+)-</b> (UNII: 11X758JML9)	
<b>Biotin</b> (UNII: 6SO6U10H04)	
<b>Ascorbic Acid</b> (UNII: PQ6CK8PD0R)	
<b>Palmitoyl Tetrapeptide-7</b> (UNII: Q41S464P1R)	
<b>CHLORHEXIDINE</b> (UNII: R4KO0DY52L)	
<b>BROWN IRON OXIDE</b> (UNII: 1N032N7MFO)	
<b>MICA</b> (UNII: V8A1AW0880)	

### Product Characteristics

<b>Color</b>	brown (RICH)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69259-3942-1	32 mL in 1 TUBE; Type 0: Not a Combination Product	03/06/2018	
2	NDC:69259-3942-2	12 mL in 1 TUBE; Type 0: Not a Combination Product	03/06/2018	
3	NDC:69259-3942-3	4 mL in 1 TUBE; Type 0: Not a Combination Product	03/06/2018	
4	NDC:69259-3942-4	75 mL in 1 TUBE; Type 0: Not a Combination Product	03/06/2018	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	03/06/2018	

**Labeler** - IT COSMETICS, LLC (962591793)

Revised: 1/2022

IT COSMETICS, LLC