

**TYLENOL COLD PLUS FLU PLUS CHEST CONGESTION- acetaminophen,  
guaifenesin tablet, film coated  
Kenvue Brands LLC**

-----  
Drug Facts

**Active ingredients (in each caplet)**

Acetaminophen 325 mg

Guaifenesin 200 mg

**Purpose**

Pain reliever/fever reducer

Expectorant

**Uses**

- temporarily relieves these common cold/flu symptoms:
- minor aches and pains ■ headache ■ sore throat
- helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive
- temporarily reduces fever

**Warnings**

Warnings

**Liver warning:**

This product contains acetaminophen. Severe liver damage may occur if you take ■ more than 4,000 mg of acetaminophen in 24 hours ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product

**Allergy alert**

acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning**

If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

## Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

## Ask a doctor before use if you have

- liver disease
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema
- cough that occurs with too much phlegm (mucus)

**Ask a doctor or pharmacist before use if you are** taking the blood thinning drug warfarin

## When using this product do not exceed recommended dose

### Stop use and ask a doctor if

- pain or cough gets worse or lasts more than 7 days
  - fever gets worse or lasts more than 3 days
  - redness or swelling is present ■ new symptoms occur
  - cough comes back or occurs with rash or headache that lasts
- These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

## Overdose warning

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

## Directions

**■ do not take more than directed (see overdose warning)**

---

Adults and children	■ take 2 caplets every 4 hours while symptoms last
12 years and over:	■ do not take more than 10 caplets in 24 hours
Children under 12 years:	■ ask a doctor

---

## Other information

- **each caplet contains:** sodium 3 mg
- store between 20-25°C (68-77°F)
- **do not use if blister unit is torn or broken**

## **Inactive ingredients**

croscarmellose sodium, flavor, hydroxypropyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, pregelatinized starch, titanium dioxide, triacetin

## **Questions or comments?**

call **1-877-895-3665** (toll-free) or **215-273-8755** (collect).

## **PRINCIPAL DISPLAY PANEL**

### **NEW**

NDC 50580-584-24

### **TYLENOL<sup>®</sup>**

FOR ADULTS

**COLD + FLU +**

**CHEST CONGESTION**

**Acetaminophen**, Guaifenesin  
Pain Reliever-Fever Reducer, Expectorant

- HEADACHE + BODY ACHES
- FEVER
- SORE THROAT
- MUCUS + CHEST CONGESTION

COOL COATED

Actual Size

**24 CAPLETS**



# TYLENOL COLD PLUS FLU PLUS CHEST CONGESTION

acetaminophen, guaifenesin tablet, film coated

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50580-584
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)		GUAIFENESIN	200 mg
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)		ACETAMINOPHEN	325 mg

Inactive Ingredients		
Ingredient Name		Strength
HYPROMELLOSES (UNII: 3NXW29V3WO)		
MAGNESIUM STEARATE (UNII: 70097M6130)		

<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>TRIACETIN</b> (UNII: XHX3C3X673)	
<b>HYDROXYPROPYL CELLULOSE, UNSPECIFIED</b> (UNII: 9XZ8H6N6OH)	
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	19mm
<b>Flavor</b>		<b>Imprint Code</b>	TYLENOL;1488
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50580-584-50	2500 in 1 CASE	06/01/2027	
1		2 in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:50580-584-10	50 in 1 CARTON	06/01/2027	
2		2 in 1 POUCH; Type 0: Not a Combination Product		
3	NDC:50580-584-24	2 in 1 CARTON	03/06/2026	
3		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	03/06/2026	

**Labeler** - Kenvue Brands LLC (118772437)