

MAGNESIUM CITRATE- magnesium citrate solution
Farmacias De Similares TX LLC

Dr. Simi - Magnesium Citrate - Oral Solution - Lemon Flavor

Drug Facts

Active ingredient (in each fl oz)

Magnesium citrate 1.745 g

Purpose

Saline laxative

Uses

- For relief of occasional constipation (irregularity).
- Generally produces bowel movement in ½ to 6 hours

Warnings

.

Ask a doctor before use if you have

- Kidney disease
- A magnesium restricted diet
- Abdominal pain, nausea, or vomiting
- Noticed a sudden change in bowel habits that persists over a period of 2 weeks
- Already used a laxative for a period longer than 1 week

Ask a doctor or pharmacist before use if you are

- Taking any other drug.
- Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use and ask a doctor if

you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Store at temperatures between 46 and 86 °F (8 and 30 °C).

Directions

- Shake well before using
- Drink a full glass (8 ounces) of liquid with each dose
- May be taken as a single daily dose or in divided doses

Adults and children 12 years of age and over	6.5 to 10 fl oz maximum 10 fl oz in 24 hours
Children 6 to under 12 years of age	3 to 7 fl oz maximum 7 fl oz in 24 hours
Children 2 to under 6 years of age	2 to 3 fl oz maximum 3 fl oz in 24 hours
Children under 2 years of age	Ask a doctor

Other information

- Each fl oz contains: magnesium 290 mg
- Each fl oz contains: sodium 1 mg

Inactive ingredients

Benzoic acid, citric acid, disodium EDTA, flavor, sucralose, water

Questions or comments?

(855)-280-1079

Principal Display Panel

NDC 85786-503-10

DR. SIMI

Magnesium Citrate

Saline Laxative

Oral Solution

- Sugar Free
- For relief of occasional constipation

Lemon Flavor
Alcohol Content 0.025% (from flavoring)


10 fl oz (296 mL)

DO NOT USE IF TAMPER EVIDENT TWIST-OFF CAP IS MISSING, BROKEN, OR SEPARATED FROM NECKRING

Distributed by:
FARMACIAS DE SIMILARES TX LLC.
800 Brazos St Ste 260, Austin, TX, 78701, USA
customerservice@drsimi.com
www.drsimi.com

Immediate container labeling

NDC 85786-503-10



Magnesium Citrate

Saline Laxative

Oral Solution

- Sugar Free
- For relief of occasional constipation

Drug Facts

Active ingredient (in each fl oz) **Purpose**
Magnesium citrate 1.745 gSaline laxative

Uses ■ For relief of occasional constipation (irregularity).
■ Generally produces bowel movement in ½ to 6 hours

Warnings
Ask a doctor before use if you have
■ Kidney disease ■ A magnesium restricted diet
■ Abdominal pain, nausea, or vomiting
■ Noticed a sudden change in bowel habits that persists over a period of 2 weeks
■ Already used a laxative for a period longer than 1 week
Ask a doctor or pharmacist before use if you are
■ Taking any other drug.
■ Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.
Stop use and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.
If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.
Store at temperatures between 46 and 86 °F (8 and 30 °C).

Drug Facts (continued)

Directions ■ Shake well before using ■ Drink a full glass (8 ounces) of liquid with each dose ■ May be taken as a single daily dose or in divided doses


Adults and children 12 years of age and over	6.5 to 10 fl oz maximum 10 fl oz in 24 hours
Children 6 to under 12 years of age	3 to 7 fl oz maximum 7 fl oz in 24 hours
Children 2 to under 6 years of age	2 to 3 fl oz maximum 3 fl oz in 24 hours
Children under 2 years of age	Ask a doctor

Other information
■ Each fl oz contains: magnesium 290 mg
■ Each fl oz contains: sodium 1 mg

Inactive ingredients Benzoic acid, citric acid, disodium EDTA, flavor, sucralose, water

Questions or comments? (855)-280-1079

Distributed by:
FARMACIAS DE SIMILARES TX LLC.
800 Brazos St Ste 260, Austin, TX, 78701, USA
customerservice@drsimi.com
www.drsimi.com



1 99961 00009 6

DO NOT USE IF TAMPER EVIDENT TWIST-OFF CAP IS MISSING, BROKEN, OR SEPARATED FROM NECKRING

UNVARNISH AREA FOR LOTE AND PRODUCTION DATE

MAGNESIUM CITRATE		
magnesium citrate solution		
Product Information		
Product Type	HUMAN OTC DRUG	Item Code (Source) NDC:85786-503
Route of Administration	ORAL	
Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
MAGNESIUM CITRATE (UNII: RHO26O1T9V) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM CITRATE	1.745 g in 29.6 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	LEMON	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85786-503-10	296 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	04/01/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	04/01/2026	

Labeler - Farmacias De Similares TX LLC (119489934)

Establishment

Name	Address	ID/FEI	Business Operations
Pharma Nobis, LLC		118564114	label(85786-503) , pack(85786-503) , analysis(85786-503) , manufacture(85786-503)

Revised: 4/2026

Farmacias De Similares TX LLC