# LIDOCAINE- burn relief aerosol, spray SELECT BRAND DISTRIBUTORS

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

# **Select Brand Burn Relief Spray**

# **Active Ingredients**

Lidocaine 0.5%

#### **Purpose**

External analgesic

#### Uses

for the temporary relief of pain and itching associated with:

- sunburn
- minor burns
- minor cuts
- scrapes
- insect bites
- minor skin irritations

#### **Warnings**

## For external use only.

#### Flammable:

Do not use while smoking or near heat or flame. Do not puncture or incinerate. Contents under pressure. Do not store at temperature above 120°F

#### Do not use

in large quantities, particularly over raw surfaces or blistered areas.

#### When using this product

- do not get into eyes
- ask a doctor before using on children under 2 years of age

#### Stop use and ask a doctor if

- condition gets worse
- symptoms last more than 7 days or clears up and occurs again in a few days

# Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

shake can well

- for adults and children 2 years and older, apply to affected area not more than 3 to 4 times daily
- for children under 2 years of age, ask a doctor
- to apply to face spray in palm of hand and gently apply

# Other information

store between 20° and 25°C (68° and 77°F)

## **Inactive ingredients**

aloe barbadensis gel, butane, carbomer, diazolidinyl urea, disodium cocoamphodipropionate, disodium EDTA, glycerine, methylparaben, propane, propylene glycol, propylparaben, tocopheryl acetate (vitamin E acetate), triethanolamine, simethicone, water

# Questions?

Call 1-888-423-0139

Principal Display Panel Select Brand Burn Relief ALOE EXTRA

**Spray** 

Pain Relief Spray with ILidocaine
PAIN RELIEF
Cooling, Moisturizing Itch Relief

**NET WT 4.5 OZ (127 g)**[]



Purpose .External analgesic

**Uses** for temporary relief of pain and itching associated with:
■ sunburn ■ minor burns ■ minor cuts minor cuts
 minor skin irritations

Flammable: Use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal. Do not use while smoking or near heat or flame. Do not puncture or incinerate. Contents under pressure. Do not store at temperature above 120°F.

Do not use in large quantities, particularly over raw surfaces or blistered areas

Stop use and ask a doctor if ■ condition gets worse ■ symptoms last more than 7 days or clear up and occur again in a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

and children 2 years and older, apply to affected area not more than 3 to 4 times daily under 2 years of age ask a doctor. Directions ■ shake can well under 2 years of age, ask a doctor ■ to age face spray in palm of hand and gently apply to apply to

■ store between 20° to 25°C (68° to 77°F)

Inactive ingredients aloe barbadensis gel butane, carbomer, diazolidinyl urea, disodium cocoamphodipropionate, disodium EDTA, glycerin methylparaben, propane, propylene glycol propylparaben, tocopheryl acetate (vitamin E acetate), triethanolamine, simethicone, water

Questions? Call 1-866-964-0939



#### **LIDOCAINE**

burn relief aerosol, spray

#### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:15127-090

Route of Administration TOPICAL

# **Active Ingredient/Active Moiety**

**Basis of Strength** Strength **Ingredient Name** LIDO CAINE (UNII: 98 PI200987) (LIDO CAINE - UNII: 98 PI200987) LIDOCAINE 0.64 g in 127 g

Inactive Ingredients			
Ingredient Name	Strength		
ALOE VERA LEAF (UNII: ZY8 1Z8 3H0 X)			
BUTANE (UNII: 6LV4FOR43R)			
CARBOMER 940 (UNII: 4Q93RCW27E)			
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)			
DISODIUM CO CO AMPHO DIPRO PIO NATE (UNII: 6 K8 PRP39 7M)			
EDETATE DISO DIUM (UNII: 7FLD9 1C86K)			
GLYCERIN (UNII: PDC6A3C0OX)			
METHYLPARABEN (UNII: A2I8C7HI9T)			
PROPANE (UNII: T75W9911L6)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			

PROPYLPARABEN (UNII: Z8IX2SC1OH)			
.ALPHATO COPHEROL ACETATE (UNII: 9E8X80D2L0)			
TROLAMINE (UNII: 9O3K93S3TK)			
WATER (UNII: 059QF0KO0R)			

Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:15127-090-45	127 g in 1 CAN; Type 0: Not a Combination Product	12/26/2017	12/31/2020		

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph not final	part348	12/26/2017	12/31/2020		

# Labeler - SELECT BRAND DISTRIBUTORS (012578514)

Revised: 12/2019 SELECT BRAND DISTRIBUTORS