

PLANTAR PAIN RELIEF PATCH- lidocaine and menthol patch
Guangzhou Sumi Technology Innovation Co., Ltd

Sumi-Plantar Pain Relief Patch

Active Ingredient

Lidocaine 4% Purpose: Topical anesthetic

Menthol 1% Purpose: Topical analgesic

Purposes

Topical anesthetic (Lidocaine)

Topical analgesic (Menthol)

Uses

For the temporary relief of minor aches and pains (associated with plantar fasciitis, arch pain, heel pain).

Warnings

For external use only

Do not use:

- more than 1 patch on your body at a time or with other topical anesthetics at the same time
- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- If you are allergic to any ingredients of this product

When using this product:

- use only as directed
- avoid contact with the eyes, mucous membranes or rashes
- do not bandage tightly
- dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

Stop use and ask a doctor if:

- localized skin reactions occur, such as rash, itching, redness, irritation, pain, swelling and blistering

- condition worsen
- symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days

If pregnant or breast-feeding,

Ask a health professional before use

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

Adult and Children above 12 years old:

- Clean and dry the affected area
- Tear off the protective film and apply the exposed part of the patch to the affected area.
- Carefully remove remaining film while pressing the patch firmly on the skin.
- Apply 1 patch at a time to affected area, not more than 3 to 4 times daily.
- Remove patch from the skin after at most 8-hour application

Children under age of 12: Consult a doctor

Other Information

- Store at 20°C to 25°C (68°F - 77°F)
- Store in a cool dry place away from direct sunlight

Inactive Ingredients

Dihydroxyaluminium Aminoacetate, Edetate Disodium, Glycerin, Hydroxyacetophenone, Kaolin, L(+)-Tartaric Acid, Mineral oil, Polysorbate 80, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylene Glycol, Sodium Polyacrylate, Titanium Dioxide, Water.

Questions or Comments

supports@povihomeofficial.com

Package label. Principal display panel

Povihome®
The more attention to health

CUT OPEN HERE

Child Resistant Packaging (Before Opening)

Maximum OTC Strength

PLANTAR

PAIN RELIEF PATCH

Relieves pain associated with:

3 FOOT PAINS

- Arch Pain
- Ball of Foot Pain
- Heel Pain

- ✓ Fast-Acting
- ✓ Numbing & Cooling
- ✓ Targeted Relief
- ✓ Stay-Put Flexible Fabric



1 PATCHES
2.52" X 4.02"
6.4cm X 10.2cm

LIDOCAINE 4%
Menthol 1%

Usage



Remove patch from outer package



Partially peel back protective film



Place on affected area



Remove remaining film while pressing patch to skin

Drug Facts

Active ingredient **Purpose**
Lidocaine 4% Topical anesthetic
Menthol 1% Topical analgesic

Uses

For the temporary relief of minor aches and pains (associated with plantar fasciitis, arch pain, heel pain).

Warnings

For external use only

Do not use

- more than 1 patch on your body at a time or with other topical anesthetics at the same time
- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or rashes
- do not bandage tightly
- dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

Stop use and ask a doctor if

- localized skin reactions occur, such as rash, itching, redness, irritation, pain, swelling and blistering
- condition worsens
- symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days

If pregnant or breast-feeding,
ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.
If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions

Adults and Children above 12 years old:

- Clean and dry the affected area.
- Tear off the protective film and apply the exposed part of the patch to the affected area.
- Carefully remove remaining film while pressing the patch firmly on the skin.
- Apply 1 patch at a time to affected area, not more than 3 to 4 times daily.
- Remove patch from the skin after at most 8-hour application

Children under age of 12: Consult a doctor

Other Information

- Store at 20°C to 25°C (68°F - 77°F)
- Store in a cool dry place away from direct sunlight

Inactive ingredients

Dihydroxyaluminum Aminoacetate, Edetate Disodium, Glycerin, Hydroxyacetophenone, Kaolin, L(+)-Tartaric Acid, Mineral oil, Polysorbate 80, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylene Glycol, Sodium Polyacrylate, Titanium Dioxide, Water.

Questions or Comments:

support@povihomeofficial.com

Child Resistant Packaging



PLANTAR
PAIN RELIEF PATCH

www.povihomeofficial.com

Povihome®
The more attention to health

Maximum OTC Strength

PLANTAR

PAIN RELIEF PATCH

Relieves pain associated with:

- 3 FOOT PAINS**
- Arch Pain
 - Ball of Foot Pain
 - Heel Pain

- ✓ Fast-Acting
- ✓ Numbing & Cooling
- ✓ Targeted Relief
- ✓ Stay-Put Flexible Fabric



15 PATCHES
2.52" X 4.02"
6.4cm X 10.2cm

LIDOCAINE 4%
Menthol 1%

Guangzhou Sumi Technology Innovation Co., Ltd
509, Building A, No. 8 Dongheng 3rd Road,
Zhucun, Tianhe District Guangzhou, Guangdong, 510000 China

Made in PRC

Usage



Remove patch from outer package



Partially peel back protective film



Place on affected area



Remove remaining film while pressing patch to skin

The more attention to health
Povihome®

Drug Facts

Active ingredient	Purpose
Lidocaine 4%	Topical anesthetic
Menthol 1%	Topical analgesic

Uses

For the temporary relief of minor aches and pains (associated with plantar fasciitis, arch pain, heel pain).

Warnings

For external use only

Do not use

- more than 1 patch on your body at a time or with other topical anesthetics at the same time
- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or lotions
- if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or nares
- do not bandage tightly

• dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

Stop use and ask a doctor if

- localized skin reactions occur, such as rash, itching, redness, irritation, pain, swelling and blistering
- condition worsens
- symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days

If pregnant or breast-feeding, ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.
If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions

- Adults and Children above 12 years old:**
- Clean and dry the affected area.
 - Tear off the protective film and apply the exposed part of the patch to the affected area.
 - Carefully remove remaining film while pressing the patch firmly on the skin.
 - Apply 1 patch at a time to affected area, not more than 3 to 4 times daily.
 - Remove patch from the skin after at most 8-hour application.
- Children under age of 12:** Consult a doctor

Other Information

- Store at 20°C to 25°C (68°F - 77°F)
- Store in a cool dry place away from direct sunlight

Inactive Ingredients

Dihydroxyaluminum Aminoacetate, Edetate Disodium, Glycerin, Hydroxyethylphenone, Isobutyl, L-Ascorbic Acid, Mineral oil, Polyacrylate 90, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylene Glycol, Sodium Polyacrylate, Titanium Dioxide, Water.

Questions or Comments:

support@povihomeofficial.com

Child Resistant Packaging



6 92249 422614



PLANTAR PAIN RELIEF PATCH

lidocaine and menthol patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:87518-174
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	0.01 g in 1 g
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.04 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
TARTARIC ACID (UNII: W4888I119H)	
WATER (UNII: 059QF0KO0R)	
DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)	
SODIUM POLYACRYLATE (250000 MW) (UNII: 05I15JN12J)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
MINERAL OIL (UNII: T5L8T28FGP)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
KAOLIN (UNII: 24H4NWX5CO)	
GLYCERIN (UNII: PDC6A3C0OX)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
POVIDONE K90 (UNII: RDH86HJV5Z)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87518-174-15	15 in 1 BOX	03/30/2026	
1		1 in 1 BAG		
1	NDC:87518-174-01	6 g in 1 PATCH; Type 0: Not a Combination Product		
2	NDC:87518-174-30	30 in 1 BOX	03/30/2026	
2		1 in 1 BAG		
2	NDC:87518-174-01	6 g in 1 PATCH; Type 0: Not a Combination Product		
3	NDC:87518-174-45	45 in 1 BOX	03/30/2026	
3		1 in 1 BAG		
3	NDC:87518-174-01	6 g in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	03/30/2026	

Labeler - Guangzhou Sumi Technology Innovation Co., Ltd (518555082)

Registrant - Guangzhou Sumi Technology Innovation Co., Ltd (518555082)

Revised: 4/2026

Guangzhou Sumi Technology Innovation Co., Ltd