

TAGOQHIA MINOXIDIL HAIR THICKENING SERUM- minoxidil liquid
Guangzhou Borderless Technology Co., Ltd.

85304-030 TAGOQHIA Minoxidil Hair Thickening Serum

Minoxidil 5%
Biotin 0.2%

Hair Regrowth

Use to promote hair regrowth on the scalp, with targeted spot care.

For external use only.

Keep out of reach of children.

You have no family history of hair loss.

Your hair loss is sudden and/or patchy.

Your hair loss is associated with childbirth.

You do not know the reason for your hair loss.

You are under 18 years of age. Do not use on babies and children.

Your scalp is red, inflamed, infected, irritated, or painful.

You use other medicines on the scalp

Avoid contact with eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water.

Chest pain, rapid heartbeat, faintness, or dizziness occurs.

Sudden, unexplained weight gain occurs.

Scalp irritation or redness occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Keep out of reach of children.

Turn the top switch to OPEN, apply 1 ml of minoxidil serum directly to the scalp in hair loss areas. Its metal roll-on design allows for precise targeted care.

Use the roll-on applicator to massage the solution into skin/hair for 1 minute.

Use once daily on clean, dry hair for best results.

Butylene Glycol

Glycerin

Alcohol

Panthenol

Water

Drug Facts

Active Ingredient Purpose
Minoxidil 5% w/w Hair Regrowth
Biotin 0.2% w/w

Use to promote hair regrowth on the scalp, with targeted spot care.

Warnings
For external use only.
Keep out of reach of children.

Do not use if

- You have no family history of hair loss.
- Your hair loss is sudden and/or patchy.
- Your hair loss is associated with childbirth.
- You do not know the reason for your hair loss.
- You are under 18 years of age. Do not use on babies and children.
- Your scalp is red, inflamed, infected, irritated, or painful.
- You use other medicines on the scalp.

When Using
Avoid contact with eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water.

Stop Use And Ask A Doctor

- Chest pain, rapid heartbeat, faintness, or dizziness occurs.
- Sudden, unexplained weight gain occurs.
- Scalp irritation or redness occurs.
- Keep out of reach of children.
- If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- Turn the top switch to OPEN, apply 1 ml of minoxidil serum directly to the scalp in hair loss areas. Its metal roll-on design allows for precise targeted care.
- Use the roll-on applicator to massage the solution into skin/hair for 1 minute.
- Use once daily on clean, dry hair for best results.

Other information
Before use, read all information on carton and enclosed leaflet.
Store at controlled room temperature 10° to 30°C (50° to 86°F).
Do not incinerate container. Do not expose to heat or store at temperature above 104°F (40°C).

Inactive ingredients
Butylene glycol, Glycerin, Alcohol, Panthenol, Water

Questions?
Support@TagoQHIA.com

Distributor
Guangzhou Borderless Technology Co., Ltd.

Address
Room 2665, 2nd Floor, Building 1, No. 2, Tiantougang 2nd Road, Xintang, Tianhe District, Guangzhou

TAGOQHIA®



Minoxidil Topical Solution 5% Minoxidil with Biotin

For Men and Women

-  Pinpoint Spot Correction
-  Fast & Non-Irritating
-  Unscented







**USE ONCE DAILY
5x18ML BOTTLES
TOTAL 3 fl oz**

3 Use once daily on clean, dry hair for best results.

2 Use the roll-on applicator to massage the solution into skin/hair for 1 minute.

Directions
1. Turn the top switch to OPEN, apply 1 ml of minoxidil serum directly to the scalp in hair loss areas. Its metal roll-on design allows for precise targeted care.

TAGOQHIA MINOXIDIL HAIR THICKENING SERUM

minoxidil liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85304-030
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	5 g in 100 mL
BIOTIN (UNII: 6S06U10H04) (BIOTIN - UNII:6S06U10H04)	BIOTIN	0.2 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C00X)	
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	
PANTHENOL (UNII: WW9CM0067Z)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85304-030-01	5 in 1 PACKAGE	04/03/2026	
1		18 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	04/03/2026	

Labeler - Guangzhou Borderless Technology Co., Ltd. (452282332)

Establishment

Name	Address	ID/FEI	Business Operations
Guangzhou Borderless Technology Co., Ltd.		452282332	manufacture(85304-030)

Revised: 4/2026

Guangzhou Borderless Technology Co., Ltd.