

**POLYETHYLENE GLYCOL 3350- polyethylene glycol 3350 powder, for solution  
Cardinal Health 107, LLC**

-----  
**Major 44-726**

***Active ingredient (in each dose)***

Polyethylene Glycol 3350, 17 g

***Purpose***

Osmotic Laxative

***Use***

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 1 to 3 days

***Warnings***

**Allergy alert:** Do not use if you are allergic to polyethylene glycol

**Do not use**

if you have kidney disease, except under the advice and supervision of a doctor

**Ask a doctor before use if you have**

- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome

**Ask a doctor or pharmacist before use if you are**

taking a prescription drug

**When using this product**

you may have loose, watery, more frequent stools

**Stop use and ask a doctor if**

- you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.
- you need to use a laxative for longer than 1 week
- you get diarrhea

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

***Directions***

- **do not take more than directed unless advised by your doctor**
- adults and children 17 years of age and older:
  - stir and dissolve one packet of powder (17 g) in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
  - use once a day
  - use no more than 7 days
- children 16 years of age or under: ask a doctor

***Other information***

- store at 20° to 25°C (68° to 77°F)
- tamper-evident: do not use if foil is open or broken

***Inactive ingredients***

none

***Questions or comments?***

**(800) 616-2471**

**Distributed By:**

**Cardinal Health**

Dublin, OH 43017

L56118351223

**Principal Display Panel**

PEG3350

Polyethylene Glycol 3350

Powder for Oral Solution, Osmotic Laxative

5 – Packets Net Wt. 0.5 OZ (17 g) Each



U120

NDC 55154-8091-5

**PEG3350**

**Polyethylene Glycol 3350**

**Powder for Oral Solution, Osmotic Laxative**

**5-Packets NET WT 0.5 OZ (17 g) EACH**

Compare to MiraLAX® active ingredient\*

**Once-Daily Doses**

- Relieves Occasional Constipation (Irregularity)
- Softens Stool
- Dissolves in Any Beverage
- Sugar Free
- Unflavored

**Drug Facts**

Active ingredient (in each dose)

Polyethylene Glycol 3350, 17 g

Purpose

Osmotic Laxative

Inactive ingredients none

**Use**

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 1 to 3 days

**Directions**

- do not take more than directed unless advised by your doctor
- adults and children 17 years of age and older:
  - use once a day
  - stir and dissolve one packet of powder (17 g) in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
  - do not combine with starch-based thickeners used for difficulty swallowing
  - ensure that the powder is fully dissolved before drinking
  - do not drink if there are any clumps
  - do not use more than 7 days
  - children 16 years of age or under: ask a doctor

**Other information**

- **STORAGE:** store at 20° - 25°C (68° - 77° F)
- tamper-evident: do not use if foil is open or broken

**WARNING:** This Unit Dose package is not child resistant and is Intended for Institutional Use Only.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Distributed by MAJOR® PHARMACEUTICALS

Indianapolis, IN 46268

www.majorpharmaceuticals.com

Product of India

\*This product is not manufactured or distributed by

Bayer HealthCare LLC,

owner of the registered trademark MiraLAX®.

Questions or comments? 1-800-616-2471

KR/DRUGS/KTK/25/415/98

Distributed by Cardinal Health

Dublin, OH 43017

L56118351223

Lot:                      Exp:

**POLYETHYLENE GLYCOL 3350**

polyethylene glycol 3350 powder, for solution

**Product Information**

**Product Type**

HUMAN OTC DRUG

**Item Code (Source)**

NDC:55154-8091(NDC:0904-6931)

**Route of Administration** ORAL

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>POLYETHYLENE GLYCOL 3350</b> (UNII: G2M7P15E5P) (POLYETHYLENE GLYCOL 3350 - UNII:G2M7P15E5P)	POLYETHYLENE GLYCOL 3350	17 g in 17 g

**Product Characteristics**

<b>Color</b>	WHITE (colorless upon dissolution)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55154-8091-5	5 in 1 BAG	06/30/2019	
1		17 g in 1 POUCH; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA203928	06/30/2019	

**Labeler** - Cardinal Health 107, LLC (118546603)

Revised: 2/2024

Cardinal Health 107, LLC