

**STOOL SOFTENER EXTRA STRENGTH- docusate sodium capsule, liquid filled
P & L Development, LLC**

Drug Facts

Active ingredient (in each softgel)

Docusate sodium 250 mg

Purpose

Stool softener laxative

Uses

- relieves occasional constipation
- this product generally produces a bowel movement within 12 to 72 hours

Warnings

Do not use

if you are presently taking mineral oil, unless directed by a doctor.

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that last over 2 weeks

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 12 years of age and over: take 1 softgel daily or as directed by a doctor
- children under 12 years of age: ask a doctor

Other information

- **each softgel contains:** sodium 13 mg
- store between 20-25°C(68-77°F); excursions permitted between 15-30°C (59-86°F)

Inactive Ingredients

anhydrous citric acid, FD&C red #40, FD&C yellow #6, gelatin, glycerin, isopropyl alcohol, lecithin, mannitol, mineral oil, polyethylene glycol, propylene glycol, purified water, sorbitan, sorbitol, white ink

Questions or comments?

Call **1-877-753-3935** Monday- Friday 9AM-5PM EST

Principal Display Panel

extra strength

stool softener

docusate sodium 250 mg

stool softener laxative

- Stimulant-free
- relief of constipation

softgels

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS
BROKEN OR MISSING.**

Distributed by: PL Developments


200 Hicks Street, Westbury, NY 11590

Product Label



TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

Drug Facts
Purpose Docusate sodium 250 mg.....Stool softener laxative
Active ingredient (in each softgel) Docusate sodium 250 mg.....Stool softener laxative
Uses <ul style="list-style-type: none"> relieves occasional constipation (irregularity) this product generally produces a bowel movement within 12 to 72 hours
Warnings <p>Do not use if you are presently taking mineral oil, unless directed by a doctor.</p> <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> stomach pain nausea vomiting <p>noticed a sudden change in bowel habits that lasts over 2 weeks</p> <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition. you need to use a laxative for more than 1 week <p>If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</p>
Directions <ul style="list-style-type: none"> adults and children 12 years of age and over: take 1 softgel daily or as directed by a doctor children under 12 years of age: ask a doctor
Other information <ul style="list-style-type: none"> each softgel contains sodium 13 mg store between 20°-25° C (68°-77°F); excursions permitted between 15°-30°C (59°-86°F)
Inactive ingredients anhydrous citric acid, FD&C red #40, FD&C yellow #6, gelatin, glycerin, isopropyl alcohol, lecithin, mannitol, mineral oil, polyethylene glycol, propylene glycol, purified water, sorbitan, sorbitol, white ink
Questions or comments? Call 1-877-763-3635 Monday-Friday 9AM-5PM EST



Exp. Date:

Distributed by: **PL Developments**
200 Hicks Street, Westbury, NY 11590



PLD-A177A Lot No.:
LB006579

WELLNESS BASICS Extra Strength Stool Softener

STOOL SOFTENER EXTRA STRENGTH

docusate sodium capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59726-058
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	250 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
MANNITOL (UNII: 3OWL53L36A)	
MINERAL OIL (UNII: T5L8T28FGP)	
SORBITAN (UNII: 6O92ICV9RU)	

Product Characteristics

Color	orange	Score	no score
Shape	CAPSULE	Size	20mm
Flavor		Imprint Code	P4
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59726-058-25	250 in 1 BOTTLE; Type 0: Not a Combination Product	06/25/2021	12/31/2026

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	06/25/2021	12/31/2026

Labeler - P & L Development, LLC (800014821)

Revised: 8/2025

P & L Development, LLC