

**PROPYLENE GLYCOL- propylene glycol liquid  
MWI/Vet One**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**Propylene Glycol**

Oral

**Ketosis Treatment for Dairy Cattle**

For veterinary use only.

Keep out of reach of children.

**ACTIVE INGREDIENT:**

100% Propylene Glycol, U.S.P.

**INDICATIONS:**

For use in the treatment and prevention of bovine ketosis (acetonemia).

**DOSAGE:**

In dairy cattle, administer 6-16 ounces per head, per day for 10 days. Severe cases of ketosis may require larger doses. Before administering Propylene Glycol to cows suffering from milk fever, mastitis, or metritis, consult a veterinarian.

**PREVENTION:**

In dairy cattle, administer 6-8 fluid ounces per head, per day beginning 2 weeks before calving and continuing 6 weeks after calving.

Consult a veterinarian if condition does not respond.

**STORAGE:**

Store at controlled room temperature between 15°-30°C (59°-86°F). Keep container tightly closed when not in use.



**Net Contents:**

1 Gallon (3.785 L) **V1** 606028

Distributed by: MWI  
Boise, ID 83705  
(888) 694-8381  
www.VetOne.net  
Rev. 04/14



NDC 13985-599-01

1 Gallon



# Propylene Glycol

Oral

**ACTIVE INGREDIENT:** 100% Propylene Glycol, U.S.P.

**INDICATIONS:** For use in the treatment and prevention of bovine ketosis (acetonemia).

**ADMINISTRATION:** For use mixed with feed or as a drench.

**DOSAGE:** In dairy cattle, administer 6-16 ounces per head, per day for 10 days. Severe cases of ketosis may require larger doses. Before administering Propylene Glycol to cows suffering from milk fever, mastitis, or metritis, consult a veterinarian.

**PREVENTION:** In dairy cattle, administer 6-8 fluid ounces per head, per day beginning 2 weeks before calving and continuing 6 weeks after calving.

Consult a veterinarian if condition does not respond.

## Ketosis Treatment for Dairy Cattle

For veterinary use only.

Keep out of reach of children.



V1 606028

Net Contents: 1 Gallon (3.785 L)

**STORAGE:** Store at controlled room temperature between 15°-30°C (59°-86°F). Keep container tightly closed when not in use.

TAKE TIME



OBSERVE LABEL DIRECTIONS



Lot#:

Exp. Date:

No Varnish

Distributed by: MWI  
Boise, ID 83705  
(888) 694-8381  
www.VetOne.net  
Rev. 04/14




**4 x 1 gallon (3.785 L) - Master Case Label**



Quantity: **4** Jugs Propylene Glycol  
(4 x 1 gallon each)

**V1 606028**



10 3 13985 01224 9

Lot No.	Exp. Date
No Varnish	

Label Rev. 03/14

**PROPYLENE GLYCOL**

propylene glycol liquid

**Product Information**

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:13985-599
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3) (PROPYLENE GLYCOL - UNII:6DC9Q167V3)	PROPYLENE GLYCOL	1034.2 g in 1 L

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

<b>1</b>	NDC:13985-599-01	4 in 1 CASE		
<b>1</b>		3.785 L in 1 JUG		
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>		<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved drug other			04/14/2014	

**Labeler - MWI/Vet One (019926120)**

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
FIRST PRIORITY INCORPORATED		179925722	manufacture, api manufacture, label

Revised: 10/2024

MWI/Vet One